


Original accessories

Locations

CREATON price catalogue



1 Factory Autenried / Bavaria	MAGNUM KLASSIK PROFIL AMBIENTE ANTIK ESTRICHZIEGEL MANUFAKTUR
2 Factory Wertingen / Bavaria	HARMONIE HERZZIEGEL MELODIE RUSTICO ELEGANZ
3 Factory Wertingen-Roggden / Bavaria	KLASSIK PROFIL AMBIENTE SAKRAL NOBLESSE MANUFAKTUR
4 Factory Großengottern / Thuringia	FUTURA DOMINO SINFONIE MZ3 NEU
5 Factory Höngeda / Thuringia	TERRA OPTIMA RATIO
6 Factory Malsch / Baden-Württemberg	VIVA GALANT MAXIMA
7 Factory Gutttau / Saxony	PREMION CANTUS VISIO KERA BIBER
8 Factory Lenti / Hungary	KLASSIK PROFIL AMBIENTE
9 Factory Widziszewo / Poland	TITANIA
10 Factory Beckum	Roof Tiles Roof – and Facade Slates ETERPLAN Roof Soffties
11 Factory Heidelberg	Roof Tiles
12 Factory Neuburg	Roof Tiles

PK2018/EN/04.18/ Not responsible for deviation in printed colours. We reserve the right to make technical changes.

CREATON AG
Dillinger Straße 60
D-86637 Wertingen
Telefon: +49 (0) 8272 86 0
Telefax: +49 (0) 8272 86 500
www.creaton.de
Katalogbestellungen: @creaton.de

2018 price catalogue

ROOF CLAY TILES
CONCRETE TILES
AND FACADE SLATES
ACCESSORIES

Table of contents

Order easily and confidently		3
Original CREATON accessories		4
ROOF SOFFITS and FLASHINGS		8
CREATON ETERPLAN building panel		9
Sub-roof membranes		10
Clay roof tile range		
Product overview: Clay roof tile		18
Flat roof tile	MAGNUM	24
	TITANIA	28
	GALANT	32
	FUTURA	36
	PREMION	40
	VIVA	44
	MZ3 NEU	48
	HARMONIE	52
Reform tile	CANTUS	56
	TERRA OPTIMA	60
	ELEGANZ	64
Smooth tile	VISIO	68
	DOMINO	72
Interlocking tile/ double hollow interlocking tile	RATIO	76
	RUSTICO	80
Curved interlocking tile	SINFONIE	84
	MELODIE	88
Large coverage adjustable tile	MAXIMA	92
Special shapes	ETRUSKO	96
	HERZZIEGEL	100
Plain tile	KLASSIK	104
	Special shapes	114
	NOBLESSE special colour collection	116
Technical model data: Clay roof tiles		118
Concrete roof tile range		
Product overview: Concrete roof tiles		124
Technical model data: Concrete roof tiles		125
Concrete roof tiles	HEIDELBERG	126
	GÖTEBORG	130
	VERONA	134
	KAPSTADT	138
Roof and facade slates range		
Product overview: Roof and facade slates		144
Technical model data: Roof and facade slates		146
DACORA roof and facade slates	GERMAN PATTERN	154
	HORIZONTAL PATTERN	156
	DOUBLE PATTERN	160
	RHOMBUS PATTERN / POINTED PATTERN	164
	OFFSET PATTERN	166
	ASHLAR PATTERN	168
General sales, delivery and payment conditions		170

Working with the price catalogue: order easily and confidently

The CREATON order code for easy, confident ordering: simply specify the 10-digit order code instead of the item description. This can be put together very easily using the code for the specific model, the code for the colour and the function code:

1 MODEL CODE (3 digits):

The first three digits define the specific tile model, the production plant (e.g. AUT for Autenried) and the type of item (e.g. UNI for universal accessory). These are always given first.

2 COLOUR CODE (3 digits):

The next three digits represent the desired colour. This applies to both field tile and accessory products, which ensures that the desired item is identified in the correct colour when ordering.

3 FUNCTION CODE (4 digits):

The four-digit function number defines the function of the desired tile model. Every function (field tiles and accessory products) has its own number. In combination with the other number blocks, it uniquely identifies the desired item.

Packaging unit:

to help you in your logistics planning, we have listed the packing units of our products where appropriate. Items with demand-related packaging units are marked with a „B“.

Availability:

this gives you information about the delivery time for specific colours and accessory parts. First check the availability of the desired colour in the appropriate row. We set an individual delivery date by arrangement for items identified with an "A". These items are also marked with a grey background area. This delivery time also applies to all accessory parts in this colour! If the colour is marked with an "R", the standard delivery time applies. In this case, check the designation of the selected accessory parts in the corresponding column.

		96 Stk./Pal.	13.90	
	R	112 Stk./Pal.	4.00	4.00
	R	48/28 Stk./Pal.	20.60	24.50
0	R	20 Stk./Pal.	20.60	24.50
0	A	B	31.10	34.50
T	A	B	37.80	44.60
	A	B	39.70	40.00
		B	56.60	
	R		30.00	

Order code example:

TITANIA® – NUANCE copper red engobed – ventilating tile =
model code: **611** – Colour code: **200** – Function code: **1400**



TITANIA®

The flexible flat roof tile with maximum adjustment tolerance.

Production works Widsizewo

Minimum requirement/m² 9 pcs/m²

Pcs/mini package 4 Unit

Weight/pallet 985 kg

Field tile	Model		Price in EUR/pc						
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	611	1000	R	192 Stk./Pal.	1.81	2.10	2.11	2.41	2.41
Price per m ² in EUR					16.29	18.90	18.99	21.69	21.69



1820 1840 1400

1600 1620 2720

Verge tile (2.5 pcs/m)

Double roll tile (2.5 pcs/m)

Ventilating tile vent area approx. 32 cm²

Ridge connection ventilating tile (3,8 pcs/m on each side of ridge)

Ridge connection ventilating verge tile

Ridge connection ventilating double roll tile

Shed roof tile decorated standard (3,8 pcs/m)

Shed roof verge tile decorated standard

Shed roof tile decorated special size (3,8 pcs/m)

Shed roof verge tile decorated special size

Mansard/pitch transition tile, decorated, special size (3,8 pcs/m)

Mansard/pitch transition verge tile decorated special size

		Price in EUR/pc						
611	right 1820, left 1830	R	48/28 Stk./Pal.	11.60	13.80	12.00	14.40	14.40
611	1640	R	20 Stk./Pal.	11.60	13.80	12.00	14.40	14.40
611	1400	R	96 Stk./Pal.	13.90	17.50	14.70	17.90	17.90
611	1600	R	112 Stk./Pal.	4.00	4.70	4.30	4.70	4.70
611	1600	R	48/28 Stk./Pal.	20.60	24.50	20.90	24.50	24.50
611	1640	R	20 Stk./Pal.	20.60	24.50	20.90	24.50	24.50
611	2700	A	B	31.10	34.50	33.20	34.50	34.50
611	right 2720, left 2730	A	B	37.80	44.60	61.00	44.60	44.60
611	2760	A	B	39.70	40.50	39.80	40.50	40.50
611	right 2840, left 2850	A	B	56.60	59.80	56.60	59.80	59.80
611	2800	A	B	39.70	40.50	39.80	40.50	40.50
611	right 2820, left 2830	A	B	56.60	59.80	56.60	59.80	59.80



Ridge tile PF (2.5 pcs/m)




Function starter and termination plate ceramic PT

Function starter and termination plate ceramic PT

Hip starter ceramic PT

		Price in EUR/pc						
WID	6900	R	60 Stk./Pal.	11.80	13.60	13.20	14.90	14.90
WID	6910	A	B	36.50	42.20	36.50	42.20	—
WID	6912	R	B	36.50	42.20	36.50	42.20	42.20
WID	6915	R	20 Stk./Pal.	34.80	34.80	34.80	36.10	36.10

ORIGINAL ACCESSORIES



ORIGINAL CREATON ACCESSORIES

SYSTEMATIC ROOFING

Our original CREATON accessories can be used throughout the product range. Whether roofing with CREATON clay roof tiles, concrete roof tiles or roof slates, use within several material ranges is possible, depending on the accessory product. To make the ordering process easier for you, we have gathered these products and all important details in the over-view below.


ALWAYS IN VIEW

You will find a fold-out with a complete overview on the last page, so you can always keep an eye on all original accessory parts when ordering with the price catalogue.



		Order code		Avail-ability	Packaging unit	Price in EUR/pc
		Model	Function			
Ridge and hip range						
	Ridge-/hip roll, 150 cm² ventilation cross-section, 5 m/roll, 300 mm wide (red/black)	UNI	3720	R	72 Stk./Pal.	36.00
	Ridge-/hip roll, 150 cm² ventilation cross-section, 5 m/roll, 220 mm wide (red/black)	UNI	3710	R	32 Stk./Pal.	45.90

3720

Product range for roof details and uplift protection								
			Roof access hatch, 45 x 55 cm, metal with single pane safety glass, opening dimensions comply with DIN 18160-5 requirements for roof access, available in the following colours: red (colour code U03) and dark grey (colour code U13)	UNI	3953	R	B	193.00
3855	3951	3731	Thermally insulated roof access hatch 55 x 78 cm (ENEV standard), grey-brown (colour code: U12), with integrated connection apron and flashing	UNI	3951	R	B	390.00
			Universal aluminium-coated flashing tape, 300 mm wide, 5 m/roll, 3 kg/roll, 120 pcs/pallet, available in the following colours: red (colour code U03), brown (colour code U11), grey (colour code U07) and black (colour code U06)	UNI	3731	R	4 Stk./Kart.	65.00
			Universal aluminium-coated flashing tape, 450 mm wide, 5 m/roll, 4.5 kg/roll, 80 pcs/pallet, available in the following colours: red (colour code U03), brown (colour code U11), grey (colour code U07) and black (colour code U06)	UNI	3732	R	4 Stk./Kart.	97.50
1402			Satellite and aerial mast in hot-dip galvanised steel,, mast length 850 mm, mast diameter 48 mm, for rafter spacing from 50 to 95 cm, incl. wood screws and sealing gasket, available uncoated or in black (RAL7021), red (RAL8004) and chestnut brown (RAL8015) colours	UNI	3855	R	B	169.00
			Eaves ventilation comb, available in U06 colour	UNI	1402	R	30 Stk./VE	1.15

3855

3951

3731

1402



				Applications		
				Clay roof tiles	Concrete roof tiles	Roof and facade slates
Ridge and hip range						
Ridge-/hip roll, 150 cm² ventilation cross-section, 5 m/roll, 300 mm wide (red/black)				x	x	x
Ridge-/hip roll, 150 cm² ventilation cross-section, 5 m/roll, 220 mm wide (red/black)				-	-	-

Product range for roof details and uplift protection						
Roof access hatch, 45 x 55 cm, metal with single pane safety glass, opening dimensions comply with DIN 18160-5 requirements for roof access, available in the following colours: red (colour code U03) and dark grey (colour code U13)				x	x	x
Thermally insulated roof access hatch 55 x 78 cm (ENEV standard), grey-brown (colour code: U12), with integrated connection apron and flashing				x	x	-
Universal aluminium-coated flashing tape, 300 mm wide, 5 m/roll, 3 kg/roll, 120 pcs/pallet, available in the following colours: red (colour code U03), brown (colour code U11), grey (colour code U07) and black (colour code U06)				x	x	x
Universal aluminium-coated flashing tape, 450 mm wide, 5 m/roll, 4.5 kg/roll, 80 pcs/pallet, available in the following colours: red (colour code U03), brown (colour code U11), grey (colour code U07) and black (colour code U06)				x	x	x
Satellite and aerial mast in hot-dip galvanised steel,, mast length 850 mm, mast diameter 48 mm, for rafter spacing from 50 to 95 cm, incl. wood screws and sealing gasket, available uncoated or in black (RAL7021), red (RAL8004) and chestnut brown (RAL8015) colours				x	x	-
Eaves ventilation comb, available in U06 colour				x	x	-


ROOF SOFFITS and FLASHINGS

FIBRE CEMENT SHEETS WITH PUNCHED EDGE FOR CUTTING TO SIZE

The perfect solution for roof soffits and parapet cladding. CREATON roof soffits combine high quality appearance with resilience and durability while being easier to maintain than almost any other material.

PROCESSING

CREATON roof soffits with punched edges must be trimmed approx. 15 mm on all sides before use.
CREATON roof soffits are not technically approved for large-format facade cladding.

	Effective and calculated area per pallet (m²/pallet)	Effective and calculated area per pc. (m²/sheet)	Weight per m² (kg)	Weight per pallet (kg)	Weight per pc. (kg)	Pcs per pallet	Availability			R	R	R	R	Partial pallet price in euros/m²				
							Availability	Order code model	Order code function	dark grey	dark brown	white	pale grey					
Format in mm																		
Panels with punched edge															Price in euros/m²			
3130 x 1280 mm, 5 mm, with punched edge		193,75	3,875	8	1876	37.5	50	R	840	9802	41.05	41.05	41.05	41.05	47.21			
2530 x 1280 mm, 5 mm, with punched edge		156,25	3,125	8	1513	30.3	50	R	840	9801	41.05	41.05	41.05	41.05	47.21			
Panels without punched edge															Price in EUR/pc			
1550 x 200 mm, 5 mm, without punched edge		93	0,310	8	938	3	300	R	840	9803	11.80	—	11.80	11.80	13,57			
1550 x 300 mm, 5 mm, without punched edge		93	0,465	8	938	4.5	200	R	840	9804	16.70	—	16.70	16.70	19,21			
2500 x 200 mm, 5 mm, without punched edge		75	0,500	8	756.5	4.8	150	R	840	9805	20.95	—	20.95	20.95	24.09			
2500 x 300 mm, 5 mm, without punched edge		75	0,750	8	756.5	7.3	100	R	840	9806	27.45	—	27.45	27.45	31.57			
Fasteners															Price in euros/box			
Facade screw, 5.5 x 35 mm, Torx drive, stainless steel for wood substructure, packaging unit: 250 pcs		—	—	—	—	—	—	R	UNI	9800	76.00	76.00	76.00	76.00	—			
Universal accessories															Price in euros/roll			
Joint tape EPDM, 20 m/130 mm, available in black (colour code U06)		—	—	—	—	—	—	R	UNI	9871	61.80	61.80	61.80	61.80	—			
Joint tape EPDM, 20 m/110 mm, available in black (colour code U06)		—	—	—	—	—	—	R	UNI	9872	53.60	53.60	53.60	53.60	—			
Joint tape EPDM, 20 m/70 mm, available in black (colour code U06)	—	—	—	—	—	—	R	UNI	9873	35.40	35.40	35.40	35.40	—				

	Feature	Weight per pallet (kg)	Weight per pc. (kg)	Pcs per bundle	Pcs per pallet	Availability			R	Partial pallet price per 100 pcs in euros	R	R	R	R	R	R	R	R	Partial pallet price per 100 pcs in euros							
						Availability	Order code model	Order code function																		
																				blue-black						
																					914					
																						black				
																							dark brown			
																								classic red		
																									brick red	
																										dark red
pale grey																										
	zinc grey																									
		913																								

CREATON ETERPLAN BUILDING PANEL

LARGE FORMAT, ROBUST FIBRE-CEMENT BUILDING PANEL

The universal, large-format, fibre cement sheet impresses indoors and outdoors when the requirements for fire and noise protection, weather resistance, load bearing capacity and durability are high. Solid as concrete, they reliably cover chimney heads, ventilation pipes and ducts. Whether a puristic exposed concrete look or unusual colour combinations – ETERPLAN is a versatile material that is also used for container construction in agriculture and partition walls in animal husbandry due to its natural properties.

	Format in mm	Thickness in mm	Effective and calculated area per pallet (m²/pallet)	Effective and calculated area per pc. (m²/ sheet)	Weight per m² (kg)	Weight per pallet (kg)	Weight per pc. (kg)	Pcs per pallet	Availability			R	Partial pallet price in euros/m²	Price per m for cutting in euros			
		Availability	Order code model	Order code function	Universal colour												
Production and delivery dimensions with punched edge in mm															Price in euros/ m²		
2530 x 1280 mm	5	156,25	3,125	8.8	1425	28.5	50	R	842	9837	16.55	19.03	2.20				
3130 x 1280 mm	5	193,75	3,875	8.8	1763	35.3	50	R	842	9838	16.55	19.03	2.20				
2530 x 1280 mm	8	125,00	3,125	14.1	1824	45.6	40	R	842	9839	20.80	23.92	2.20				
3130 x 1280 mm	8	96,88	3,875	14.1	1410	56.4	25	R	842	9840	20.80	23.92	2.20				
2530 x 1280 mm	10	93,75	3,125	17.6	1710	57	30	R	842	9841	25.75	29.61	2.50				
3130 x 1280 mm	10	77,50	3,875	17.6	1410	70.5	20	R	842	9842	25.75	29.61	2.50				
2530 x 1280 mm	12	78,13	3,125	21.1	1710	68.4	25	R	842	9843	30.45	35.02	2.70				
3130 x 1280 mm	12	77,50	3,875	21.1	1692	84.6	20	R	842	9844	30.45	35.02	2.70				
2530 x 1280 mm	15	62,50	3,125	26.4	1710	85.5	20	R	842	9845	41.15	47.32	3.10				
3130 x 1280 mm	15	58,13	3,875	26.4	1587	105.8	15	R	842	9846	41.15	47.32	3.10				
2530 x 1280 mm	20	46,88	3,125	35.2	1410	94	15	R	842	9847	56.10	64.52	3.50				
3130 x 1280 mm	20	38,75	3,875	35.2	1410	141	10	R	842	9848	56.10	64.52	3.50				

PUNCHED EDGES

ETERPLAN fibre cement sheets are basically delivered with punched edges.

PROCESSING

ETERPLAN fibre cement sheets with punched edges must be trimmed approx. 15 mm on all sides before use. CREATON Eterplan building panels are not technically approved for large-format facade cladding.

SURFACE

The appearance of ETERPLAN fibre cement sheets is characterised by natural raw materials. Irregularities such as different colours and traces of the manufacturing process are characteristic of these uncoated fibre cement sheets.

Processing Eterplan fibre cement sheets extends the delivery time by 1–2 weeks following order clarification. The clear, binding trans-mission of data is carried out by means of an electronic order form (see www.creaton.de/downloads/). Freight scheduling is not included in the availability information and will be agreed separately. Billing is based on CREATON cut optimisation. The calculation basis is the standard format used. The permissible dimensional deviations for cuts are +/-1.0 mm for panel lengths up to 3,100 mm. The measured diagonals of a sheet may not deviate more than 2.0 mm from each other.

Prices include freight charges in accordance with the general terms of delivery starting on page 168.
Please see the roof membrane data sheets for exact installation specifications and product properties. These are available upon request.

B	As required	R	Standard delivery time	A	Delivery date by arrangement
---	-------------	---	------------------------	---	------------------------------

CREATON ROOF MEMBRANES

CREATON UNO classic

Die klassische Unterspann- und Unterdeckbahn.

- 3-lagige, diffusionsoffene Bahn mit mikroporösem Film zwischen zwei Vlies-Schichten
- Einsetzbar bei belüfteten und unbelüfteten Dachkonstruktionen als Unter- spann- oder Unterdeckbahn
- Die Bahn UNO classic ist für eine Verlegung auf Schalung nicht geeignet
- Nicht geeignet als Behelfsdeckung
- Nicht bei Wohngebäuden – oder nur bei untergeordneten Gebäuden

99.00 €/Role

1.32 €/m²

Order code: 710 900 1000

Dimensions/packaging	
m² per roll	75 m²
Weight per roll	9 kg
Packaging (concatenated)	24 Stk./Pal.
Technical data	
Length	50 Metre
Width	1.5 Metre
Weight per m² (approx.)	0.1 kg/m²
Fire performance	Class E
Resistance to air penetration	< 0,02 m³/m² h 50 Pa
Resistance to water penetration	W1
Certification	CE
Water column, EN 20811	> 280 cm
sd value	0.02 Metre
Tensile strength, EN 12311-1	Longitudinal: 260N/50 mm
	Transverse: 180N/50 mm
Tensile strength (following artificial ageing), EN 12311-1	Longitudinal: 230N/ 50 mm
	Transverse: 160N/50 mm
Elongation, EN 12311-1	Longitudinal: 50 %
	Transverse: 80 %
Elongation (following artificial ageing), EN 12311-1	Longitudinal: 40 %
	Transverse: 65 %
Tear resistance (nail shank), EN 12310-1	Longitudinal: 120 N
	Transverse: 140 N
Thermal stability	-40°C bis +80°C
UV resistance	At most 12 weeks
Outdoor exposure period	At most 3 weeks
Central Organization of the German Roofing Trade (ZVDH) classification for sub-roof membranes	UDB-B
Central Organization of the German Roofing Trade (ZVDH) classification for underlays	USB-A

CREATON DUO extra

Die klassische Unterspann- und Unterdeckbahn.

- 3-lagige diffusionsoffene Schalungsbahn mit mikroporösem Film und Gewebegitter
- Einsetzbar bei belüfteten und unbelüfteten Dachkonstruktionen als Unter- spann-, Unterdeck- oder Schalungsbahn
- Einsetzbar als verklebte Unterdeckung auf Schalung oder formstabile Un- terlage
- Zwei übereinanderliegende integrierte Selbstklebestreifen sorgen für eine wirtschaftliche Verklebung der Längsnähte

135.00 €/Role

1.80 €/m²

Order code: 720 900 1000

Dimensions/packaging	
m² per roll	75 m²
Weight per roll	11.25 kg
Packaging (concatenated)	24 Stk./Pal.
Technical data	
Length	50 Metre
Width	1.5 Metre
Weight per m² (approx.)	0.2 kg/m²
Fire performance	Class E
Resistance to air penetration	< 0,005 m³/m² h 50 Pa
Resistance to water penetration	W1
Certification	CE
Water column, EN 20811	> 300 cm
sd value	0.02 Metre
Tensile strength, EN 12311-1	Longitudinal: 310N/50 mm
	Transverse: 240N/50 mm
Tensile strength (following artificial ageing), EN 12311-1	Longitudinal: 280N/50 mm
	Transverse: 215N/50 mm
Elongation, EN 12311-1	Longitudinal: 70 %
	Transverse: 80 %
Elongation (following artificial ageing), EN 12311-1	Longitudinal: 55 %
	Transverse: 65 %
Tear resistance (nail shank), EN 12310-1	Longitudinal: 180 N
	Transverse: 210 N
Thermal stability	-40°C bis +80°C
UV resistance	At most 12 weeks
Outdoor exposure period	At most 4 weeks
Central Organization of the German Roofing Trade (ZVDH) classification for sub-roof membranes	UDB-A
Central Organization of the German Roofing Trade (ZVDH) classification for underlays	USB-A

CREATON DUO longlife extra

Die wirtschaftliche Unterdeckbahn für höchste Sicherheit.

- 2-lagige diffusionsoffene Unterdeck- und Schalungsbahn mit einer TPU-Be- schichtung und einem PES-Vlies mit Gitterstrukturprägung
- Einsetzbar als Unterspann-, Unterdeck- und Schalungsbahn
- Extrem widerstandsfähig gegen Chemikalien
- Beständig gegen chemische Imprägnierung, Motorsägenöl, Holzfäulnis, Schimmel
- Einsetzbar bei belüfteten und unbelüfteten Dachkonstruktionen als Unter- spann-, Unterdeck- oder Schalungsbahn
- Einsetzbar als verklebte Unterdeckung auf Schalung oder formstabile Un- terlage
- Zwei übereinanderliegende integrierte Selbstklebestreifen sorgen für eine wirtschaftliche Verklebung der Längsnähte

245.00 €/Role

3.26 €/m²

Order code: 770 900 1000

Dimensions/packaging	
m² per roll	75 m²
Weight per roll	20.25 kg
Packaging (concatenated)	20 Stk./Pal.
Technical data	
Length	50 Metre
Width	1.5 Metre
Weight per m² (approx.)	0.3 kg/m²
Fire performance	Class E
Resistance to air penetration	—
Resistance to water penetration	W1
Certification	CE
Water column, EN 20811	> 300 cm
sd value	0.2 Metre
Tensile strength, EN 12311-1	Longitudinal: 500N/50 mm
	Transverse: 500N/50 mm
Tensile strength (following artificial ageing), EN 12311-1	Longitudinal: 400N/50 mm
	Transverse: 400N/50 mm
Elongation, EN 12311-1	Longitudinal: 50 %
	Transverse: 80 %
Elongation (following artificial ageing), EN 12311-1	Longitudinal: 45 %
	Transverse: 75 %
Tear resistance (nail shank), EN 12310-1	Longitudinal: 250 N
	Transverse: 200 N
Thermal stability	-40°C bis +100°C
UV resistance	At most 16 weeks
Outdoor exposure period	At most 8 weeks
Central Organization of the German Roofing Trade (ZVDH) classification for sub-roof membranes	UDB-A
Central Organization of the German Roofing Trade (ZVDH) classification for underlays	USB-A

CREATON TRIO extra

Die Unterdachbahn mit integriertem Selbstklebestreifen für hohe Anforderungen.

- 4-lagige diffusionsoffene Schalungsbahn mit mikroporösem Film und Gewebegitter
- Einsetzbar bei belüfteten und unbelüfteten Dachkonstruktionen als Unter- spann-, Unterdeck- oder Schalungsbahn
- Einsetzbar als regensicheres Unterdach auf Schalung oder druckstabiler Unterlage
- Zwei übereinanderliegende integrierte Selbstklebestreifen sorgen für eine wirtschaftliche Verklebung der Längsnähte

195.00 €/Role

2.60 €/m²

Order code: 740 900 1000

Dimensions/packaging	
m² per roll	75 m²
Weight per roll	15.75 kg
Packaging (concatenated)	15 Stk./Pal.
Technical data	
Length	50 Metre
Width	1.5 Metre
Weight per m² (approx.)	0.2 kg/m²
Fire performance	Class E
Resistance to air penetration	< 0,038 m³/m² h 50 Pa
Resistance to water penetration	W1
Certification	CE
Water column, EN 20811	> 500 cm
sd value	0.03 Metre
Tensile strength, EN 12311-1	Longitudinal: 490N/50 mm
	Transverse: 460N/50 mm
Tensile strength (following artificial ageing), EN 12311-1	Longitudinal: 460N/50 mm
	Transverse: 430N/50 mm
Elongation, EN 12311-1	Longitudinal: 45 %
	Transverse: 70 %
Elongation (following artificial ageing), EN 12311-1	Longitudinal: 40 %
	Transverse: 60 %
Tear resistance (nail shank), EN 12310-1	Longitudinal: 500 N
	Transverse: 450 N
Thermal stability	-40°C bis +90°C
UV resistance	At most 16 weeks
Outdoor exposure period	At most 4 weeks
Central Organization of the German Roofing Trade (ZVDH) classification for sub-roof membranes	UDB-A
Central Organization of the German Roofing Trade (ZVDH) classification for underlays	USB-A

CREATON ROOF MEMBRANES

CREATON TRIO longlife extra

Die Unterdachbahn mit außergewöhnlichen Eigenschaften für Dach und Fassade.

- 2-lagige, hoch UV-beständige, diffusionsoffene Unterdach- und Fassadenbahn mit einer Spezial-Acylrl-Beschichtung und einem PES-Vlies
- Für die unterstützte und nicht unterstützte Anwendung geeignet und kann direkt auf der Wärmedämmung oder dem Holz aufgebracht werden
- Sorgt für ein geschlossenes Wärmedämmsystem und schützt die Wand und das Steildach vor Regen, Wind, Schnee, Staub und Feuchtigkeit
- Geeignet für die Installation auf vertikalen Wandflächen und als Windsperre für belüftete Fassaden mit offenen Fugen bis 50 mm Breite, die bis zu 40 % der Gesamtfläche ausmachen
- Beständig gegen chemische Imprägnierung, Motorsägenöl, Holzfäulnis, Schimmel
- Sorgt mit zwei Klebestreifen für eine perfekte Verklebung der Bahnen

339.00 €/Role

4.52 €/m²

Order code: 780 900 1000

Dimensions/packaging	
m² per roll	75 m²
Weight per roll	20.25 kg
Packaging (concatenated)	20 Stk./Pal.
Technical data	
Length	50 Metre
Width	1.5 Metre
Weight per m² (approx.)	0.3 kg/m²
Fire performance	Class E
Resistance to air penetration	—
Resistance to water penetration	W1
Certification	CE
Water column, EN 20811	100 cm
sd value	0.02 Metre
Tensile strength, EN 12311-1	Longitudinal: 320N/50 mm
	Transverse: 200N/50 mm
Tensile strength (following artificial ageing), EN 12311-1	Longitudinal: 310N/50 mm
	Transverse: 190N/50 mm
Elongation, EN 12311-1	Longitudinal: 30 %
	Transverse: 35 %
Elongation (following artificial ageing), EN 12311-1	Longitudinal: 28 %
	Transverse: 33 %
Tear resistance (nail shank), EN 12310-1	Longitudinal: 130 N
	Transverse: 140 N
Thermal stability	-50°C bis +100°C
UV resistance	Long-term
Outdoor exposure period	At most 10 weeks
Central Organization of the German Roofing Trade (ZVDH) classification for sub-roof membranes	UDB-A
Central Organization of the German Roofing Trade (ZVDH) classification for underlays	USB-A

CREATON QUATTRO longlife extra

Die wirtschaftliche Unterdachbahn für hohe Ansprüche.

- Mehrlagige, diffusionsoffene, extrudierte Schalungs- u. Vordeckbahn bestehend aus zwei monolithischen TPU-Copolymer-Beschichtungen und einem PES-Vlies
- Einsetzbar bei belüfteten und unbelüfteten Dachkonstruktionen als Unter- spann, -Unterdeck- oder Schalungsbahn
- Einsetzbar als wasserdichtes Unterdach (entsprechend CREATON Hersteller- angabe) auf einer druckstabilen Unterlage (z. B. Schalung)
- Zusätzlicher Klebestreifen auf der Rückseite zur Vorab-Fixierung: einfache Verlegung/Verschweißung möglich
- Neuartige TPU-Beschichtung: bessere Verschweißung vor allem mit QSM möglich
- Beständig gegen chemische Imprägnierung, Motorsägenöl, Holzfäulnis, Schimmel
- Kratzfestigkeit und gute Dehnung des Beschichtungsfilmes

234.00 €/Role

6.43 €/m²

Order code: 750 900 1000

Dimensions/packaging	
m² per roll	37.5 m²
Weight per roll	13.5 kg
Packaging (concatenated)	20 Stk./Pal.
Technical data	
Length	25 Metre
Width	1.5 Metre
Weight per m² (approx.)	0.4 kg/m²
Fire performance	Class E
Resistance to air penetration	—
Resistance to water penetration	W1
Certification	CE
Water column, EN 20811	> 300 cm
sd value	0.20 Metre
Tensile strength, EN 12311-1	Longitudinal: 420N/50 mm
	Transverse: 490N/50 mm
Tensile strength (following artificial ageing), EN 12311-1	Longitudinal: 400N/50 mm
	Transverse: 470N/50 mm
Elongation, EN 12311-1	Longitudinal: 50 %
	Transverse: 65 %
Elongation (following artificial ageing), EN 12311-1	Longitudinal: 50 %
	Transverse: 65 %
Tear resistance (nail shank), EN 12310-1	Longitudinal: 310 N
	Transverse: 280 N
Thermal stability	-40°C bis +120°C
UV resistance	At most 16 weeks
Outdoor exposure period	At most 12 weeks
Central Organization of the German Roofing Trade (ZVDH) classification for sub-roof membranes	UDB-A
Central Organization of the German Roofing Trade (ZVDH) classification for underlays	USB-A

Minimum additional clay roof tile measures						
	UNO classic*** truss- ing sheet	DUO extra underlay membrane	DUO longlife extra underlay membrane	TRIO extra sub-roof	TRIO longlife extra sub-roof	QUATTRO longlife extra* sub-roof
MAGNUM	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
BALANCE	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
TITANIA	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
GALANT	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
FUTURA	≥ 14°	≥ 12°	≥ 12°	≥ 10°	≥ 10°	≥ 7°
PREMION	≥ 14°	≥ 12°	≥ 12°	≥ 10°	≥ 10°	≥ 7°
VIVA	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
MZ3 NEU	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
HARMONIE	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
CANTUS	≥ 18°	≥ 16°	≥ 16°	≥ 14°	≥ 14°	≥ 10°
TERRA OPTIMA	≥ 18°	≥ 16°	≥ 16°	≥ 14°	≥ 14°	≥ 10°
ELEGANZ	≥ 24°	≥ 22°	≥ 22°	≥ 18°	≥ 18°	≥ 10°
VISIO	≥ 18°	≥ 16°	≥ 16°	≥ 14°	≥ 14°	≥ 10°
DOMINO	≥ 18°	≥ 16°	≥ 16°	≥ 14°	≥ 14°	≥ 10°
RAPIDO	≥ 18°	≥ 16°	≥ 16°	≥ 14°	≥ 14°	≥ 10°
RATIO HÖN	≥ 18°	≥ 16°	≥ 16°	≥ 14°	≥ 14°	≥ 10°
RUSTICO	≥ 18°	≥ 16°	≥ 16°	≥ 14°	≥ 14°	≥ 10°
SINFONIE	≥ 14°	≥ 12°	≥ 12°	≥ 10°	≥ 10°	≥ 7°
MELODIE	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
MAXIMA	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
ETRUSKO	≥ 16°	≥ 14°	≥ 14°	≥ 12°	≥ 12°	≥ 10°
HERZZIEGEL	≥ 24°	≥ 22°	≥ 22°	≥ 18°	≥ 18°	≥ 10°
Plain tile	≥ 24°	≥ 22°	≥ 22°	≥ 18°	≥ 18°	≥ 10°
* CREATON manufacturer's guidelines must be followed when installed on roof pitches up to 7° *** Only applies to offset covering, a covering without offset is available from CREATON upon request *** Not for residential buildings – or only for ancillary buildings						

Note: these are product-specific manufacturer's data. The minimum roof pitches shown in the table may deviate from the relevant stand- ards. This must be pointed out to the end customer. Of course the CREATON membranes can be used in accordance with ZVDH specifi- cations for all trussing sheet areas (UNO classic), an adhered sub-roof (DUO extra, DUO longlife extra), a rain-proof sub-roof (TRIO, TRIO longlife extra) and a water-tight sub-roof (QUATTRO longlife extra).

Minimum additional concrete roof tile measures					
HEIDELBERG GÖTEBORG VERONA	KAPSTADT	no additional	Increased roof assembly requirements one additional	two additional	three additional
≥ 22° minimum roof pitch	≥ 25° minimum roof pitch	• UNO classic DUO extra DUO longlife extra trussing sheet	• UNO classic DUO extra DUO longlife extra trussing sheet	• UNO classic DUO extra DUO longlife extra overlapped underlay membrane	• Glued underlay membrane; DUO extra DUO longlife extra sealed-seam trussing sheet
≥ 18°	≥ 21°	• Glued underlay membrane; DUO extra DUO longlife extra sealed-seam trussing sheet	• Glued underlay membrane; DUO extra DUO longlife extra sealed-seam trussing sheet	• DUO extra DUO longlife extra sealed seam and perfora- tion-proof trussing sheet/ underlay membrane	• DUO extra DUO longlife extra sealed seam and perfora- tion-proof trussing sheet/ underlay membrane
≥ 14°	≥ 17°	• DUO extra DUO longlife extra sealed seam and perfora- tion-proof trussing sheet/ underlay membrane	• DUO extra DUO longlife extra sealed seam and perfora- tion-proof trussing sheet/ underlay membrane	• DUO extra DUO longlife extra sealed seam and perfora- tion-proof trussing sheet/ underlay membrane	• DUO extra DUO longlife extra sealed seam and perfora- tion-proof trussing sheet/ underlay membrane
≥ 10°	≥ 13°	• TRIO extra TRIO longlife extra rain-proof sub-roof	• TRIO extra TRIO longlife extra rain-proof sub-roof	• QUATTRO longlife extra wa- tertight sub-roof	• QUATTRO longlife extra wa- tertight sub-roof
	≥ 10°	• QUATTRO longlife extra wa- tertight sub-roof	• QUATTRO longlife extra wa- tertight sub-roof	• QUATTRO longlife extra wa- tertight sub-roof	• QUATTRO longlife extra wa- tertight sub-roof

CREATON ROOF MEMBRANES


Classification of additional measures with slate roofing (NOTE: Please note the respective minimum roof pitches in our roof planner)						
Roof pitch	Increased roof assembly requirements for installation on battens				Slate roofing on sheathing	
	none	one	two	three	Roof pitch	Additional measures
	≥ Minimum roof pitch	–	Trussing sheet	Trussing sheet	overlapped/folded underlay membrane	≥ Minimum roof pitch
	≥ (Minimum roof pitch – 5°)	glued/welded underlay membrane	Rain-proof sub-roof	Rain-proof sub-roof	watertight sub-roof	
≥ (Minimum roof pitch – 10°)	Rain-proof sub-roof	watertight sub-roof	watertight sub-roof	watertight sub-roof	≥ (Minimum roof pitch – 10°)	watertight sub-roof

Additional measures listed in the table are minimum measures.

Slate roofing installed on sealed sheathing meets the requirements of an overlapped underlay with bitumen sheeting. If the pitch of roofing on sheathing is below the minimum, a watertight sub-roof must generally be installed. Roofing with CREATON roof slates may no longer be installed, even with additional measures, if the roof pitch is more than 10° below the minimum roof pitch for the particular roofing method. Instructions regarding execution methods of additional measures are in the data sheet for sub-roofs, underlay membranes and trusting sheets (Rules of the German Roofing Trade).

CREATON sub-roof membrane applications					
	Trussing sheet	Sub-coverage sheet	Rain-proof sub-roof	Watertight sub-roof	Façade membrane
CREATON UNO classic	+	+	—	—	—
CREATON DUO extra	+	+	—	—	—
CREATON DUO longlife extra	+	+	—	—	—
CREATON TRIO extra	+	+	+	—	—
CREATON TRIO longlife extra	+	+	+	—	+
CREATON QUATTRO longlife extra	+	+	+	+	—
* Only with a dimensionally stable base					
** Suitable for a rear-ventilated façade with closed covering material					

CREATON sub-roof membrane accessories

	Hot air blower for QUATTRO (only supplied separately)	Order code 760 900 8036
	Prefabricated exterior corners for „QUATTRO“ connection details (only supplied separately)	Order code 760 900 8039
	KKS – Counter-batten cap flashing for integration of the counter-batten for sub-roofs with „QUATTRO“, 30 cm wide (20 m/roll / 3 rolls/box/ 54 boxes/pallet)	Order code 760 900 8042
	FKB – façade adhesive tape for closing, sealing and connecting roof and façade assemblies with „TRIO“; comfort extend, one sided adhesive tape, 60 mm wide (10 rolls/box)	Order code 760 900 8043

	NKS – Adhesive seam tape for transverse seams and connections in DUO, 50 mm wide (25 m/roll / 12 rolls/box / 288 rolls/pallet)	Order code 760 900 8030
	SKL – Special adhesive, adhesive for TRIO membrane and connections (19 m bonding/cartridge/ 20 cartridges/box / 1,200 cartridges/pallet)	Order code 760 900 8031
	NDS – Nail sealing strip for installation under the counter-battens, 50 mm wide(10 m/roll / 12 rolls/box / 252 rolls/pallet)	Order code 760 900 8032
	NDM – Nail sealant (1,000 ml/bottle – ca. 50 lin. m counter-batten / 10 bottles/box/ 240 bottles/pallet)	Order code 760 900 8033
	UAB – Sub-roof connection tape for connection of sub-roof to rising building components, 25 cm wide (5 m/roll / 4 rolls/box / 60 boxes/pallet)	Order code 760 900 8041
	NDS – PE nail sealing strip, nail sealing strip for installation under the counter-battens, 60 mm wide (30 m/roll / 8 rolls/box / 18 boxes/pallet)	Order code 760 900 8040
	QSM – Solvent welding agent (1 l/can – approx. 1 l per 200 m² / 4 cans/box / 30 boxes/pallet)	Order code 760 900 8034
	Brush bottle for QSM (only supplied separately)	Order code 760 900 8035

CREATON sub-roof membrane accessory applications						
	Area of application for CREATON UNO classic	Area of application for CREATON „DUO“	Area of application for „DUO“ comfort pro	Area of application for CREATON „TRIO“	Area of application for CREATON „TRIO“ comfort extend	Area of application for CREATON „QUATTRO“
Seam adhesive strips NKS	+	+	+	—	—	—
Special adhesive SKL	+	+	+	+	+	+
Nail ceiling strips NDS	+	+	+	+	+	+
Nail sealant NDM	+	+	—	+	—	—
Sub-roof connection tape UAB	+	+	+	+	+	—
Sub-roof nail sealing tape NDB PE	+	+	+	+	+	—
Solvent welding agent QSM	—	—	—	—	—	+
Brush bottle for QSM	—	—	—	—	—	+
Hot air blower for "QUATTRO"	—	—	—	—	—	+
Prefabricated exterior corners for QUATTRO connection details	—	—	—	—	—	+
Sub-roof connection tape UAB	—	—	—	—	—	+
FKB adhesive façade tape	—	—	—	—	+	—

* Only for connections

ROOF TILES



Flat roof tile

PREMIUM						Tile requirement min. (approx.) 11.6 pcs/m ²					
											
natural red	copper red engobed	brown engobed	manganese engobed	slate shade engobed	black matt engobed	wine red glazed	brown glazed	black glazed	Chestnut brown glazed	crystalline slate glazed	crystalline black glazed
NUANCE						FINESSE			NOBLESSE		

HARMONIE		Tile requirement min. (approx.)		14.2 pcs/m ²				
natural red	red engobed	Tuscany engobed	copper red engobed	wine red engobed	dark brown engobed	slate shade engobed	anthracite engobed	black glazed
NUANCE								FINESSE

Product overview

Reform tile

ELEGANZ			Tile requirement min. (approx.)	13.7 pcs/m²
				
natural red	copper red engobed	dark brown engobed		
	NUANCE			

CANTUS								Tile requirement min. (approx.)	11.8 pcs/m²
									
natural red	copper red engobed	slate shade engobed	black matt engobed	wine red glazed	black glazed	crystalline slate glazed	crystalline black glazed		
	NUANCE			FINESSE		NOBLESSE			

TERRA OPTIMA										Tile requirement min. (approx.)	11.9 pcs/m²
											
natural red	copper red engobed	wine red engobed	brown engobed	dark brown engobed	grey en-gobed	slate shade engobed	anthracite engobed	wine red glazed	black glazed		
	NUANCE							FINESSE			

Smooth tile

VISIO				Tile requirement min. (approx.)	11.8 pcs/m²	DOMINO						Tile requirement min. (approx.)	12.4 pcs/m²
													
slate shade engobed	black matt engobed	black glazed	crystalline slate glazed			natural red	copper red engobed	grey en-gobed	slate shade engobed	black matt engobed	slate glazed	black glazed	
NUANCE		FINESSE	NOBLESSE				NUANCE				FINESSE		

Interlocking tile/ double hollow interlocking tile

								Tile requirement min. (approx.)	8.1 pcs/m²
									
natural red	red engobed	copper red engobed	wine red engobed	antique grey engobed	slate shade engobed	black en-gobed	black matt engobed		
	NUANCE								

RATIO											Tile requirement min. (approx.)	11.7 pcs/m²
												
natural red	red engobed	copper red engobed	wine red engobed	antique grey engobed	anthracite engobed	red glazed	wine red glazed	Chestnut brown glazed	black glazed	brown glazed		
	NUANCE					FINESSE			NOBLESSE			

Curved interlocking tile

RUSTICO				Tile requirement min. (approx.)	14.2 pcs/m²
					
natural red	Tuscany engobed	copper red engobed	antique grey engobed		
	NUANCE				

SINFONIE						Tile requirement min. (approx.)	10.9 pcs/m²
							
natural red	copper red engobed	black matt engobed	wine red glazed	black glazed	black glazed		
	NUANCE		FINESSE		NOBLESSE		

MELODIE					Tile requirement min. (approx.)	13.7 pcs/m²
						
natural red	copper red engobed	slate shade engobed	anthracite engobed	black glazed		
	NUANCE			FINESSE		

Large coverage adjustable tile

MAXIMA						Tile requirement min. (approx.)	9.5 pcs/m²
							
natural red	copper red engobed	dark brown engobed	slate shade engobed	anthracite engobed	black glazed		
	NUANCE				FINESSE		

Special shapes

ETRUSKO			Tile requirement min. (approx.)	12.9 pcs/m²
				
natural red	natural red flamed	Tuscany engobed		
	NUANCE			

HERZZIEGEL		Tile requirement min. (approx.)	13.7 pcs/m²
			
natural red			

Product overview

KLASSIK round cut

KLASSIK round cut (ROG)						Tile requirement min. (approx.) 33.6 pcs/m²				
										
natural red	red engobed	wine red engobed	anthracite engobed	antique grey engobed	grey en-gobed	red glazed	wine red glazed	brown glazed	green glazed	black glazed
NUANCE						FINESSE				

KLASSIK round cut (AUT)							Tile requirement min. (approx.)		33.6 pcs/m²		20/40/1.4		Average tile require- ment (approx.)		30.3	
																
natural red	natural red flamed	copper red engobed	brown engobed	dark brown engobed	slate shade engobed	black en- gobed	natural red									
NUANCE																

PROFIL profiled surface

Side interlock tile ridged surface segmented cut	Saxony plain tile with 3 grooves, segmented cut 15.5/38/1.2				Saxony plain tile with 3 grooves 18/38/1.4	Berlin plain tile, segmented cut 16/38/1.6
						
natural red	natural red	copper red engobed	anthracite engobed	black en-gobed	natural red	natural red
NUANCE						

AMBIENTE special cut shapes 18/38/1.4

segmented cut				straight cut	
					
natural red	copper red engobed	anthracite engobed	antique grey engobed	natural red	copper red engobed
NUANCE				NUANCE	

ANTIK monument plain tile 18x 38x 1.8

monument plain tile	elliptical cut
	
raised surface brushed natural red	raised surface brushed natural red

SAKRAL church plain tile

Round cut 18 x 38 x 1.8	Straight cut rounded corner
	
natural red	natural red


MANUFAKTUR tower plain tile

Segmented cut 14 x 28 x 1.4	
	
natural red	copper red engobed
NUANCE	


Colour diversity following Mother Nature




January

				
1	2	3	4	5
701	702	703	704	705


February

				
1	2	3	4	5
706	707	708	709	710


March

				
1	2	3	4	5
711	712	713	714	715


April

				
1	2	3	4	5
716	717	718	719	720


May

				
1	2	3	4	5
721	722	723	724	725


June

				
1	2	3	4	5
726	727	728	729	730



July

				
1	2	3	4	5
731	732	733	734	735




August

				
1	2	3	4	5
736	737	738	739	740



September

				
1	2	3	4	5
741	742	743	744	745


October

				
1	2	3	4	5
746	747	748	749	750

November

				
1	2	3	4	5
751	752	753	754	755

December

				
1	2	3	4	5
756	757	758	759	760

	MAGNUM® The economical large tile. Production works Autenried Minimum requirement/m² 8.2 pcs/m² Pcs/mini package 4 Unit Weight/pallet 848 kg	Order code	NUANCE							
			Availability	Packaging unit	R	R	R	R	R	
					natural red	copper red engobed	slate shade engobed	black engobed	black matt engobed	
										
					100	200	418	809	821	
Field tile	Model									
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	600	1000	R	168 Stk./Pal.	1.34	1.46	1.57	1.52	1.52
	Price per m² in EUR					11.26	12.26	13.19	12.77	12.77



Accessory range				Price in EUR/pc								
	Half-width tile	600	1210	R	112 Stk./Pal.	8.90	9.40	10.80	9.80	9.80		
	Verge tile (2.5 pcs/m)	600	right 1820, left 1830	R	48/56 Stk./Pal.	10.40	11.40	12.00	12.00	12.00		
	Double roll tile (2.5 pcs/m)	600	1840	R	96 Stk./Pal.	10.40	11.40	12.00	12.00	12.00		
	Ventilating tile vent area 37.5 cm²	600	1400	R	96 Stk./Pal.	15.20	16.30	17.40	17.40	17.40		
	Ridge connection ventilating tile (3.4 pcs/m on each side of ridge)	600	1600	R	96 Stk./Pal.	4.30	4.40	5.10	4.90	4.90		
	Ridge connection ventilating half tile	600	1610	R	B	39.60	40.40	41.40	41.40	41.40		
	Ridge connection ventilating verge tile	600		R	48/56 Stk./Pal.	19.60	19.90	21.40	20.80	20.80		
	Ridge connection ventilating double roll tile	600	1640	R	96 Stk./Pal.	19.60	19.90	21.40	20.80	20.80		
	Shed roof tile decorated standard (3.4 pcs/m)	600	2700	R	B	37.80	38.60	39.10	39.10	39.10		
	Shed roof verge tile decorated standard	600	right 2720, left 2730	R	B	57.60	57.80	58.10	58.10	58.10		
	Shed half tile decorated standard	600	2710	R	B	57.60	57.80	58.10	58.10	58.10		
	Shed roof tile decorated special size (3.4 pcs/m)	600	2760	A	B	43.10	44.30	44.50	44.50	44.50		
	Shed roof verge tile decorated special size	600	right 2840, left 2850	A	B	62.90	63.30	63.60	63.60	63.60		
	Mansard/pitch transition tile decorated special size (3.4 pcs/m)	600	2800	A	B	43.10	44.30	44.50	44.50	44.50		
	Mansard/pitch transition verge tile decorated special size	600	right 2820, left 2830	A	B	62.90	63.30	63.60	63.60	63.60		


Ridge and hip tile product range				Price in EUR/pc								
	Ridge tile PF (2.5 pcs/m)	AUT	5000	R	60 Stk./Pal.	11.60	11.80	13.60	13.20	13.20		
	Ridge starter and termination plate ceramic PF	AUT	5010	R	B	14.40	14.90	18.40	16.90	16.90		
	Function starter and termination plate ceramic PF	AUT	5012	R	B	34.60	36.50	42.20	36.50	36.50		
	Hip starter ceramic PF	AUT	5015	R	30 Stk./Pal.	33.30	34.80	34.80	34.80	34.80		
	Hip starter ceramic round connection PF	AUT	5017	R	72 Stk./Pal.	36.70	53.80	53.80	53.80	53.80		
	Hip starter ceramic with scallop PF	AUT	5016	A	20 Stk./Pal.	36.70	53.80	53.80	53.80	53.80		
	Hip cap 3-axis PF	AUT	5020	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	144.00		
	Hip cap 4-axis PF	AUT	5021	A	B	186.00	216.00	216.00	216.00	216.00		
	Ridge clip aluminium PF, only supplied in complete packaging units, available in red (colour code U03), black (colour code U06) and grey (colour code U07)	UNI	5023	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56		
	FIRSTFIX ridge clip stainless steel PF	UNI	5024	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56		
	FIRSTFIX ridge clip wire PF	UNI	5025	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31		
	FIRSTFIX clip kit PF	UNI	5026	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00		

Product range for roof ventilation and penetrations				Price in EUR/pc								
	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	600	3000	R	8 Stk./Pal.	170.00	176.00	215.00	215.00	215.00		
	SIGNUM ceramic outlet vent DN 125 mm with removable hood, incl. sub-roof connection adapter and flexible duct	600	3010	R	8 Stk./Pal.	198.00	208.00	252.00	252.00	252.00		
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	600	3040	A	8 Stk./Pal.	222.00	233.00	273.00	273.00	273.00		
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	600	3050	A	8 Stk./Pal.	222.00	233.00	273.00	273.00	273.00		
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	600	3300	R	12 Stk./Pal.	145.00	151.00	186.00	186.00	186.00		
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	600	3320	R	12 Stk./Pal.	185.00	191.00	219.00	219.00	219.00		
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	600	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	240.00	240.00	240.00		
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00		
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00		
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00		



	MAGNUM® The economical large tile. Production works Autenried Minimum requirement/m² 8.2 pcs/m² Pcs/mini package 4 Unit Weight/pallet 848 kg	Order code	NUANCE						
			Availability	R	R	R	R	R	
			Packaging unit	natural red	copper red engobed	slate shade en- gobed	black engobed	black matt engobed	
									
				100	200	418	809	821	
Field tile		Model							

Product range for snow protection, roof access and solar installation in metal				Price in EUR/pc						
	Base element in aluminium, colour coated	600	4000	R	B	50.90	50.90	50.90	50.90	50.90
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	54.70
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	95.40
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	113.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	203.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	19.10
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	19.10
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	33.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70
	Solar system bracket kit for 30 cm, 40 cm or 50 cm batten spacing (consisting of stainless steel solar bracket and system tile)	600	System tile 3600, 30 3610, 40 3620, 50 3630	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	24.50
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30
	Snow clip (red/black)	600	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection				Price in EUR/pc						
	Transparent tile (acrylic)	600	3700	R	B	34.00	34.00	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95
	Stainless steel screw 60 mm with seal for fastening verges, etc.	UNI	3776	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40
	Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for MAGNUM, FUTURA, only supplied in complete packaging units, universal colour order code: 900	UNI	3562	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for BALANCE, PREMION(40 x 60 mm battens) and FUTURA, MAGNUM, (40 x 50 mm battens), only supplied in complete packaging units, universal colour order code: 900	UNI	3567	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for MAGNUM, FUTURA, only supplied in complete packaging units, universal colour order code: 900	UNI	3572	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Drive-in storm clip in zinc–aluminium, all batten sizes, for MAGNUM, BALANCE, FUTURA, PREMION, only supplied in complete packaging units, universal colour order code: 900	UNI	3585	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97



 **OTHER ACCESSORIES
SEE PAGE 04**

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.


B As required

R Standard delivery time

A Delivery date by arrangement

	TITANIA® The flexible flat roof tile with maximum adjustment tolerance. Production works Widziszewo Minimum requirement/m² 9 pcs/m² Pcs/mini package 4 Unit Weight/pallet 985 kg		Order code	Model		Availability Availability Packaging unit NUANCE FINESSE NOBLESSE						
						Availability	R	A	R	R	A	
						copper red engobed	slate shade en-gobed	black matt engobed	black glazed	brown glazed		
												
						200	418	821	503	602		
Field tile		Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR		611	1000	R	192 Stk./Pal.	1.81	2.10	2.11	2.41	2.41
		Price per m² in EUR						16.29	18.90	18.99	21.69	21.69

Accessory range		Price in EUR/pc								
	Verge tile (2.5 pcs/m)	611	right 1820, left 1830	R	48/28 Stk./Pal.	11.60	13.80	12.00	14.40	14.40
	Double roll tile (2.5 pcs/m)	611	1840	R	20 Stk./Pal.	11.60	13.80	12.00	14.40	14.40
	Ventilating tile vent area approx. 32 cm²	611	1400	R	96 Stk./Pal.	13.90	17.80	14.70	17.80	17.80
	Ridge connection ventilating tile (3,8 pcs/m on each side of ridge)	611	1600	R	112 Stk./Pal.	4.00	4.70	4.30	4.70	4.70
	Ridge connection ventilating verge tile	611		R	48/28 Stk./Pal.	20.60	24.50	20.90	24.50	24.50
	Ridge connection ventilating double roll tile	611	1640	R	20 Stk./Pal.	20.60	24.50	20.90	24.50	24.50
	Shed roof tile decorated standard (3,8 pcs/m)	611	2700	A	B	31.10	34.50	33.20	34.50	34.50
	Shed roof verge tile decorated standard	611	right 2720, left 2730	A	B	37.80	44.60	61.00	44.60	44.60
	Shed roof tile decorated special size (3,8 pcs/m)	611	2760	A	B	39.70	40.50	39.80	40.50	40.50
	Shed roof verge tile decorated special size	611	right 2840, left 2850	A	B	56.60	59.80	56.60	59.80	59.80
	Mansard/pitch transition tile, decorated, special size (3.8 pcs/m)	611	2800	A	B	39.70	40.50	39.80	40.50	40.50
	Mansard/pitch transition verge tile decorated special size	611	right 2820, left 2830	A	B	56.60	59.80	56.60	59.80	59.80

Ridge and hip tile product range		Price in EUR/pc								
	Ridge tile PF (2.5 pcs/m)	WID	6900	R	60 Stk./Pal.	11.80	13.60	13.20	14.90	14.90
	Function starter and termination plate ceramic PT	WID	6910	A	B	36.50	42.20	36.50	42.20	—
	Function starter and termination plate ceramic PT	WID	6912	R	B	36.50	42.20	36.50	42.20	42.20
	Hip starter ceramic PT	WID	6915	R	20 Stk./Pal.	34.80	34.80	34.80	36.10	36.10
	Hip starter ceramic with scallop PT	WID	6916	A	8 Stk./Pal.	53.80	53.80	53.80	63.10	63.10
	Hip starter ceramic round connection PT	WID	6917	R	20 Stk./Pal.	53.80	53.80	53.80	59.90	59.90
	Hip cap 3-axis PF	WID	6920	R	20 Stk./Pal.	144.00	144.00	144.00	188.00	188.00
	Hip cap 4-axis PF	WID	6921	A	B	216.00	216.00	216.00	280.00	280.00
	Ridge clip, aluminium (red/black/grey/blue/green) PT	UNI	6923	R	30 Stk./Kart.	0.54	0.54	0.54	0.54	0.54
	FIRSTFIX ridge clip stainless steel PR	UNI	6924	R	30 Stk./Kart.	0.55	0.55	0.55	0.55	0.55
	FIRSTFIX ridge clip wire PR	UNI	6925	R	30 Stk./Kart.	0.30	0.30	0.30	0.30	0.30
	FIRSTFIX clip kit PR	UNI	6926	R	4 Stk./VE	2.90	2.90	2.90	2.90	2.90

Product range for roof ventilation and penetrations		Price in EUR/pc								
	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	611	3000	R	8 Stk./Pal.	176.00	215.00	215.00	220.00	220.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	611	3010	R	8 Stk./Pal.	208.00	252.00	252.00	258.00	258.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	611	3040	A	8 Stk./Pal.	233.00	273.00	273.00	279.00	279.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	611	3050	A	8 Stk./Pal.	233.00	273.00	273.00	279.00	279.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	611	3300	R	12 Stk./Pal.	151.00	186.00	186.00	186.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	611	3320	R	12 Stk./Pal.	191.00	219.00	219.00	219.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	611	110 3340, 125 3341	A	8 Stk./Pal.	219.00	240.00	240.00	240.00	240.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00





TITANIA®

The flexible flat roof tile with maximum adjustment tolerance.

Production works Widziszewo

Minimum requirement/m² 9 pcs/m²

Pcs/mini package 4 Unit

Weight/pallet 985 kg

Order code

NUANCE				FINESSE	NOBLESSE
Availability		R	A	R	A
Availability	Packaging unit	copper red engobed	slate shade en- gobed	black matt engobed	
					
		200	418	821	503
					602

Field tile

Model

Product range for snow protection, roof access and solar installation in metal								Price in EUR/pc					
 4000	 4010	 4020	Base element in aluminium, colour coated		611	4000	R	B	50.90	50.90	50.90	59.80	59.80
			Single tread aluminium (1 base element required per tread) *		UNI	4010	R	B	54.70	54.70	54.70	84.10	101.00
			Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *		UNI	4020	R	B	95.40	95.40	95.40	122.00	155.00
			Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *		UNI	4030	R	B	113.00	113.00	113.00	149.00	188.00
 4030	 4150	 4040	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)		UNI	4150	R	B	203.00	203.00	203.00	268.00	322.00
			Log bracket aluminium Ø 14 cm (1 base element required per bracket) *		UNI	4040	R	B	19.10	19.10	19.10	25.50	36.80
			Snow guard grid support aluminium (1 base element required per bracket) *		UNI	4060	R	B	19.10	19.10	19.10	25.50	36.80
			Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *		UNI	4071	R	B	33.80	33.80	33.80	49.60	57.80
 4060	 4071	 4080	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)		UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80
			Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)		UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40
			Roof ladder aluminium length 1.68 m including connector (red/black/grey)		UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00
			Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)		UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70
 4090	 4110	 3600	Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)		611	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	24.50	24.50	24.50	28.90	28.90
			Solar element bracket galvanized (1 base element and 1 storm clip per bracket)		UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30
			Snow clip (red/black/brown)		611	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection							Price in EUR/pc					
 3700  3800  2795	Transparent tile (acrylic)	611	3700	R	B	34.00	34.00	34.00	34.00	34.00		
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	31.60	31.60	31.60	31.60	31.60		
	Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95		
	Stainless steel screw 60 mm with seal for fastening verges, etc.	UNI	3776	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40		
	Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for TITANIA, only supplied in complete packaging units, universal colour order code: 900	UNI	3598	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42		
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for TITANIA, only supplied in complete packaging units, universal colour order code: 900	UNI	3599	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42		
	Drive–in storm clip in zinc–aluminium, all batten sizes, for TITANIA, only supplied in complete packaging units, universal colour order code: 900	UNI	3601	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42		
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97		



OTHER ACCESSORIES SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



GALANT

The flexible flat roof tile.

Production works	Malsch
Minimum requirement/m²	10.5 pcs/m²
Pcs/mini package	4 Unit
Weight/pallet	937 kg

	GALANT The flexible flat roof tile.	Order code	NUANCE						
	Production works		Malsch	Availability	Packaging unit	A	R	R	
	Minimum requirement/m²		10.5 pcs/m²			natural red	copper red engobed	slate shade en-gobed	
	Pcs/mini package		4 Unit						
Weight/pallet	937 kg								
Field tile			Model						
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	602	1000	R	240 Stk./Pal.	1.31	1.51	1.65	
	Price per m² in EUR					13.76	15.86	17.33	

Accessory range				Price in EUR/pc				
	Verge tile (3,1 pcs/m)	602	right 1820, left 1830	R	32/28 Stk./Pal.	11.30	11.60	11.90
	Double roll tile (3,1 pcs/m)	602	1840	R	80 Stk./Pal.	11.30	11.60	11.90
	Ventilating tile vent area 41 cm²	602	1400	R	80 Stk./Pal.	13.40	13.70	13.70
	Ridge connection ventilating tile (3.7 pcs/m on each side of ridge)	602	1600	R	48 Stk./Pal.	4.60	4.80	5.40
	Ridge connection ventilating verge tile	602		R	32 Stk./Pal.	18.40	19.10	19.80
	Ridge connection ventilating double roll tile	602	1640	R	B	18.40	19.10	19.80
	Shed roof tile decorated standard (3.7 pcs/m)	602	2700	A	B	37.00	39.70	42.50
	Shed roof verge tile decorated standard	602	right 2720, left 2730	A	B	57.30	57.50	58.10
	Shed roof tile decorated special size (3.7 pcs/m)	602	2760	A	B	49.50	50.10	50.10
	Shed roof verge tile decorated special size	602	right 2840, left 2850	A	B	62.10	62.20	63.20
	Mansard/pitch transition tile decorated special size (3.7 pcs/m)	602	2800	A	B	49.50	50.10	50.10
	Mansard/pitch transition verge tile decorated special size	602	right 2820, left 2830	A	B	57.30	57.50	57.50

Ridge and hip tile product range				Price in EUR/pc				
	Ridge tile G10 (3.0 pcs/m)	MAL	5500	R	72 Stk./Pal.	8.80	9.40	11.60
	Ridge starter and termination plate ceramic G10	MAL	5510	R	B	14.40	14.90	18.40
	Ridge starter/termination G10	MAL	5518	R	45 Stk./Pal.	33.10	34.80	45.10
	Function starter and termination plate ceramic G10	MAL	5512	R	B	34.60	36.50	42.20
	Hip starter ceramic G10	MAL	5515	R	45 Stk./Pal.	33.30	34.80	34.80
	Hip starter ceramic round connection G10	MAL	5517	R	45 Stk./Pal.	36.70	53.80	53.80
	Hip cap 3-axis G10	MAL	5520	R	30 Stk./Pal.	124.00	144.00	144.00
	Hip cap 4-axis G10	MAL	5521	A	B	186.00	216.00	216.00
	Ridge clip aluminium (red/black) G10	UNI	5523	R	30 Stk./Kart.	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel G10	UNI	5524	R	30 Stk./Kart.	0.56	0.56	0.56
	FIRSTFIX ridge clip wire G10	UNI	5525	R	30 Stk./Kart.	0.31	0.31	0.31
	FIRSTFIX clip kit G10	UNI	5526	R	4 Stk./VE	3.00	3.00	3.00

Product range for roof ventilation and penetrations				Price in EUR/pc				
	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	602	3000	R	8 Stk./Pal.	170.00	176.00	215.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	602	3010	R	8 Stk./Pal.	198.00	208.00	252.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	602	3040	A	8 Stk./Pal.	222.00	233.00	273.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	602	3300	R	12 Stk./Pal.	145.00	151.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	602	3320	R	12 Stk./Pal.	185.00	191.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	602	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	240.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



GALANT

The flexible flat roof tile.

Production works Malsch

Minimum requirement/m² 10.5 pcs/m²

Pcs/mini package 4 Unit





Weight/pallet 937 kg

Order code:

		NUANCE		
Availability	Packaging unit	A	R	R
		natural red	copper red engobed	slate shade en-gobed
		100	200	418

Field tile	Model
------------	-------

Product range for snow protection, roof access and solar installation in metal							Price in EUR/pc		
--	--	--	--	--	--	--	-----------------	--	--

 4000  4010  4020  4030  4150  4040  4060  4071  4080  4090  4110  3600	Base element in aluminium, colour coated	602	4000	R	B	50.90	50.90	50.90
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70
	Solar system bracket kit for 30 cm, 40 cm or 50 cm batten spacing (consisting of stainless steel solar bracket and system tile)	602	System tile 3600, 30 3610, 40 3620, 50 3630	R	10 Stk./Kart.	23.40	24.50	24.50
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30
	Snow clip (red/black)	602	4140	R	100 Stk./Kart.	0.70	0.70	0.70

Product range for roof details and uplift protection							Price in EUR/pc		
--	--	--	--	--	--	--	-----------------	--	--

 3700  3800  3772  3584  2795  3560	Transparent tile (acrylic)	602	3700	R	B	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60
	Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95
	Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97
	Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3560	R	250 Stk./Kart.	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 40 x 50 mm battens, for TERRA OPTIMA, DOMINO, HARMONIE, RUSTICO, GALANT, CANTUS, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3593	R	250 Stk./Kart.	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT only supplied in complete packaging units, universal colour order code: 900	UNI	3570	R	250 Stk./Kart.	0.42	0.42	0.42
	Drive-in storm clip in zinc-aluminium, all batten sizes, for RAPIDO, MELODIE, GALANT only supplied in complete packaging units, universal colour order code: 900	UNI	3584	R	250 Stk./Kart.	0.42	0.42	0.42



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



FUTURA®

The large-format tile of the future.

Production works Grossengottern

Minimum requirement/m² 10.8 pcs/m²



Pcs/mini package 5 Unit

Weight/pallet 1081 kg

Order code

Field tile	Model	Availability	Packaging unit	R	NUANCE								FINESSE				NOBLESSE			
					R	R	R	A	R	R	R	R	A	A	R	R	A	A	A	A
					natural red	copper red engobed	wine red engobed	dark brown en-gobed	grey engobed	slate shade en-gobed	black matt engobed		red glazed	wine red glazed	slate glazed	black glazed	brown glazed	dark blue glazed	dark green glazed	brown glazed
					100	200	202	213	231	418	821		501	507	508	503	611	601	604	602
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	610	1000	R	240 Stk./Pal.	1.23	1.43	1.43	1.43	1.65	1.65	1.65	1.90	1.90	1.90	1.90	2.37	2.37	2.37	2.37
	Price per m² in EUR					13.28	15.44	15.44	15.44	17.82	17.82	17.82	20.52	20.52	20.52	20.52	25.60	25.60	25.60	25.60

Accessory range					Price in EUR/pc																			
 1210	 1820	 1840	Half-width tile	610		1210	R	100 Stk./Pal.	9.40	9.60	9.60	9.60	11.30	11.30	9.60	11.30	11.30	11.30	11.30	16.30	16.30	16.30	16.30	
			Verge tile (2.7 pcs/m)	610		right 1820, left 1830	R	48/56 Stk./Pal.	11.60	12.00	12.00	12.00	14.40	14.40	12.00	14.40	14.40	14.40	14.40	19.70	19.70	19.70	19.70	
			Double roll tile (2.7 pcs/m)	610		1840	R	100 Stk./Pal.	11.60	12.00	12.00	12.00	14.40	14.40	12.00	14.40	14.40	14.40	14.40	19.70	19.70	19.70	19.70	
			Ventilating tile vent area 32.5 cm²	610		1400	R	96 Stk./Pal.	16.30	17.00	17.00	17.00	19.80	19.80	17.00	19.80	19.80	19.80	19.80	25.40	25.40	25.40	25.40	
 1400	 1600	 1610	Ridge connection ventilating tile (4.2 pcs/m on each side of ridge)	610		1600	R	112 Stk./Pal.	4.30	4.40	4.40	4.40	5.10	5.10	4.40	5.10	5.10	5.10	5.10	5.80	5.80	5.80	5.80	
			Ridge connection ventilating half tile	610		1610	R	B	39.30	39.60	39.60	39.60	41.10	41.10	39.60	41.10	41.10	41.10	41.10	45.00	45.00	45.00	45.00	
			Ridge connection ventilating verge tile	610			R	48/56 Stk./Pal.	20.70	21.10	21.10	21.10	22.70	22.70	21.10	22.70	22.70	22.70	22.70	34.20	34.20	34.20	34.20	
			Ridge connection ventilating double roll tile	610		1640	R	100 Stk./Pal.	20.70	21.10	21.10	21.10	22.70	22.70	21.10	22.70	22.70	22.70	22.70	34.20	34.20	34.20	34.20	
 1620	 1640	 2700	Shed roof tile pressed (4.2 pcs/m)	610		2700	R	B	31.10	32.00	32.00	32.00	34.20	34.20	32.00	34.20	34.20	34.20	34.20	36.00	36.00	36.00	36.00	
			Shed roof tile pressed (4.2 pcs/m)	610		2710	R	B	31.10	32.00	32.00	32.00	34.20	34.20	32.00	34.20	34.20	34.20	34.20	36.00	36.00	36.00	36.00	
			Shed roof verge tile pressed	610		right 2720, left 2730	R	B	57.60	57.80	57.80	58.30	58.30	58.30	57.80	58.30	58.30	58.30	58.30	59.00	59.00	59.00	59.00	
			Shed roof tile decorated special size (4.2 pcs/m)	610		2760	A	B	36.70	37.40	37.40	37.40	39.60	39.60	37.40	39.60	39.60	39.60	39.60	41.40	41.40	41.40	41.40	
			Shed roof verge tile decorated special size	610		right 2840, left 2850	A	B	62.90	63.30	63.30	63.30	63.80	63.80	63.30	63.80	63.80	63.80	63.80	64.30	64.30	64.30	64.30	
			Mansard/pitch transition tile decorated special size (4.2 pcs/m)	610		2800	A	B	36.70	37.40	37.40	37.40	39.60	39.60	37.40	39.60	39.60	39.60	39.60	41.40	41.40	41.40	41.40	
			Mansard/pitch transition verge tile decorated special size	610		right 2820, left 2830	A	B	62.90	63.30	63.30	63.30	63.80	63.80	63.30	63.80	63.80	63.80	63.80	64.30	64.30	64.30	64.30	

Ridge and hip tile product range						Price in EUR/pc																			
  	Ridge tile PF (2.5 pcs/m)					GOG	5000	R	60 Stk./Pal.	11.60	11.80	11.80	11.80	13.60	13.60	13.20	14.90	14.90	14.90	14.90	23.70	23.70	23.70	23.70	
	Ridge tile PR (2.5 pcs/m)					GOG	5100	R	60 Stk./Pal.	11.60	11.80	11.80	11.80	—	—	13.20	14.90	14.90	—	14.90	—	—	—	23.70	
	Ridge starter and termination plate ceramic PF					GOG	5010	R	8	14.40	14.90	14.90	14.90	18.40	18.40	16.90	18.40	18.40	18.40	18.40	24.80	24.80	24.80	24.80	
	Ridge starter and termination plate ceramic PR					GOG	5110	R	8	14.40	14.90	14.90	14.90	—	—	16.90	18.40	18.40	—	18.40	—	—	—	24.80	
	Function starter and termination plate ceramic PF					GOG	5012	R	8	34.60	36.50	36.50	36.50	42.20	42.20	36.50	42.20	42.20	42.20	42.20	45.50	45.50	45.50	45.50	
  	Function starter and termination plate ceramic PR					GOG	5112	R	8	34.60	36.50	36.50	36.50	—	—	36.50	42.20	42.20	—	42.20	—	—	—	45.50	
	Hip starter ceramic PF					GOG	5015	R	30 Stk./Pal.	33.30	34.80	34.80	34.80	34.80	34.80	34.80	36.10	36.10	36.10	36.10	51.40	51.40	51.40	51.40	
	Hip starter ceramic PR					GOG	5115	R	30 Stk./Pal.	33.30	34.80	34.80	34.80	—	—	34.80	36.10	36.10	—	36.10	—	—	—	51.40	
	Hip starter ceramic round connection PF					GOG	5017	R	72 Stk./Pal.	36.70	53.80	53.80	53.80	53.80	53.80	53.80	59.90	59.90	59.90	59.90	81.70	—	—	81.70	
	Hip starter ceramic with scallop PF					GOG	5016	A	20 Stk./Pal.	36.70	53.80	53.80	53.80	53.80	53.80	53.80	59.90	59.90	59.90	59.90	81.70	81.70	81.70	81.70	
  	Hip starter ceramic with scallop PR					GOG	5116	A	20 Stk./Pal.	36.70	53.80	53.80	53.80	—	—	53.80	59.90	59.90	—	59.90	—	—	—	81.70	
	Hip cap 3-axis PF					GOG	5020	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	144.00	144.00	144.00	188.00	188.00	188.00	188.00	249.00	249.00	249.00	249.00	
	Hip cap 3-axis PR					GOG	5120	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	—	—	144.00	188.00	188.00	—	188.00	—	—	—	249.00	
	Hip cap 4-axis PF					GOG	5021	A	8	186.00	216.00	216.00	216.00	216.00	216.00	216.00	280.00	280.00	280.00	280.00	366.00	366.00	366.00	366.00	
	Hip cap 4-axis PR					GOG	5121	A	8	186.00	216.00	216.00	216.00	—	—	216.00	280.00	280.00	—	280.00	—	—	—	366.00	
  	Ridge clip aluminium PF, only supplied in complete packaging units, available in red (colour code U03), black (colour code U06) and grey (colour code U07)					UNI	5023	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	
	Ridge clip, aluminium (red/black/grey/blue/green) PR					UNI	5123	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	—	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PF					UNI	5024	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	
	FIRSTFIX ridge clip stainless steel PR					UNI	5124	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	—	0.56	0.56	0.56	
	FIRSTFIX ridge clip wire PF					UNI	5025	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
  	FIRSTFIX ridge clip wire PR					UNI	5125	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	—	0.31	0.31	0.31	
	FIRSTFIX clip kit PF					UNI	5026	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	
	FIRSTFIX clip kit PR					UNI	5126	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	—	3.00	3.00	3.00	

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



FUTURA®

The large-format tile of the future.

Production works Grossengottern

Minimum requirement/m² 10.8 pcs/m²

Pcs/mini package 5 Unit

Weight/pallet 1081 kg

Order code

Field tile	Model	Availability	Packaging unit	NUANCE								FINESSE				NOBLESSE			
				R	R	R	A	R	R	R	R	A	A	R	R	A	A	A	A
				natural red	copper red engobed	wine red engobed	dark brown en-gobed	grey engobed	slate shade en-gobed	black matt engobed		red glazed	wine red glazed	slate glazed	black glazed	brown glazed	dark blue glazed	dark green glazed	brown glazed
				100	200	202	213	231	418	821		501	507	508	503	611	601	604	602

Product range for roof ventilation and penetrations



SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	610	3000	R	8 Stk./Pal.	170.00	176.00	176.00	176.00	215.00	215.00	215.00	220.00	220.00	220.00	220.00	247.00	247.00	247.00	247.00
SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	610	3010	R	8 Stk./Pal.	198.00	208.00	208.00	208.00	252.00	252.00	252.00	258.00	258.00	258.00	258.00	281.00	281.00	281.00	281.00
SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	610	3040	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	273.00	273.00	273.00	279.00	279.00	279.00	279.00	302.00	302.00	302.00	302.00
SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	610	3050	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	273.00	273.00	273.00	279.00	279.00	279.00	279.00	302.00	302.00	302.00	302.00
Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	610	3300	R	12 Stk./Pal.	145.00	151.00	151.00	151.00	186.00	186.00	186.00	186.00	186.00	186.00	186.00	217.00	217.00	217.00	217.00
Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	610	3320	R	12 Stk./Pal.	185.00	191.00	191.00	191.00	219.00	219.00	219.00	219.00	219.00	219.00	219.00	268.00	268.00	268.00	268.00
Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	610	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00	219.00	240.00	240.00	240.00	240.00	240.00	240.00	240.00	281.00	281.00	281.00	281.00
Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00
Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00

Product range for snow protection, roof access and solar installation in metal



Base element in aluminium, colour coated	610	4000	R	8	50.90	50.90	50.90	50.90	50.90	50.90	50.90	59.80	59.80	59.80	59.80	—	74.90	74.90	74.90
Single tread aluminium (1 base element required per tread) *	UNI	4010	R	8	54.70	54.70	54.70	54.70	54.70	54.70	54.70	84.10	84.10	84.10	84.10	101.00	101.00	101.00	101.00
Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	8	95.40	95.40	95.40	95.40	95.40	95.40	95.40	122.00	122.00	122.00	122.00	155.00	155.00	155.00	155.00
Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	8	113.00	113.00	113.00	113.00	113.00	113.00	113.00	149.00	149.00	149.00	149.00	188.00	188.00	188.00	188.00
Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	8	203.00	203.00	203.00	203.00	203.00	203.00	203.00	268.00	268.00	268.00	268.00	322.00	322.00	322.00	322.00
Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	8	19.10	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50	25.50	25.50	36.80	36.80	36.80	36.80
Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	8	33.80	33.80	33.80	33.80	33.80	33.80	33.80	49.60	49.60	49.60	49.60	57.80	57.80	57.80	57.80
Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	8	19.10	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50	25.50	25.50	36.80	36.80	36.80	36.80
Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	8	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80
Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	8	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40
Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	8	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00
Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	8	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70
Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)	610	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	24.50	24.50	24.50	28.90	28.90	28.90	28.90	36.90	36.90	36.90	36.90
Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI		4120	R	8	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30
Snow clip (red/black/brown)	610	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection



Price in EUR/pc																			
Transparent tile (acrylic)	610	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00
Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60
Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40
Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for MAGNUM, FUTURA, only supplied in complete packaging units, universal colour order code: 900	UNI	3562	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Hook storm clip in zinc-aluminium for BALANCE, PREMION(40 x 60 mm battens) and FUTURA, MAGNUM, (40 x 50 mm battens), only supplied in complete packaging units, universal colour order code: 900	UNI	3567	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for MAGNUM, FUTURA, only supplied in complete packaging units, universal colour order code: 900	UNI	3572	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Drive-in storm clip in zinc-aluminium, all batten sizes, for MAGNUM, BALANCE, FUTURA, PREMION, only supplied in complete packaging units, universal colour order code: 900	UNI	3585	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97


OTHER ACCESSORIES SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement

**Order code**

		
5300	5400	5310
		
5312	5412	5315
		
5316	5416	5318
		
5320	5420	5321
		
5421	5423	5425



PREMION®

The flat roof tile with the „HIGH FIRING FACTOR®“.

Production works Gutttau

Minimum requirement/m² 11.6 pcs/m²

Pcs/mini package 5 Unit






Weight/pallet 865 kg

Field tile	Model	Order code	Availability	Packaging unit	100	200	208	221	418	821	507	502	503	512	607	606
------------	-------	------------	--------------	----------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Product range for roof ventilation and penetrations	Price in EUR/pc
---	-----------------

     	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	660	3000	R	8 Stk./Pal.	170.00	176.00	176.00	176.00	215.00	215.00	220.00	220.00	220.00	220.00	247.00	247.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	660	3010	R	8 Stk./Pal.	198.00	208.00	208.00	208.00	252.00	252.00	258.00	258.00	258.00	258.00	281.00	281.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	660	3040	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	273.00	273.00	279.00	279.00	279.00	279.00	302.00	302.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	660	3050	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	273.00	273.00	279.00	279.00	279.00	279.00	302.00	302.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	660	3300	R	12 Stk./Pal.	145.00	151.00	151.00	151.00	186.00	186.00	186.00	186.00	186.00	186.00	217.00	217.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	660	3320	R	12 Stk./Pal.	185.00	191.00	191.00	191.00	219.00	219.00	219.00	219.00	219.00	219.00	268.00	268.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	660	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00	219.00	240.00	240.00	240.00	240.00	240.00	240.00	281.00	281.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00

Product range for snow protection, roof access and solar installation in metal	Price in EUR/pc
--	-----------------

           	Base element in aluminium, colour coated	660	4000	R	B	50.90	50.90	50.90	50.90	50.90	50.90	59.80	59.80	59.80	59.80	74.90	74.90
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	54.70	54.70	84.10	84.10	84.10	84.10	101.00	101.00
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	95.40	95.40	122.00	122.00	122.00	122.00	155.00	155.00
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	113.00	113.00	149.00	149.00	149.00	149.00	188.00	188.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	203.00	203.00	268.00	268.00	268.00	268.00	322.00	322.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50	25.50	25.50	36.80	36.80
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50	25.50	25.50	36.80	36.80
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	33.80	33.80	49.60	49.60	49.60	49.60	57.80	57.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70
	Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)	660	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	24.50	24.50	28.90	28.90	28.90	28.90	36.90	36.90
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30
	Snow clip (red/black)	660	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection	Price in EUR/pc
--	-----------------

        	Transparent tile (acrylic)	660	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
	Stainless steel screw 60 mm with seal for fastening verges, etc.	UNI	3776	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40
	Hook storm clip in zinc–aluminium for BALANCE, PREMION(40 x 60 mm battens) and FUTURA, MAGNUM, (40 x 50 mm battens), only supplied in complete packaging units, universal colour order code: 900	UNI	3567	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for MELODIE (40 x 60 mm battens) and BALANCE, PREMION (40 x 50 mm battens), only supplied in complete packaging units, universal colour order code: 900	UNI	3561	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for BALANCE, PREMION, only supplied in complete packaging units, universal colour order code: 900	UNI	3577	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
	Drive-in storm clip in zinc–aluminium, all batten sizes, for MAGNUM, BALANCE, FUTURA, PREMION, only supplied in complete packaging units, universal colour order code: 900	UNI	3585	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97

OTHER ACCESSORIES SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement

	VIVA The gentle flat roof tile. Production works Malsch Minimum requirement/m² 12.7 pcs/m² Pcs/mini package 4 Unit Weight/pallet 865 kg	Order code				NUANCE					FINESSE	
						Availability	Packaging unit	A	A	A	A	A
								natural red	copper red engobed	dark brown en-gobed	anthracite engobed	black glazed
												
Field tile		Model		R	240 Stk./Pal.	100	200	213	220	503		
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR		647	1000			1.08	1.24	1.24	1.35	1.76		
Price per m² in EUR						13.72	15.75	15.75	17.15	22.35		

Accessory range				Price in EUR/pc						
	Half-width tile	647	1210	R	64 Stk./Pal.	7.00	7.30	7.30	7.30	11.50
	Verge tile (2.9 pcs/m)	647	right 1820, left 1830	R	40/36 Stk./Pal.	11.60	12.00	12.00	12.00	13.90
	Double roll tile (2.9 pcs/m)	647	1840	R	100 Stk./Pal.	11.60	12.00	12.00	12.00	13.90
	Ventilating tile vent area 21.0 cm²	647	1400	R	100 Stk./Pal.	13.40	13.70	13.70	13.70	16.20
	Ridge connection ventilating tile (4.6 pcs/m on each side of ridge)	647	1600	R	56 Stk./Pal.	3.70	3.90	3.90	3.90	4.40
	Ridge connection ventilating half tile	647	1610	A	B	39.80	40.30	40.30	40.30	40.30
	Ridge connection ventilating verge tile	647		R	36 Stk./Pal.	18.40	19.10	19.10	19.10	23.40
	Ridge connection ventilating double roll tile	647	1640	R	B	18.40	19.10	19.10	19.10	23.40
	Shed roof tile decorated standard (4.6 pcs/m)	647	2700	A	B	29.70	32.00	32.00	32.00	37.10
	Shed roof verge tile decorated standard	647	right 2720, left 2730	A	B	57.30	57.50	57.50	57.50	58.30
	Shed roof tile decorated special size (4.6 pcs/m)	647	2760	A	B	39.80	40.30	40.30	40.30	40.50
	Shed roof verge tile decorated special size	647	right 2840, left 2850	A	B	62.10	62.20	62.20	62.20	63.40
	Mansard/pitch transition tile decorated special size (4.6 pcs/m)	647	2800	A	B	39.80	40.30	40.30	40.30	40.50
	Mansard/pitch transition verge tile decorated special size	647	right 2820, left 2830	A	B	57.30	57.50	57.50	57.50	58.30

Ridge and hip tile product range				Price in EUR/pc						
	Ridge tile G10 (3.0 pcs/m)	MAL	5500	R	72 Stk./Pal.	8.80	9.40	9.40	9.40	12.10
	Ridge starter and termination plate ceramic G10	MAL	5510	R	B	14.40	14.90	14.90	14.90	18.40
	Ridge starter/termination G10	MAL	5518	R	45 Stk./Pal.	33.10	34.80	34.80	34.80	45.10
	Function starter and termination plate ceramic G10	MAL	5512	R	B	34.60	36.50	36.50	36.50	42.20
	Hip starter ceramic G10	MAL	5515	R	45 Stk./Pal.	33.30	34.80	34.80	34.80	36.10
	Hip starter ceramic round connection G10	MAL	5517	R	45 Stk./Pal.	36.70	53.80	53.80	53.80	59.90
	Hip cap 3-axis G10	MAL	5520	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	188.00
	Hip cap 4-axis G10	MAL	5521	A	B	186.00	216.00	216.00	216.00	280.00
	Ridge clip aluminium (red/black) G10	UNI	5523	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel G10	UNI	5524	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip wire G10	UNI	5525	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX clip kit G10	UNI	5526	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00

Product range for roof ventilation and penetrations				Price in EUR/pc						
	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	647	3000	R	8 Stk./Pal.	170.00	176.00	176.00	176.00	220.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	647	3010	R	8 Stk./Pal.	198.00	208.00	208.00	208.00	258.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	647	3040	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	279.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	647	3050	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	279.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	647	3300	R	12 Stk./Pal.	145.00	151.00	151.00	151.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	647	3320	R	12 Stk./Pal.	185.00	191.00	191.00	191.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	647	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00	219.00	240.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



VIVA

The gentle flat roof tile.

Production works	Malsch
Minimum requirement/m²	12.7 pcs/m²
Pcs/mini package	4 Unit
Weight/pallet	865 kg

Field tile	Model
------------	-------

Order code

		NUANCE				FINESSE
Availability	Packaging unit	A	A	A	A	A
		natural red	copper red engobed	dark brown engobed	anthracite engobed	black glazed
		100	200	213	220	503

Product range for snow protection, roof access and solar installation in metal					Price in EUR/pc					
 4000 4010 4020 4030 4150 4040 4060 4071 4080 4090 4110	Base element in aluminium, colour coated	647	4000	R	B	50.90	50.90	50.90	50.90	59.80
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	84.10
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	122.00
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	149.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	268.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	25.50
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	25.50
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	49.60
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70
	Solar system bracket kit for 30 cm, 40 cm or 50 cm batten spacing (consisting of stainless steel solar bracket and system tile)	647	System tile 3600, 30 3610, 40 3620, 50 3630		R	10 Stk./Kart.	23.40	24.50	24.50	28.90
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30
	Snow clip (red/black)	647	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection					Price in EUR/pc					
 3700 3800 3772 3568 3591 3578 3581 2795	Transparent tile (acrylic)	647	3700	R	B	34.00	34.00	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95
	Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40
	Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for VIVA, RATIO Dorfen, RATIO Hõngeda, only supplied in complete packaging units, universal colour order code: 900	UNI	3568	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for 40 x 50 mm battens, for VIVA, RATIO Dorfen, RATIO Hõngeda, only supplied in complete packaging units, universal colour order code: 900	UNI	3591	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for VIVA, RATIO Dorfen, RATIO Hõngeda, only supplied in complete packaging units, universal colour order code: 900	UNI	3578	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Drive-in storm clip in zinc–aluminium, all batten sizes, for VIVA, GRATUS, MAXIMA, only supplied in complete packaging units, universal colour order code: 900	UNI	3581	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



MZ3® NEW

The proven flat roof tile.

Production works Grossengottern

Minimum requirement/m² 12.6 pcs/m²


Pcs/mini package 5 Unit

Weight/pallet 889 kg

Field tile	Order code		Availability	Packaging unit	R	NUANCE				FINESSE	
						R	R	R	R	A	A
					natural red		copper red engobed	antique grey engobed	black matt engobed	wine red glazed	black glazed
	Model				100	200	215	821	507	503	
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	633	1000	R	240 Stk./Pal.	1.10	1.17	1.17	1.17	1.42	1.42
	Price per m² in EUR					13.75	14.63	14.63	14.63	17.75	17.75

Accessory range		Price in EUR/pc									
	Verge tile (2.9 pcs/m)	633	right 1820, left 1830	R	48/56 Stk./Pal.	10.40	10.90	10.90	10.90	13.70	13.70
	Double roll tile (2.9 pcs/m)	633	1840	R	120 Stk./Pal.	10.40	10.90	10.90	10.90	13.70	13.70
	Ventilating tile vent area 22 cm²	633	1400	R	120 Stk./Pal.	13.20	13.40	13.40	13.40	13.80	13.80
	Ridge connection ventilating tile (4.6 pcs/m on each side of ridge)	633	1600	R	112 Stk./Pal.	4.00	4.10	4.10	4.10	4.80	4.80
	Ridge connection ventilating half tile	633	1610	R	B	38.40	39.20	39.20	39.20	41.70	41.70
	Ridge connection ventilating verge tile	633		R	48/56 Stk./Pal.	19.60	21.10	21.10	21.10	25.00	25.00
	Ridge connection ventilating double roll tile	633	1640	R	120 Stk./Pal.	19.60	21.10	21.10	21.10	25.00	25.00
	Shed roof tile pressed (4.6 pcs/m)	633	2700	R	B	23.00	23.20	23.20	23.20	24.80	24.80
	Shed roof verge tile pressed	633	right 2720, left 2730	R	B	33.50	34.20	34.20	34.20	35.20	35.20
	Shed roof tile decorated special size (4.6 pcs/m)	633	2760	A	B	36.70	37.40	37.40	37.40	39.60	39.60
	Shed roof verge tile decorated special size	633	right 2840, left 2850	A	B	62.90	63.30	63.30	63.30	63.30	63.30
	Mansard/pitch transition tile decorated special size (4.6 pcs/m)	633	2800	A	B	36.70	37.40	37.40	37.40	39.60	39.60
	Mansard/pitch transition verge tile decorated special size	633	right 2820, left 2830	A	B	62.90	63.30	63.30	63.30	63.30	63.30

Ridge and hip tile product range		Price in EUR/pc									
	Ridge tile PR (2.5 pcs/m)	GOG	5100	R	60 Stk./Pal.	11.60	11.80	11.80	13.20	14.90	14.90
	Ridge tile PF (2.5 pcs/m)	GOG	5700	R	60 Stk./Pal.	11.60	11.80	12.10	13.20	14.90	14.90
	Ridge starter and termination plate ceramic PR	GOG	5110	R	B	14.40	14.90	14.90	16.90	18.40	18.40
	Ridge starter and termination plate ceramic PF	GOG	5710	R	B	14.40	14.90	14.90	16.90	18.40	18.40
	Function starter and termination plate ceramic PR	GOG	5112	R	B	34.60	36.50	36.50	36.50	42.20	42.20
	Function starter and termination plate ceramic PF	GOG	5712	R	B	34.60	36.50	36.50	36.50	42.20	42.20
	Hip starter ceramic PR	GOG	5115	R	30 Stk./Pal.	33.30	34.80	34.80	34.80	36.10	36.10
	Hip starter ceramic PF	GOG	5715	R	30 Stk./Pal.	33.30	34.80	34.80	34.80	36.10	36.10
	Hip starter ceramic round connection PF	GOG	5717	R	72 Stk./Pal.	36.70	53.80	53.80	53.80	59.90	59.90
	Hip starter ceramic with scallop PR	GOG	5116	A	20 Stk./Pal.	36.70	53.80	53.80	53.80	59.90	59.90
	Hip starter ceramic with scallop PF	GOG	5716	A	20 Stk./Pal.	36.70	53.80	53.80	53.80	59.90	59.90
	Hip cap 3-axis PR	GOG	5120	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	188.00	188.00
	Hip cap 3-axis PF	GOG	5720	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	188.00	188.00
	Hip cap 4-axis PR	GOG	5121	A	B	186.00	216.00	216.00	216.00	280.00	280.00
	Hip cap 4-axis PF	GOG	5721	A	B	186.00	216.00	216.00	216.00	280.00	280.00
	Ridge clip, aluminium (red/black/grey/blue/green) PR	UNI	5123	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56
	Ridge clip aluminium (red/black) PMZ	UNI	5723	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PR	UNI	5124	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PMZ	UNI	5724	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip wire PR	UNI	5125	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX ridge clip wire PMZ	UNI	5725	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX clip kit PR	UNI	5126	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00
	FIRSTFIX clip kit PMZ	UNI	5726	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement

	MZ3® NEW The proven flat roof tile. Production works Grossengottern Minimum requirement/m² 12.6 pcs/m² Pcs/mini package 5 Unit Weight/pallet 889 kg	Order code	NUANCE				FINESSE		
			Availability	R	R	R	R	A	A
			Packaging unit	natural red	copper red engobed	antique grey engobed	black matt engobed	wine red glazed	black glazed
									
				100	200	215	821	507	503
Field tile		Model							

Product range for roof ventilation and penetrations				Price in EUR/pc							
 3000  3010  3320  3300  3311  3041	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	633	3000	R	8 Stk./Pal.	170.00	176.00	176.00	215.00	220.00	220.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	633	3010	R	8 Stk./Pal.	198.00	208.00	208.00	252.00	258.00	258.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	633	3040	A	8 Stk./Pal.	222.00	233.00	233.00	273.00	279.00	279.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	633	3050	A	8 Stk./Pal.	222.00	233.00	233.00	273.00	279.00	279.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	633	3300	R	12 Stk./Pal.	145.00	151.00	151.00	186.00	186.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	633	3320	R	12 Stk./Pal.	185.00	191.00	191.00	219.00	219.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	633	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00	240.00	240.00	240.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00
Universal flexible duct DN 200		UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00

Product range for snow protection, roof access and solar installation in metal				Price in EUR/pc							
 4000  4010  4020  4030  4150  4040  4071  4060  4080  4090  4110	Base element in aluminium, colour coated	633	4000	R	B	50.90	50.90	50.90	50.90	59.80	59.80
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	84.10	84.10
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	122.00	122.00
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	149.00	149.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	268.00	268.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	25.50	25.50
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	49.60	49.60
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	25.50	25.50
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70
	Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)	633	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	28.90	28.90
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30
	Snow clip (red/black/brown)	633	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection				Price in EUR/pc							
 3700  3800  3771  3585  3562  2795	Transparent tile (acrylic)	633	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 10-13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95
	Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40
	Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for MAGNUM, FUTURA, only supplied in complete packaging units, universal colour order code: 900	UNI	3562	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 40 x 60 mm battens) and FUTURA, MAGNUM, (40 x 50 mm battens), only supplied in complete packaging units, universal colour order code: 900	UNI	3567	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for MAGNUM, FUTURA, only supplied in complete packaging units, universal colour order code: 900	UNI	3572	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Drive-in storm clip in zinc-aluminium, all batten sizes, for MAGNUM, BALANCE, FUTURA, PREMION, only supplied in complete packaging units, universal colour order code: 900	UNI	3585	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97

✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement





HARMONIE®

The timeless, beautiful flat roof tile.

Production works Wertingen

Minimum requirement/m² 14.2 pcs/m²

Pcs/mini package 5 Unit

Weight/pallet 893 kg

Order code

Field tile	Model	Availability	Packaging unit	NUANCE									FINESSE	
				R	R	A	R	R	R	R	R	R	A	
				natural red	red engobed	Tuscany engobed	copper red engobed	wine red engobed	dark brown en-gobed	slate shade en-gobed	anthracite engobed		black glazed	
				100	201	244	200	202	213	418	220	503		
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	671	1000	R	280 Stk./Pal.	0.98	1.02	1.13	1.02	1.02	1.02	1.13	1.02	1.31
	Price per m² in EUR					13.92	14.48	16.05	14.48	14.48	14.48	16.05	14.48	18.60

Accessory range														
Price in EUR/pc														
 1210  1820  1840  1400  1600  2700  1620	Half-width tile	671	1210	R	240 Stk./Pal.	7.10	7.40	7.60	7.40	7.40	7.40	7.60	7.60	8.70
	Verge tile (3.0 pcs/m)	671	right 1820, left 1830	R	56 Stk./Pal.	10.40	10.90	11.80	10.90	10.90	10.90	11.80	11.80	13.70
	Double roll tile (3.0 pcs/m)	671	1840	R	120 Stk./Pal.	10.40	10.90	11.80	10.90	10.90	10.90	11.80	11.80	13.70
	Ventilating tile vent area approx. 25cm²	671	1400	R	120 Stk./Pal.	13.20	13.40	14.40	13.40	13.40	13.40	14.40	14.40	16.60
	Ridge connection ventilating tile (5.2 pcs/m on each side of ridge)	671	1600	R	140 Stk./Pal.	3.70	3.80	4.00	3.80	3.80	3.80	4.00	4.00	4.80
	Ridge connection ventilating half tile	671	1610	R	B	40.30	40.60	40.60	40.60	40.60	40.60	40.60	40.60	40.60
	Ridge connection ventilating verge tile	671		R	56 Stk./Pal.	19.30	20.60	21.40	20.60	20.60	20.60	21.40	21.40	25.00
	Ridge connection ventilating double roll tile	671	1640	R	120 Stk./Pal.	19.30	20.60	21.40	20.60	20.60	20.60	21.40	21.40	25.00
	Shed roof tile decorated standard (5.2 pcs/m)	671	2700	R	36 Stk./Pal.	38.20	38.50	38.50	38.50	38.50	38.50	38.50	38.50	38.50
	Shed roof verge tile decorated standard	671	right 2720, left 2730	R	B	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80
	Shed roof tile decorated special size (5.2 pcs/m)	671	2760	A	B	40.30	40.60	40.60	40.60	40.60	40.60	40.60	40.60	40.60
	Shed roof verge tile decorated special size	671	right 2840, left 2850	A	B	54.70	54.80	54.80	54.80	54.80	54.80	54.80	54.80	54.80
	Mansard/pitch transition tile decorated special size (5.2 pcs/m)	671	2800	A	B	40.30	40.60	40.60	40.60	40.60	40.60	40.60	40.60	40.60
	Mansard/pitch transition verge tile decorated special size	671	right 2820, left 2830	A	B	57.70	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80

Ridge and hip tile product range														
Price in EUR/pc														
 5800  5810  5816  5815  5817  5812  5820  5821  5823	Ridge tile PZ (2.5 pcs/m)	WER	5800	R	60 Stk./Pal.	10.90	11.20	11.80	11.20	11.20	11.20	11.80	11.20	14.60
	Ridge starter and termination plate ceramic PZ	WER	5810	R	B	14.40	14.90	18.40	14.90	14.90	14.90	18.40	14.90	18.40
	Function starter and termination plate ceramic PZ	WER	5812	R	B	34.60	36.50	—	36.50	36.50	36.50	42.20	36.50	42.20
	Hip starter ceramic PZ	WER	5815	R	33 Stk./Pal.	33.30	34.80	34.80	34.80	34.80	34.80	34.80	34.80	36.10
	Hip starter ceramic round connection PZ	WER	5817	R	60 Stk./Pal.	36.70	53.80	53.80	53.80	53.80	53.80	53.80	53.80	59.90
	Hip starter ceramic with scallop PZ	WER	5816	A	33 Stk./Pal.	36.70	53.80	53.80	53.80	53.80	53.80	53.80	53.80	59.90
	Hip cap 3-axis PZ	WER	5820	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	188.00
	Hip cap 4-axis PZ	WER	5821	A	B	186.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	280.00
	Ridge clip aluminium (red/black) PZ	UNI	5823	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PZ	UNI	5824	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip wire PZ	UNI	5825	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX ridge clip kit PZ	UNI	5826	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00

Product range for roof ventilation and penetrations														
Price in EUR/pc														
 3000  3010  3040  3340  3300  3320	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	671	3000	R	8 Stk./Pal.	170.00	176.00	215.00	176.00	176.00	176.00	215.00	176.00	220.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	671	3010	R	8 Stk./Pal.	198.00	208.00	252.00	208.00	208.00	208.00	252.00	208.00	258.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	671	3040	A	8 Stk./Pal.	222.00	233.00	273.00	233.00	233.00	233.00	273.00	233.00	279.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	671	3050	A	8 Stk./Pal.	222.00	233.00	273.00	233.00	233.00	233.00	273.00	233.00	279.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	671	3300	R	12 Stk./Pal.	145.00	151.00	—	151.00	151.00	151.00	186.00	151.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	671	3320	R	12 Stk./Pal.	185.00	191.00	219.00	191.00	191.00	191.00	219.00	191.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	671	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	—	219.00	219.00	219.00	240.00	219.00	240.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



HARMONIE®

The timeless, beautiful flat roof tile.

Production works Wertingen

Minimum requirement/m² 14.2 pcs/m²

Pcs/mini package 5 Unit

Weight/pallet 893 kg

Order code

Field tile	Model	Availability	Packaging unit	100	201	244	200	202	213	418	220	503
------------	-------	--------------	----------------	-----	-----	-----	-----	-----	-----	-----	-----	-----

NUANCE

FINESSE

R

R

A

R

R

R

R

R

R

A

natural red

red engobed

Tuscany engobed

copper red engobed

wine red engobed

dark brown en-gobed

slate shade en-gobed

anthracite engobed

black glazed



Product range for snow protection, roof access and solar installation in metal				Price in EUR/pc											
Base element in aluminium, colour coated				671	4000	R	B	50.90	50.90	50.90	50.90	50.90	50.90	50.90	59.80
Single tread aluminium (1 base element required per tread) *				UNI	4010	R	B	54.70	54.70	54.70	54.70	54.70	54.70	54.70	84.10
Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *				UNI	4020	R	B	95.40	95.40	95.40	95.40	95.40	95.40	95.40	122.00
Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *				UNI	4030	R	B	113.00	113.00	113.00	113.00	113.00	113.00	113.00	149.00
Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)				UNI	4150	R	B	203.00	203.00	203.00	203.00	203.00	203.00	203.00	268.00
Log bracket aluminium Ø 14 cm (1 base element required per bracket) *				UNI	4040	R	B	19.10	19.10	19.10	19.10	19.10	19.10	19.10	25.50
Snow guard grid support aluminium (1 base element required per bracket) *				UNI	4060	R	B	19.10	19.10	19.10	19.10	19.10	19.10	19.10	25.50
Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *				UNI	4071	R	B	33.80	33.80	33.80	33.80	33.80	33.80	33.80	49.60
Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)				UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80
Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)				UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40
Roof ladder aluminium length 1.68 m including connector (red/black/grey)				UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00
Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)				UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70
Solar system bracket kit for 30 cm, 40 cm or 50 cm batten spacing (consisting of stainless steel solar bracket and system tile)				671	System tile 3600, 30 3610, 40 3620, 50 3630	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	24.50	24.50	24.50	28.90
Solar element bracket galvanized (1 base element and 1 storm clip per bracket)				UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30
Snow clip (red/black/brown)				671	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection				Price in EUR/pc											
Transparent tile (acrylic)				671	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00
Acrylic paint to match our engobes/glazes, 250 ml				UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60	31.60	31.60
Hip and valley clip stainless steel 13–17 mm				UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Stainless steel screw 50 mm with seal for fastening verges, etc.				UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40
Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for HARMONIE, HERZZIEGEL, ELEGANZ, CANTUS, only supplied in complete packaging units, universal colour order code: 900				UNI	3563	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Hook storm clip in zinc-aluminium for 40 x 50 mm battens, for TERRA OPTIMA, DOMINO, HARMONIE, RUSTICO, GALANT, CANTUS, VISIO only supplied in complete packaging units, universal colour order code: 900				UNI	3593	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for HARMONIE, HERZZIEGEL, ELEGANZ, CANTUS, only supplied in complete packaging units, universal colour order code: 900				UNI	3573	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Drive-in storm clip in zinc-aluminium, all batten sizes, for MZ3, HARMONIE, TERRA OPTIMA, only supplied in complete packaging units, universal colour order code: 900				UNI	3586	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900				UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97

✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



CANTUS

The reform tile with a gentle curve.

Production works Guttau

Minimum requirement/m² 11.8 pcs/m²

Pcs/mini package 5 Unit

Weight/pallet 877 kg

	CANTUS The reform tile with a gentle curve. Production works Guttau Minimum requirement/m² 11.8 pcs/m² Pcs/mini package 5 Unit Weight/pallet 877 kg	Order code	NUANCE				FINESSE		NOBLESSE				
			Availability	A	R	R	R	A	R	R	R		
			Packaging unit	natural red	copper red engobed	slate shade en-gobed	black matt engobed	wine red glazed	black glazed	crystalline slate glazed	crystalline black glazed		
				100	200	418	821	507	503	607	606		
Field tile	Model												
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	626	1000	R	240 Stk./Pal.	1.35	1.42	1.42	1.42	1.76	1.76	2.10	2.10
	Price per m² in EUR					15.93	16.76	16.76	16.76	20.77	20.77	24.78	24.78

Accessory range													
Price in EUR/pc													
	Verge tile (2.8 pcs/m)	626	right 1820, left 1830	R	56/64 Stk./Pal.	11.40	12.00	12.00	12.00	13.90	13.90	19.50	19.50
	Double roll tile (2.8 pcs/m)	626	1840	R	120 Stk./Pal.	11.40	12.00	12.00	12.00	13.90	13.90	19.50	19.50
	Ventilating tile vent area approx. 27 cm²	626	1400	R	112 Stk./Pal.	13.30	14.50	14.50	14.50	16.60	16.60	27.20	27.50
	Ridge connection ventilating tile (4.6 pcs/m on each side of ridge)	626	1600	R	112 Stk./Pal.	4.00	4.20	4.20	4.20	4.80	4.80	6.00	6.00
	Ridge connection ventilating verge tile	626		R	56/64 Stk./Pal.	20.60	22.10	22.10	22.10	25.00	25.00	34.20	34.20
	Shed roof tile decorated standard (4.6 pcs/m)	626	2700	R	B	38.90	39.20	39.20	39.20	43.10	43.10	44.00	44.00
	Shed roof verge tile decorated standard	626	right 2720, left 2730	R	B	57.50	58.10	58.10	58.10	61.80	61.80	80.00	80.00
	Shed roof tile decorated special size (4.6 pcs/m)	626	2760	A	B	40.30	40.50	40.60	40.60	41.40	41.40	41.60	41.60
	Shed roof verge tile decorated special size	626	right 2840, left 2850	A	B	57.70	57.80	57.80	57.80	61.00	61.00	64.30	64.30
Mansard/pitch transition tile, decorated, special size (4.5 pcs/m)		626	2800	A	B	40.30	40.50	40.60	40.60	41.40	41.40	41.60	41.60
Mansard/pitch transition verge tile decorated special size		626	right 2820, left 2830	A	B	57.70	57.80	57.80	57.80	61.00	61.00	64.30	64.30

Ridge and hip tile product range													
Price in EUR/pc													
	Ridge tile PP (2.5 pcs/m)	GUT	5300	R	72 Stk./Pal.	11.60	11.80	13.60	13.20	14.90	14.90	23.70	23.70
	Ridge tile PHP (2.6 pcs/m)	GUT	5400	R	60 Stk./Pal.	11.60	11.80	13.60	13.20	14.90	14.90	23.70	23.70
	Ridge starter and termination plate ceramic PP	GUT	5310	R	B	14.40	14.90	18.40	16.90	18.40	18.40	24.80	24.80
	Function starter and termination plate ceramic PP	GUT	5312	R	B	34.60	36.50	42.20	36.50	42.20	42.20	45.50	45.50
	Function starter and termination plate ceramic PHP	GUT	5412	R	B	34.60	36.50	42.20	36.50	42.20	42.20	45.50	45.50
	Hip starter ceramic PP	GUT	5315	R	54 Stk./Pal.	33.30	34.80	34.80	34.80	36.10	36.10	51.40	51.40
	Hip starter ceramic PHP	GUT	5415	R	50 Stk./Pal.	33.30	34.80	34.80	34.80	36.10	36.10	51.40	51.40
	Hip starter ceramic with scallop PP	GUT	5316	A	20 Stk./Pal.	36.70	53.80	53.80	53.80	59.90	59.90	81.70	81.70
	Hip starter ceramic with scallop PHP	GUT	5416	A	20 Stk./Pal.	36.70	53.80	53.80	53.80	59.90	59.90	81.70	81.70
	Hip cap 3-axis PP	GUT	5320	R	30 Stk./Pal.	124.00	144.00	140.00	140.00	188.00	155.00	170.00	249.00
	Hip cap 3-axis PHP	GUT	5420	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	188.00	188.00	249.00	249.00
	Hip cap 4-axis PP	GUT	5321	A	B	186.00	216.00	155.00	155.00	280.00	170.00	195.00	366.00
	Hip cap 4-axis PHP	GUT	5421	A	B	186.00	216.00	216.00	216.00	280.00	280.00	366.00	366.00
	Ridge clip aluminium (red/black) PP	UNI	5323	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	Ridge clip aluminium (red/black) PHP	UNI	5423	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PP	UNI	5324	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PHP	UNI	5424	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip wire PP	UNI	5325	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX ridge clip wire PHP	UNI	5425	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX clip kit PP	UNI	5326	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00
	FIRSTFIX clip kit PHP	UNI	5426	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



CANTUS

The reform tile with a gentle curve.

Production works Guttau

Minimum requirement/m² 11.8 pcs/m²

Pcs/mini package 5 Unit

Weight/pallet 877 kg

Order code


	CANTUS The reform tile with a gentle curve. Production works Guttau Minimum requirement/m² 11.8 pcs/m² Pcs/mini package 5 Unit Weight/pallet 877 kg	Order code	Model	NUANCE				FINESSE		NOBLESSE		
				Availability	A	R	R	R	A	R	R	R
				Packaging unit	natural red	copper red engobed	slate shade engobed	black matt engobed	wine red glazed	black glazed	crystalline slate glazed	crystalline black glazed
					100	200	418	821	507	503	607	606

Product range for roof ventilation and penetrations



Price in EUR/pc													
SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	626	3000	R	8 Stk./Pal.	170.00	176.00	176.00	215.00	220.00	220.00	247.00	247.00	
SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	626	3010	R	8 Stk./Pal.	198.00	208.00	208.00	252.00	258.00	258.00	281.00	281.00	
SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	626	3040	A	8 Stk./Pal.	222.00	233.00	233.00	273.00	279.00	279.00	302.00	302.00	
SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	626	3050	A	8 Stk./Pal.	222.00	233.00	273.00	273.00	279.00	279.00	302.00	302.00	
Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	626	3300	R	12 Stk./Pal.	145.00	151.00	186.00	186.00	186.00	186.00	217.00	217.00	
Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	626	3320	R	12 Stk./Pal.	185.00	191.00	191.00	219.00	219.00	219.00	268.00	268.00	
Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	626	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	240.00	240.00	240.00	240.00	281.00	281.00	
Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	
Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	
Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	

Product range for snow protection, roof access and solar installation in metal



Price in EUR/pc													
Base element in aluminium, colour coated	626	4000	R	B	50.90	50.90	50.90	50.90	59.80	59.80	74.90	74.90	
Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	84.10	84.10	101.00	101.00	
Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	122.00	122.00	155.00	155.00	
Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	149.00	149.00	188.00	188.00	
Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	268.00	268.00	322.00	322.00	
Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	25.50	25.50	36.80	36.80	
Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	25.50	25.50	36.80	36.80	
Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	49.60	49.60	57.80	57.80	
Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	
Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	
Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	
Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	
Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)	626	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	28.90	28.90	36.90	36.90	
Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	
Snow clip (red/black)	626	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	

Product range for roof details and uplift protection



Price in EUR/pc													
Transparent tile (acrylic)	626	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	
Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60	31.60	31.60	
Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	
Stainless steel screw 60 mm with seal for fastening verges, etc.	UNI	3776	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	
Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for HARMONIE, HERZZIEGEL, ELEGANZ, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3563	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
Hook storm clip in zinc-aluminium for 40 x 50 mm battens, for TERRA OPTIMA, DOMINO, HARMONIE, RUSTICO, GALANT, CANTUS, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3593	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for HARMONIE, HERZZIEGEL, ELEGANZ, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3573	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
Drive-in storm clip in zinc-aluminium, all batten sizes, for ELEGANZ, DOMINO, RATIO Dorfen, RATIO Höngeda, RUSTICO, HERZZIEGEL, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3587	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	

✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement





TERRA OPTIMA®

The universally-applicable reform tile.

Production works Höngeda

Minimum requirement/m² 11.9 pcs/m²

Pcs/mini package 6 Unit

Weight/pallet 975 kg

Order code

Availability	Packaging unit	NUANCE								FINESSE	
		A	R	R	A	R	A	R	R	A	R
		natural red	copper red engobed	wine red engobed	brown engobed	dark brown en-gobed	grey engobed	slate shade en-gobed	anthracite engobed	wine red glazed	black glazed
											
		100	200	202	208	213	231	418	220	507	503

Field tile	Model		Availability	Packaging	100	200	202	208	213	231	418	220	507	503	
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	625	1000	R	288 Stk./Pal.	1.28	1.34	1.34	1.34	1.34	1.50	1.50	1.34	1.66	1.66
	Price per m² in EUR					15.23	15.95	15.95	15.95	15.95	17.85	17.85	15.95	19.75	19.75

Accessory range															
Price in EUR/pc															
	Half-width tile	625	1210	R	360 Stk./Pal.	6.60	7.60	7.60	7.60	7.60	8.70	8.70	8.70	8.70	8.70
	Verge tile (2.8 pcs/m)	625	right 1820, left 1830	R	48 Stk./Pal.	11.40	12.00	12.00	12.00	12.00	13.90	13.90	13.90	13.90	13.90
	Double roll tile (2.8 pcs/m)	625	1840	R	96 Stk./Pal.	11.40	12.00	12.00	—	—	13.90	13.90	13.90	—	—
	Ventilating tile vent area 25 cm²	625	1400	R	120 Stk./Pal.	13.30	14.50	14.50	14.50	14.50	16.60	16.60	16.60	16.60	16.60
	Ridge connection ventilating tile (4.5 pcs/m on each side of ridge)	625	1600	R	120 Stk./Pal.	4.00	4.20	4.20	4.20	4.20	4.80	4.80	4.80	4.80	4.80
	Ridge connection ventilating verge tile	625		R	48 Stk./Pal.	20.60	22.10	22.10	22.10	22.10	25.00	25.00	25.00	25.00	25.00
	Ridge connection ventilating double roll tile	625	1640	R	B	20.60	22.10	22.10	—	—	25.00	25.00	25.00	—	—
	Shed roof tile decorated standard (4.5 pcs/m)	625	2700	R	B	38.90	39.60	39.60	39.60	39.60	43.10	43.10	43.10	43.10	43.10
	Shed roof verge tile decorated standard	625	right 2720, left 2730	R	B	57.50	58.10	58.10	58.10	58.10	61.80	61.80	61.80	61.80	61.80
	Shed roof tile decorated special size (4.5 pcs/m)	625	2760	A	B	44.40	44.90	44.90	44.90	44.90	48.50	48.50	48.50	48.50	48.50
	Shed roof verge tile decorated special size	625	right 2840, left 2850	A	B	62.90	63.60	63.60	63.60	63.60	67.20	67.20	67.20	67.20	67.20
	Mansard/pitch transition tile decorated special size (4.5 pcs/m)	625	2800	A	B	44.40	44.90	44.90	44.90	44.90	48.50	48.50	48.50	48.50	48.50
	Mansard/pitch transition verge tile decorated special size	625	right 2820, left 2830	A	B	62.90	63.60	63.60	63.60	63.60	67.20	67.20	67.20	67.20	67.20

Ridge and hip tile product range															
Price in EUR/pc															
	Ridge tile PH (2.6 pcs/m)	HON	5900	R	72 Stk./Pal.	10.90	11.20	11.50	11.50	11.50	13.10	13.10	11.50	14.00	14.00
	Ridge tile PV (2.5 pcs/m)	HON	6000	R	60 Stk./Pal.	—	11.80	11.80	—	—	—	13.60	12.10	14.90	14.90
	Ridge starter and termination plate with scallop PH	HON	5909	A	B	30.10	32.00	32.00	32.00	32.00	37.60	37.60	32.00	37.60	37.60
	Ridge starter and termination plate ceramic PV	HON	6010	R	B	—	14.90	14.90	—	—	—	18.40	18.40	18.40	18.40
	Function starter and termination plate ceramic PH	HON	5912	R	B	34.60	36.50	36.50	36.50	36.50	42.20	42.20	36.50	42.20	42.20
	Function starter and termination plate ceramic PV	HON	6012	R	B	—	36.50	36.50	—	—	—	42.20	36.50	42.20	42.20
	Hip starter ceramic PH	HON	5915	R	50 Stk./Pal.	33.30	34.80	34.80	34.80	34.80	34.80	34.80	34.80	36.10	36.10
	Hip starter ceramic PV	HON	6015	R	50 Stk./Pal.	—	34.80	34.80	—	—	—	34.80	34.80	36.10	36.10
	Hip starter ceramic round connection PH	HON	5917	R	75 Stk./Pal.	36.70	53.80	53.80	53.80	53.80	53.80	53.80	53.80	59.90	59.90
	Hip cap 3-axis PH	HON	5920	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	188.00	188.00
	Hip cap 3-axis PV	HON	6020	R	30 Stk./Pal.	—	144.00	144.00	—	—	—	144.00	144.00	188.00	188.00
	Hip cap 4-axis PH	HON	5921	A	B	186.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	280.00	280.00
	Hip cap 4-axis PV	HON	6021	A	B	—	216.00	216.00	—	—	—	216.00	216.00	280.00	280.00
	Ridge clip aluminium (red/black) PH	UNI	5923	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	Ridge clip aluminium PV (red/black)	UNI	6023	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PH	UNI	5924	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PV	UNI	6024	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip wire PH	UNI	5925	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX ridge clip wire PV	UNI	6025	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX clip kit PH	UNI	5926	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00
	FIRSTFIX clip kit PV	UNI	6026	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



TERRA OPTIMA®

The universally-applicable reform tile.

Production works Höngeda

Minimum requirement/m² 11.9 pcs/m²

Pcs/mini package 6 Unit

Weight/pallet 975 kg

Order code

Field tile	Model	Availability	Packaging unit	A	NUANCE								FINESSE	
					R	R	A	R	A	R	R	R	A	R
					natural red	copper red engobed	wine red engobed	brown engobed	dark brown en-gobed	grey engobed	slate shade en-gobed	anthracite engobed	wine red glazed	black glazed
					100	200	202	208	213	231	418	220	507	503

Product range for roof ventilation and penetrations



Price in EUR/pc														
SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	625	3000	R	8 Stk./Pal.	170.00	176.00	176.00	176.00	176.00	215.00	215.00	176.00	220.00	220.00
SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	625	3010	R	8 Stk./Pal.	198.00	208.00	208.00	208.00	208.00	252.00	252.00	208.00	258.00	258.00
SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	625	3040	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	233.00	273.00	273.00	233.00	279.00	279.00
SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	625	3050	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	233.00	273.00	273.00	233.00	279.00	279.00
Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	625	3300	R	12 Stk./Pal.	145.00	151.00	151.00	151.00	151.00	186.00	186.00	151.00	186.00	186.00
Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	625	3320	R	12 Stk./Pal.	185.00	191.00	191.00	191.00	191.00	219.00	219.00	191.00	219.00	219.00
Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	625	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00	219.00	219.00	240.00	240.00	219.00	240.00	240.00
Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00
Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00

Product range for snow protection, roof access and solar installation in metal



Price in EUR/pc														
Base element in aluminium, colour coated	625	4000	R	B	50.90	50.90	50.90	50.90	50.90	50.90	50.90	50.90	59.80	59.80
Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	54.70	54.70	54.70	54.70	84.10	84.10
Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	95.40	95.40	95.40	95.40	122.00	122.00
Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	113.00	113.00	113.00	113.00	149.00	149.00
Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	203.00	203.00	203.00	203.00	268.00	268.00
Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50
Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50
Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	33.80	33.80	33.80	33.80	49.60	49.60
Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80
Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40
Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00
Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70
Solar system bracket kit for 30 cm, 40 cm or 50 cm batten spacing (consisting of stainless steel solar bracket and system tile)	625	System tile 3600, 30 3610, 40 3620, 50 3630	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	24.50	24.50	24.50	24.50	28.90	28.90
Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30
Snow clip (red/black/brown)	625	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection



Price in EUR/pc														
Transparent tile (acrylic)	625	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00
Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60
Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40
Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3560	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Hook storm clip in zinc-aluminium for 40 x 50 mm battens, for TERRA OPTIMA, DOMINO, HARMONIE, RUSTICO, GALANT, CANTUS, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3593	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT only supplied in complete packaging units, universal colour order code: 900	UNI	3570	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Drive-in storm clip in zinc-aluminium, all batten sizes, for MZ3, HARMONIE, TERRA OPTIMA, only supplied in complete packaging units, universal colour order code: 900	UNI	3586	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97

OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement

	ELEGANZ® The reform tile with style.		Order code	NUANCE					
	Production works	Wertingen		Availability	Packaging unit	A	A	A	
	Minimum requirement/m²	13.7 pcs/m²				natural red	copper red engobed	dark brown engobed	
	Pcs/mini package	6 Unit							
	Weight/pallet	817 kg							
Field tile			Model						
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR			690	1000	A	240 Stk./Pal.	1.04	1.08	1.08
Price per m² in EUR							14.25	14.80	14.80

Accessory range				Price in EUR/pc				
	Half-width tile	690	1210	A	240 Stk./Pal.	7.30	7.70	8.30
	Verge tile (3.0 pcs/m)	690	right 1820, left 1830	A	56 Stk./Pal.	10.80	11.30	12.40
	Ventilating tile vent area 15 cm²	690	1400	A	120 Stk./Pal.	13.30	13.90	14.50
	Shed roof tile decorated standard (4.9 pcs/m)	690	2700	A	B	29.30	29.80	31.00
	Shed roof verge tile decorated standard	690	right 2720, left 2730	A	B	33.50	34.20	36.00
	Shed roof tile decorated special size (4.9 pcs/m)	690	2760	A	B	44.40	44.50	48.30
	Shed roof verge tile decorated special size	690	right 2840, left 2850	A	B	62.10	62.50	62.50
	Mansard/pitch transition tile decorated special size (4.9 pcs/m)	690	2800	A	B	44.40	44.50	48.30
	Mansard/pitch transition verge tile decorated special size	690	right 2820, left 2830	A	B	62.10	62.50	62.50

Ridge and hip tile product range				Price in EUR/pc				
	Ridge tile PZ (2.5 pcs/m)	WER	5800	R	60 Stk./Pal.	10.90	11.20	11.20
	Ridge starter and termination plate ceramic PZ	WER	5810	R	B	14.40	14.90	14.90
	Function starter and termination plate ceramic PZ	WER	5812	R	B	34.60	36.50	36.50
	Hip starter ceramic PZ	WER	5815	R	33 Stk./Pal.	33.30	34.80	34.80
	Hip starter ceramic round connection PZ	WER	5817	R	60 Stk./Pal.	36.70	53.80	53.80
	Hip starter ceramic with scallop PZ	WER	5816	A	33 Stk./Pal.	36.70	53.80	53.80
	Hip cap 3-axis PZ	WER	5820	R	30 Stk./Pal.	124.00	144.00	144.00
	Hip cap 4-axis PZ	WER	5821	A	B	186.00	216.00	216.00
	Ridge clip aluminium (red/black) PZ	UNI	5823	R	30 Stk./Kart.	0.56	0.56	0.56
	Ridge clip, aluminium (red/black/grey/blue/green) PRK	UNI	5223	R	30 Stk./Kart.	0.56	0.56	0.56

Product range for roof ventilation and penetrations				Price in EUR/pc				
	Outlet vent element ceramic DN 100 "SIGNUM" hood type A with flexible hose connection including "SIGNUM" sub-roof adapter	690	3000	A	8 Stk./Pal.	170.00	176.00	176.00
	Outlet vent element ceramic DN 125 "SIGNUM" hood type F with flexible hose connection including "SIGNUM" sub-roof adapter	690	3010	A	8 Stk./Pal.	198.00	208.00	208.00
	Outlet vent element ceramic DN 150 "SIGNUM" hood type F with flexible hose connection	690	3040	A	8 Stk./Pal.	222.00	233.00	233.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	690	3050	A	8 Stk./Pal.	222.00	233.00	233.00
	Aerial entry tile ceramic DN 60 with rubber connection including EPDM sub-roof gasket	690	3300	A	12 Stk./Pal.	145.00	151.00	151.00
	Solar entry tile ceramic DN 70 including EPDM sub-roof gasket	690	3320	A	12 Stk./Pal.	185.00	191.00	191.00
	Flue pipe penetration ceramic DN 110 or DN 125 including EPDM sub-roof gasket	690	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00





ELEGANZ®

The reform tile with style.

Production works Wertingen

Minimum requirement/m² 13.7 pcs/m²

Pcs/mini package 6 Unit

Weight/pallet 817 kg

Order code

		NUANCE		
Availability	Packaging unit	A	A	A
		natural red	copper red engobed	dark brown engobed
				
		100	200	213

Field tile	Model
------------	-------

Product range for snow protection, roof access and solar installation in metal				Price in EUR/pc				
 4000  4010  4020  4030  4150  4040  4060  4071  4080  4090  4110  4120	Base element in aluminium, colour coated	690	4000	A	B	50.90	50.90	50.90
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30
	Snow clip (red/black)	690	4140	A	100 Stk./Kart.	0.70	0.70	0.70

Product range for roof details and uplift protection				Price in EUR/pc				
 3573  3800  3772  2795  3587	Transparent tile (acrylic)	690	3700	A	B	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60
	Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95
	Stainless steel screw 70 mm with seal for fastening verges, etc.	UNI	3775	R	100 Stk./Kart.	38.40	38.40	38.40
	Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for HARMONIE, HERZZIEGEL, ELEGANZ, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3563	R	250 Stk./Kart.	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 40 x 50 mm battens, for HERZZIEGEL, MZ3, ELEGANZ, RAPIDO, MELODIE, only supplied in complete packaging units, universal colour order code: 900	UNI	3594	R	250 Stk./Kart.	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for HARMONIE, HERZZIEGEL, ELEGANZ, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3573	R	250 Stk./Kart.	0.42	0.42	0.42
	Drive-in storm clip in zinc-aluminium, all batten sizes, for ELEGANZ, DOMINO, RATIO Dorfen, RATIO Hõngeda, RUSTICO, HERZZIEGEL, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3587	R	250 Stk./Kart.	0.42	0.42	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97



OTHER ACCESSORIES SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required


R

Standard delivery time

A

Delivery date by arrangement

	VISIO THE SMOOTH TILE WITH KERALIS® INTERGRAL COLOUR Production works Guttau Minimum requirement/m² 11.8 pcs/m² Pcs/mini package 5 Unit Weight/pallet 865 kg	Order code	NUANCE								FINESSE		NOBLESSE		
			Availability		R		A		R		R				
			Packaging unit		slate shade en-gobed		black matt engobed		black glazed		crystalline slate glazed				
Field tile			Model												
			Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR			661		1000		R	240 Stk./Pal.	1.75	1.75	1.78	2.20
			Price per m² in EUR									20.65	20.65	21.00	25.96

Accessory range				Price in EUR/pc							
 1210  1820  2320  1840  1400  1600  1620	Half-width tile	661	1210	R	112 Stk./Pal.	5.80	8.40	7.00	7.00		
	Verge tile (2.7 pcs/m)	661	right 1820, left 1830	R	56 Stk./Pal.	13.20	16.80	14.60	14.60		
	Half verge tile	661	right 2320, left 2330	R	48 Stk./Pal.	13.20	16.80	14.60	14.60		
	Double roll tile (2.7 pcs/m)	661	1840	R	B	17.50	18.40	18.40	18.40		
	Ventilating tile vent area 15 cm²	661	1400	R	112 Stk./Pal.	15.00	21.70	16.60	16.60		
	Ridge connection ventilating tile (4.5 pcs/m on each side of ridge)	661	1600	R	96 Stk./Pal.	4.30	7.10	5.10	5.10		
	Ridge connection ventilating half tile	661	1610	R	B	39.10	43.70	43.10	43.10		
	Ridge connection ventilating verge tile	661		R	56 Stk./Pal.	22.30	23.60	25.00	25.00		
	Ridge connection ventilating double roll tile	661	1640	R	B	26.30	26.30	26.30	28.90		
	Shed roof tile decorated standard (4.5 pcs/m)	661	2700	R	B	39.00	40.70	43.10	43.10		
	Shed roof verge tile decorated standard	661	right 2720, left 2730	R	B	56.80	57.70	61.80	61.80		
	Shed roof tile decorated special size (4.5 pcs/m)	661	2760	A	B	44.40	40.80	48.30	48.30		
	Shed roof verge tile decorated special size	661	right 2840, left 2850	A	B	62.10	56.40	66.60	66.60		
	Mansard/pitch transition tile decorated special size (4.5 pcs/m)	661	2800	A	B	44.40	43.90	48.30	48.30		
	Mansard/pitch transition verge tile decorated special size	661	right 2820, left 2830	A	B	62.10	55.80	66.60	66.60		

Ridge and hip tile product range						Price in EUR/pc				
 7800 7815	Ridge tile PG (2.5 pcs/m)	GUT	7800	R	72 Stk./Pal.	18.80	18.80	19.80	21.80	
	Ridge starter and termination plate ceramic PG	GUT	7810	R	B	16.00	16.00	18.40	20.30	
	Function starter and termination plate ceramic PG	GUT	7812	R	B	35.40	35.40	41.40	45.60	
	Hip starter ceramic PG	GUT	7815	R	54 Stk./Pal.	34.70	34.70	43.60	48.00	
	Hip cap 3-axis PP	GUT	5320	R	30 Stk./Pal.	140.00	140.00	155.00	170.00	
	Hip cap 4-axis PP	GUT	5321	A	B	155.00	155.00	170.00	195.00	
	Ridge clip aluminium (red/black) PG	UNI	7823	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	
	FIRSTFIX ridge clip stainless steel PG	UNI	7824	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	
	FIRSTFIX ridge clip wire PG, only supplied in complete packaging units, universal colour code: 900	UNI	7825	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	
	FIRSTFIX clip kit PG	UNI	7826	R	4 Stk./VE	3.00	3.00	3.00	3.00	

Product range for roof ventilation and penetrations							Price in EUR/pc				
 3000	 3010	 3300	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	661	3000	R	8 Stk./Pal.	215.00	215.00	140.00	170.00
			SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	661	3010	R	8 Stk./Pal.	252.00	252.00	129.00	198.00
			SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	661	3040	A	B	273.00	273.00	273.00	222.00
			SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	661	3050	A	B	273.00	273.00	273.00	222.00
 3320			Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	661	3300	R	12 Stk./Pal.	186.00	186.00	182.00	145.00
			Satellite and aerial mast in hot-dip galvanised steel,, mast length 850 mm, mast diameter 48 mm, for rafter spacing from 50 to 95 cm, incl. wood screws and sealing gasket, available uncoated or in black (RAL7021), red (RAL8004) and chestnut brown (RAL8015) colours	UNI	3855	R	B	169.00	169.00	169.00	169.00
			Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	661	3320	R	12 Stk./Pal.	219.00	219.00	214.00	185.00
			Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	661	110 3340, 125 3341	A	12 Stk./Pal.	240.00	240.00	235.00	208.00
			Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00
			Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00
		Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



VISIO

THE SMOOTH TILE WITH KERALIS® INTERGRAL COLOUR

Production works Gutttau

Minimum requirement/m² 11.8 pcs/m²

Pcs/mini package 5 Unit

Weight/pallet 865 kg

Order code

		NUANCE		FINESSE	NOBLESSE
Availability	Availability	R	A	R	R
	Packaging unit	slate shade en-gobed	black matt engobed	black glazed	crystalline slate glazed
		418	821	503	607

Field tile

Model

Product range for snow protection, roof access and solar installation in metal



				Price in EUR/pc					
	Base element in aluminium, colour coated	661	4000	R	B	50.90	50.90	53.90	69.80
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	84.10	101.00
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	122.00	155.00
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	149.00	188.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	268.00	322.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	25.50	36.80
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	25.50	36.80
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	49.60	57.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70
	Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)	661	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	24.50	24.50	26.10	29.50
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30
	Snow clip (red/black)	661	4140	R	100 Stk./Kart.	0.70	0.70	0.80	0.80

Product range for snow protection, roof access and solar installation in metal



				Price in EUR/pc					
	Transparent tile (acrylic)	661	3700	R	B	34.00	34.00	35.70	37.20
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95
	Stainless steel screw 60 mm with seal for fastening verges, etc.	UNI	3776	R	100 Stk./Kart.	38.40	38.40	38.40	38.40
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97
	Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for MELODIE, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3571	R	250 Stk./Kart.	0.42	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 40 x 50 mm battens, for TERRA OPTIMA, DOMINO, HARMONIE, RUSTICO, GALANT, CANTUS, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3593	R	250 Stk./Kart.	0.42	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3560	R	250 Stk./Kart.	0.42	0.42	0.42	0.42
	Drive-in storm clip in zinc-aluminium, all batten sizes, for VISIO, only supplied in complete packaging units, universal colour order code: 900	UNI	3612	R	100 Stk./Kart.	0.42	0.42	0.42	0.42

✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



DOMINO®

The linear smooth tile.

Production works Grossengottern

Minimum requirement/m² 12.4 pcs/m²

Pcs/mini package 4 Unit

Weight/pallet 1033 kg

Field tile	Order code	Model	Availability	Packaging unit	R	NUANCE					FINESSE	
						A	R	R	R	R	R	R
						natural red	copper red engobed	grey engobed	slate shade en-gobed	black matt engobed	slate glazed	black glazed
						100	200	231	418	821	508	503
			R	240 Stk./Pal.	1.47	1.58	1.75	1.75	1.75	1.75	1.75	1.75
					18.23	19.59	21.70	21.70	21.70	21.70	21.70	21.70

Accessory range													Price in EUR/pc									
	Half-width tile	640	1210	R	192 Stk./Pal.	5.80	6.50	7.00	7.00	7.00	7.00	7.00										
	Verge tile (2.9 pcs/m)	640	right 1820, left 1830	R	56/64 Stk./Pal.	13.20	13.90	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60
	Double roll tile (2.9 pcs/m)	640	1840	R	96 Stk./Pal.	13.20	13.90	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60	14.60
	Ventilating tile vent area 27.3 cm²	640	1400	R	96 Stk./Pal.	15.00	15.70	16.60	16.60	16.60	16.60	16.60	16.60	16.60	16.60	16.60	16.60	16.60	16.60	16.60	16.60	16.60
	Ridge connection ventilating tile (4.5 pcs/m on each side of ridge)	640	1600	R	96 Stk./Pal.	4.30	4.40	5.10	5.10	5.10	5.10	5.10	5.10	5.10	5.10	5.10	5.10	5.10	5.10	5.10	5.10	5.10
	Ridge connection ventilating half tile	640	1610	R	160 Stk./Pal.	39.10	39.50	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10
	Ridge connection ventilating verge tile	640		R	56 Stk./Pal.	22.30	23.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
	Ridge connection ventilating double roll tile	640	1640	R	60 Stk./Pal.	22.30	23.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00	25.00
	Shed roof tile decorated standard (4.5 pcs/m)	640	2700	R	B	39.00	39.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10	43.10
	Shed roof verge tile decorated standard	640	right 2720, left 2730	R	B	56.80	57.10	61.80	61.80	61.80	61.80	61.80	61.80	61.80	61.80	61.80	61.80	61.80	61.80	61.80	61.80	61.80
	Shed half tile decorated standard	640	2710	R	B	56.80	57.10	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80
	Shed roof tile decorated special size (4.5 pcs/m)	640	2760	A	B	44.40	44.50	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30
	Shed roof verge tile decorated special size	640	right 2840, left 2850	A	B	62.10	62.50	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60
	Mansard/pitch transition tile decorated special size (4.5 pcs/m)	640	2800	A	B	44.40	44.50	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30	48.30
	Mansard/pitch transition verge tile decorated special size	640	right 2820, left 2830	A	B	62.10	62.50	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60	66.60

Ridge and hip tile product range													Price in EUR/pc									
	Ridge tile PD (2.5 pcs/m)	GOG	6100	R	60 Stk./Pal.	13.00	14.00	14.80	14.80	14.80	14.80	14.80	14.80	14.80	14.80	14.80	14.80	14.80	14.80	14.80	14.80	14.80
	Ridge starter and termination plate ceramic PD	GOG	6110	R	B	14.40	14.90	18.40	18.40	16.90	18.40	18.40	18.40	18.40	18.40	18.40	18.40	18.40	18.40	18.40	18.40	18.40
	Function starter and termination plate ceramic PD	GOG	6112	R	B	34.60	36.50	42.20	42.20	36.50	42.20	42.20	42.20	42.20	42.20	42.20	42.20	42.20	42.20	42.20	42.20	42.20
	Hip starter ceramic PD	GOG	6115	R	30 Stk./Pal.	33.30	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80	34.80
	Hip cap 3-axis PD	GOG	6120	R	B	124.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00	144.00
	Hip cap 4-axis PD	GOG	6121	A	B	186.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00
	Ridge clip aluminium (red/black) PD	UNI	6123	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PD	UNI	6124	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip wire PD	UNI	6125	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX clip kit PD	UNI	6126	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00

Product range for roof ventilation and penetrations													Price in EUR/pc									
	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	640	3000	R	8 Stk./Pal.	170.00	176.00	215.00	215.00	215.00	220.00	220.00										
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	640	3010	R	8 Stk./Pal.	198.00	208.00	252.00	252.00	252.00	258.00	258.00										
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	640	3040	A	8 Stk./Pal.	222.00	233.00	273.00	273.00	273.00	279.00	279.00										
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	640	3050	A	8 Stk./Pal.	222.00	233.00	273.00	273.00	273.00	279.00	279.00										
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	640	3300	R	12 Stk./Pal.	145.00	151.00	186.00	186.00	186.00	186.00	186.00										
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	640	3320	R	12 Stk./Pal.	185.00	191.00	219.00	219.00	219.00	219.00	219.00										
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	640	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	240.00	240.00	240.00	240.00	240.00										
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00										
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00										
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00										



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



DOMINO®

The linear smooth tile.

Production works Grossengottern

Minimum requirement/m² 12.4 pcs/m²

Pcs/mini package 4 Unit

Weight/pallet 1033 kg

Order code

Field tile	Model
------------	-------

		NUANCE					FINESSE	
Availability		R	A	R	R	R	R	R
Packaging unit		natural red	copper red engobed	grey engobed	slate shade engobed	black matt engobed	slate glazed	black glazed
		100	200	231	418	821	508	503

Product range for snow protection, roof access and solar installation in metal



Base element in aluminium, colour coated	640	4000	R	B	50.90	50.90	50.90	50.90	50.90	59.80	59.80
Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	54.70	84.10	84.10
Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	95.40	122.00	122.00
Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	113.00	149.00	149.00
Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	203.00	268.00	268.00
Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	19.10	25.50	25.50
Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	19.10	25.50	25.50
Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	33.80	49.60	49.60
Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80	31.80
Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40	48.40
Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00	236.00
Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70	49.70
Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)	640	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	24.50	28.90	28.90
Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30	40.30
Snow clip (red/black/brown)	640	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection



Transparent tile (acrylic)	640	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00	34.00
Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60	31.60
Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Stainless steel screw 70 mm with seal for fastening verges, etc.	UNI	3775	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40
Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3560	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Hook storm clip in zinc–aluminium for 40 x 50 mm battens, for TERRA OPTIMA, DOMINO, HARMONIE, RUSTICO, GALANT, CANTUS, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3593	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT only supplied in complete packaging units, universal colour order code: 900	UNI	3570	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Drive-in storm clip in zinc–aluminium, all batten sizes, for ELEGANZ, DOMINO, RATIO Dorfen, RATIO Hüngeda, RUSTICO, HERZZIEGEL, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3587	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42
Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97	0.97



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



RATIO® Höngeda

The economical, large interlocking tile.

Production works Höngeda

Minimum requirement/m² 11.7 pcs/m²

Pcs/mini package 6 Unit

Weight/pallet 975 kg

Order code

	RATIO® Höngeda The economical, large interlocking tile. Production works Höngeda Minimum requirement/m² 11.7 pcs/m² Pcs/mini package 6 Unit Weight/pallet 975 kg		Order code																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	Field tile			Model		Availability	Packaging unit	NUANCE						FINESSE				NOBLESSE																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
								R	R	R	R	A	R	A	R	A	A	A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
								natural red	red engobed	copper red engobed	wine red engobed	antique grey engobed	anthracite engobed	red glazed	wine red glazed	Chestnut brown glazed	black glazed	brown glazed																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

Accessory range		Price in EUR/pc														
	Half-width tile	620	1210	R	360 Stk./Pal.	4.40	5.00	5.00	5.00	5.00	5.30	7.10	7.10	7.10	7.10	10.90
	Verge tile (2.7 pcs/m)	620	right 1820, left 1830	R	48 Stk./Pal.	10.40	11.50	11.50	11.50	11.50	11.70	12.00	12.00	12.00	12.00	18.90
	Double roll tile (2.7 pcs/m)	620	1840	R	96 Stk./Pal.	10.40	11.50	11.50	11.50	—	—	—	12.00	—	12.00	—
	Ventilating tile vent area 27.3 cm²	620	1400	R	120 Stk./Pal.	13.10	13.60	13.60	13.60	13.60	14.00	15.20	15.20	15.20	15.20	19.00
	Ridge connection ventilating tile (4.5 pcs/m on each side of ridge)	620	1600	R	120 Stk./Pal.	4.30	4.40	4.40	4.40	4.40	4.50	4.60	4.60	4.60	4.60	5.80
	Ridge connection ventilating half tile	620	1610	R	B	39.30	39.60	39.60	39.60	39.60	39.60	40.40	40.40	40.40	40.40	45.00
	Ridge connection ventilating verge tile	620		R	48 Stk./Pal.	19.60	21.10	21.10	21.10	21.10	21.40	22.60	22.60	22.60	22.60	35.20
	Ridge connection ventilating double roll tile	620	1640	R	B	19.60	21.10	21.10	21.10	—	—	—	22.60	—	22.60	—
	Shed roof tile decorated standard (4.5 pcs/m)	620	2700	R	B	39.00	39.20	39.20	39.20	39.20	39.50	41.40	41.40	41.40	41.40	45.00
	Shed roof verge tile decorated standard	620	right 2720, left 2730	R	B	57.60	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	57.80	61.80
	Shed roof tile decorated special size (4.5 pcs/m)	620	2760	A	B	44.40	44.60	44.60	44.60	44.60	44.90	46.80	46.80	46.80	46.80	50.30
	Shed roof verge tile decorated special size	620	right 2840, left 2850	A	B	62.90	63.30	63.30	63.30	63.30	63.30	63.30	63.30	63.30	63.30	67.30
	Mansard/pitch transition tile decorated special size (4.5 pcs/m)	620	2800	A	B	44.40	44.60	44.60	44.60	44.60	44.90	46.80	46.80	46.80	46.80	50.30
	Mansard/pitch transition verge tile decorated special size	620	right 2820, left 2830	A	B	62.90	63.30	63.30	63.30	63.30	63.30	63.30	63.30	63.30	63.30	67.30

Ridge and hip tile product range		Price in EUR/pc														
	Ridge tile PH (2.6 pcs/m)	HON	5900	R	72 Stk./Pal.	10.90	11.20	11.20	11.50	10.50	11.50	14.00	14.00	14.00	14.00	15.60
	Ridge starter and termination plate with scallop PH	HON	5909	A	B	30.10	32.00	32.00	32.00	29.50	32.00	37.60	37.60	37.60	37.60	37.60
	Function starter and termination plate ceramic PH	HON	5912	R	B	34.60	36.50	36.50	36.50	33.80	36.50	42.20	42.20	42.20	42.20	42.20
	Hip starter ceramic PH	HON	5915	R	50 Stk./Pal.	33.30	34.80	34.80	34.80	32.20	34.80	36.10	36.10	36.10	36.10	51.40
	Hip starter ceramic round connection PH	HON	5917	R	75 Stk./Pal.	36.70	53.80	53.80	53.80	32.20	53.80	59.90	59.90	59.90	59.90	81.70
	Hip cap 3-axis PH	HON	5920	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	132.70	144.00	188.00	188.00	188.00	188.00	249.00
	Hip cap 4-axis PH	HON	5921	A	B	186.00	216.00	216.00	216.00	216.00	216.00	280.00	280.00	280.00	280.00	366.00
	Ridge clip aluminium (red/black) PH	UNI	5923	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel PH	UNI	5924	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip wire PH	UNI	5925	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX clip kit PH	UNI	5926	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00	3.00

Product range for roof ventilation and penetrations		Price in EUR/pc														
	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	620	3000	R	8 Stk./Pal.	170.00	176.00	176.00	176.00	176.00	176.00	220.00	220.00	220.00	220.00	247.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	620	3010	R	8 Stk./Pal.	198.00	208.00	208.00	208.00	208.00	208.00	258.00	258.00	258.00	258.00	281.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	620	3040	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	233.00	233.00	279.00	279.00	279.00	279.00	302.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	620	3050	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	233.00	233.00	279.00	279.00	279.00	279.00	302.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	620	3300	R	12 Stk./Pal.	145.00	151.00	151.00	151.00	151.00	151.00	186.00	186.00	186.00	186.00	217.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	620	3320	R	12 Stk./Pal.	185.00	191.00	191.00	191.00	191.00	191.00	219.00	219.00	219.00	219.00	268.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	620	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00	219.00	219.00	219.00	240.00	240.00	—	240.00	281.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



RATIO® Höngeda

The economical, large interlocking tile.

Production works Höngeda

Minimum requirement/m² 11.7 pcs/m²


Pcs/mini package 6 Unit

Weight/pallet 975 kg

Order code

		NUANCE						FINESSE				NOBLESSE
Availability	Packaging unit	R	R	R	R	A	R	A	R	A	A	A
		natural red	red engobed	copper red engobed	wine red engobed	antique grey engobed	anthracite engobed	red glazed	wine red glazed	Chestnut brown glazed	black glazed	brown glazed
		100	201	200	202	215	220	501	507	512	503	611

Field tile	Model
------------	-------

Product range for snow protection, roof access and solar installation in metal						Price in EUR/pc											
   400040104020	Base element in aluminium, colour coated	620	4000	R	B	50.90	50.90	50.90	50.90	50.90	50.90	59.80	59.80	59.80	59.80	59.80	
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	54.70	54.70	84.10	84.10	84.10	84.10	101.00	
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	95.40	95.40	122.00	122.00	122.00	122.00	155.00	
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	113.00	113.00	149.00	149.00	149.00	149.00	188.00	
   403041504040	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	203.00	203.00	268.00	268.00	268.00	268.00	322.00	
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50	25.50	25.50	36.80	
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50	25.50	25.50	36.80	
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	33.80	33.80	49.60	49.60	49.60	49.60	57.80	
   406040714080	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	
   409041103600	Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)	620	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	24.50	24.50	28.90	28.90	28.90	28.90	36.90	
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	
	Snow clip, available in red (colour code U03) and black (colour code U06)	620	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	

Product range for roof details and uplift protection				Price in EUR/pc														
 3587  3800  3772  2795  3568	Transparent tile (acrylic)	620	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00	34.00		
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60		
	Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95		
	Stainless steel screw 70 mm with seal for fastening verges, etc.	UNI	3775	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40		
	Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for VIVA, RATIO Dorfen, RATIO Höngeda, only supplied in complete packaging units, universal colour order code: 900	UNI	3568	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42		
	Hook storm clip in zinc–aluminium for 40 x 50 mm battens, for VIVA, RATIO Dorfen, RATIO Höngeda, only supplied in complete packaging units, universal colour order code: 900	UNI	3591	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42		
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for VIVA, RATIO Dorfen, RATIO Höngeda, only supplied in complete packaging units, universal colour order code: 900	UNI	3578	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42		
	Drive–in storm clip in zinc–aluminium, all batten sizes, for ELEGANZ, DOMINO, RATIO Dorfen, RATIO Höngeda, RUSTICO, HERZZIEGEL, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3587	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42		
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97		

✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



RUSTICO®

The rustic interlocking tile.

Production works Wertingen


Minimum requirement/m² 14.2 pcs/m²

Pcs/mini package 6 Unit




Weight/pallet 745 kg

Order code

	RUSTICO® The rustic interlocking tile. Production works Wertingen Minimum requirement/m² 14.2 pcs/m² Pcs/mini package 6 Unit Weight/pallet 745 kg	Order code	Model		Availability	Packaging unit	NUANCE			
							R	A	R	A
							natural red	Tuscany engobed	copper red engobed	antique grey engobed
										
Field tile							100	244	200	215
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	624	1000	R	240 Stk./Pal.	0.98	1.18	1.08	1.08	
	Price per m² in EUR					14.01	16.87	15.44	15.44	

Accessory range				Price in EUR/pc					
    	Half-width tile	624	1210	R	240 Stk./Pal.	4.60	5.60	5.00	5.00
	Verge tile (3.0 pcs/m)	624	right 1820, left 1830	R	56 Stk./Pal.	10.80	12.20	11.30	11.30
	Ventilating tile vent area 30 cm²	624	1400	R	60 Stk./Pal.	13.30	14.50	13.90	13.90
	Shed roof tile decorated standard (5.0 pcs/m)	624	2700	R	B	31.10	32.00	32.00	32.00
	Shed roof verge tile decorated standard	624	right 2720, left 2730	R	B	57.60	57.80	57.80	57.80
	Shed roof tile decorated special size (5.0 pcs/m)	624	2760	A	B	36.50	37.40	37.40	37.40
	Shed roof verge tile decorated special size	624	right 2840, left 2850	A	B	62.90	62.90	63.30	63.30
	Mansard/pitch transition tile decorated special size (5.0 pcs/m)	624	2800	A	B	36.70	37.40	37.40	37.40
	Mansard/pitch transition verge tile decorated special size	624	right 2820, left 2830	A	B	62.90	63.30	63.30	63.30

Ridge and hip tile product range				Price in EUR/pc					
    	Ridge tile PRU (3.0 pcs/m)	WER	6200	R	60 Stk./Pal.	10.70	10.90	10.90	10.90
	Ridge starter and termination plate ceramic PRU	WER	6210	R	B	14.40	14.90	14.90	14.90
	Function starter and termination plate ceramic PRU	WER	6212	R	B	34.60	36.50	36.50	36.50
	Hip cap 3-axis PRU	WER	6220	R	30 Stk./Pal.	124.00	144.00	144.00	144.00
	Hip cap 4-axis PRU	WER	6221	A	B	186.00	216.00	216.00	216.00
	Ridge clip aluminium (red/black) PRU	UNI	6223	R	30 Stk./Kart.	0.56	0.56	0.56	0.56

Product range for roof ventilation and penetrations				Price in EUR/pc					
     	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	624	3000	R	8 Stk./Pal.	170.00	215.00	176.00	176.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	624	3010	R	8 Stk./Pal.	198.00	252.00	208.00	208.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	624	3040	A	8 Stk./Pal.	222.00	273.00	233.00	233.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	624	3050	A	8 Stk./Pal.	222.00	273.00	233.00	233.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	624	3300	R	12 Stk./Pal.	145.00	186.00	151.00	151.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	624	3320	R	12 Stk./Pal.	185.00	219.00	191.00	191.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	624	110 3340, 125 3341	A	8 Stk./Pal.	208.00	240.00	219.00	219.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



RUSTICO®

The rustic interlocking tile.

Production works Wertingen

Minimum requirement/m² 14.2 pcs/m²

Pcs/mini package 6 Unit

Weight/pallet 745 kg

Order code

		NUANCE			
Availability	Packaging unit	R	A	R	A
		natural red	Tuscany engobed	copper red engobed	antique grey engobed
					
		100	244	200	215

Field tile	Model
------------	-------

Product range for snow protection, roof access and solar installation in metal						Price in EUR/pc				
 4000  4010  4020  4030  4150  4040  4060  4071  4080	Base element in aluminium, colour coated	624	4000	R	B	50.90	50.90	50.90	50.90	
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	
	Snow clip (red/black)	624	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	

Product range for roof details and uplift protection							Price in EUR/pc			
     	Transparent tile (acrylic)	624	3700	R	B	34.00	34.00	34.00	34.00	
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	
	Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	
	Stainless steel screw 60 mm with seal for fastening verges, etc.	UNI	3776	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	
	Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3560	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	
	Hook storm clip in zinc–aluminium for 40 x 50 mm battens, for TERRA OPTIMA, DOMINO, HARMONIE, RUSTICO, GALANT, CANTUS, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3593	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for MZ3, OPTIMA, DOMINO, RAPIDO, RUSTICO, GALANT only supplied in complete packaging units, universal colour order code: 900	UNI	3570	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	
	Drive–in storm clip in zinc–aluminium, all batten sizes, for ELEGANZ, DOMINO, RATIO Dorfen, RATIO Høngeda, RUSTICO, HERZZIEGEL, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3587	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



SINFONIE®

THE CURVED INTERLOCKING TILE WITH THE DISTINCTIVE LOOK

Production works Grossengottern

Minimum requirement/m² 10.9 pcs/m²


Pcs/mini package 5 Unit

Weight/pallet 965 kg

Order code:

	SINFONIE® THE CURVED INTERLOCKING TILE WITH THE DISTINCTIVE LOOK Production works Grossengottern Minimum requirement/m² 10.9 pcs/m² Pcs/mini package 5 Unit Weight/pallet 965 kg	Order code:	Model		Availability		Packaging unit		NUANCE			FINESSE		NOBLESSE
									R	R	R	A	A	A
									natural red	copper red engobed	black matt engobed	wine red glazed	black glazed	black glazed
														
									100	200	821	507	503	605
Field tile							R	200 Stk./Pal.	1.41	1.52	1.52	1.98	1.98	2.58
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR				650	1000			15.37	16.57	16.57	21.58	21.58	28.12
	Price per m² in EUR													

Accessory range				Price in EUR/pc									
	Half-width tile	650	1210	R	96 Stk./Pal.	9.80	10.10	10.10	11.60	11.60	17.60		
	Verge tile (2.7 pcs/m)	650	right 1820, left 1830	R	48 Stk./Pal.	12.60	13.20	13.20	14.00	14.00	20.10		
	Double roll tile (2.7 pcs/m)	650	1840	R	80 Stk./Pal.	12.60	13.20	13.20	14.00	14.00	20.10		
	Ventilating tile vent area 32.5 cm²	650	1400	R	96 Stk./Pal.	16.20	16.40	16.40	23.50	23.50	30.40		
	Ridge connection ventilating tile (4.4 pcs/m on each side of ridge)	650	1600	R	96 Stk./Pal.	4.30	4.40	4.40	5.10	5.10	5.80		
	Ridge connection ventilating half tile	650	1610	R	B	38.60	39.30	39.30	40.40	40.40	44.70		
	Ridge connection ventilating verge tile	650		R	48 Stk./Pal.	22.20	22.70	22.70	26.60	26.60	37.00		
	Ridge connection ventilating double roll tile	650	1640	R	60 Stk./Pal.	22.20	22.70	22.70	26.60	26.60	37.00		
	Shed roof tile pressed (4.4 pcs/m)	650	2700	R	B	33.80	34.60	34.60	36.50	36.50	45.20		
	Shed roof verge tile pressed	650	right 2720, left 2730	R	B	38.40	39.50	39.50	41.40	41.40	52.70		
	Shed roof tile decorated special size (4.4 pcs/m)	650	2760	A	B	39.20	39.70	39.70	41.60	41.60	50.70		
	Shed roof verge tile decorated special size	650	right 2840, left 2850	A	B	44.20	44.90	44.90	46.80	46.80	57.90		
	Mansard/pitch transition tile decorated special size (4.4 pcs/m)	650	2800	A	B	39.20	39.70	39.70	41.60	41.60	50.70		
	Mansard/pitch transition verge tile decorated special size	650	right 2820, left 2830	A	B	44.20	44.90	44.90	46.80	46.80	57.90		

Ridge and hip tile product range				Price in EUR/pc									
	Ridge tile PF (2.5 pcs/m)	GOG	5000	R	60 Stk./Pal.	11.60	11.80	13.20	14.90	14.90	23.70		
	Ridge tile PR (2.5 pcs/m)	GOG	5100	R	60 Stk./Pal.	11.60	11.80	13.20	14.90	14.90	—		
	Ridge starter and termination plate ceramic PF	GOG	5010	R	B	14.40	14.90	16.90	18.40	18.40	24.80		
	Ridge starter and termination plate ceramic PR	GOG	5110	R	B	14.40	14.90	16.90	18.40	18.40	—		
	Function starter and termination plate ceramic PF	GOG	5012	R	B	34.60	36.50	36.50	42.20	42.20	45.50		
	Function starter and termination plate ceramic PR	GOG	5112	R	B	34.60	36.50	36.50	42.20	42.20	—		
	Hip starter ceramic PF	GOG	5015	R	30 Stk./Pal.	33.30	34.80	34.80	36.10	36.10	51.40		
	Hip starter ceramic PR	GOG	5115	R	30 Stk./Pal.	33.30	34.80	34.80	36.10	36.10	—		
	Hip starter ceramic round connection PF	GOG	5017	R	72 Stk./Pal.	36.70	53.80	53.80	59.90	59.90	—		
	Hip starter ceramic with scallop PF	GOG	5016	A	20 Stk./Pal.	36.70	53.80	53.80	59.90	59.90	81.70		
	Hip starter ceramic with scallop PR	GOG	5116	A	20 Stk./Pal.	36.70	53.80	53.80	59.90	59.90	—		
	Hip cap 3-axis PF	GOG	5020	R	30 Stk./Pal.	124.00	144.00	144.00	188.00	188.00	249.00		
	Hip cap 3-axis PR	GOG	5120	R	30 Stk./Pal.	124.00	144.00	144.00	188.00	188.00	—		
	Hip cap 4-axis PF	GOG	5021	A	B	186.00	216.00	216.00	280.00	280.00	366.00		
	Hip cap 4-axis PR	GOG	5121	A	B	186.00	216.00	216.00	280.00	280.00	—		
	Ridge clip aluminium PF, only supplied in complete packaging units, available in red (colour code U03), black (colour code U06) and grey (colour code U07)	UNI	5023	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56		
	Ridge clip, aluminium (red/black/grey/blue/green) PR	UNI	5123	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56		
	FIRSTFIX ridge clip stainless steel PF	UNI	5024	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56		
	FIRSTFIX ridge clip stainless steel PR	UNI	5124	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56		
	FIRSTFIX ridge clip wire PF	UNI	5025	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31		
	FIRSTFIX ridge clip wire PR	UNI	5125	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31		
	FIRSTFIX clip kit PF	UNI	5026	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00		
	FIRSTFIX clip kit PR	UNI	5126	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00		



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



SINFONIE®

THE CURVED INTERLOCKING TILE WITH THE DISTINCTIVE LOOK


Production works Grossengottern

Minimum requirement/m² 10.9 pcs/m²






Pcs/mini package 5 Unit


Weight/pallet 965 kg

Order code:

Field tile	Model	Availability	Packaging unit		R	NUANCE			FINESSE		NOBLESSE
						R	R	R	A	A	A
						natural red	copper red engobed	black matt engobed	wine red glazed	black glazed	black glazed
											
						100	200	821	507	503	605

Product range for roof ventilation and penetrations					Price in EUR/pc						
 3000  3010  3041  3340  3300  3320	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	650	3000	R	8 Stk./Pal.	170.00	176.00	215.00	220.00	220.00	247.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	650	3010	R	8 Stk./Pal.	198.00	208.00	252.00	258.00	258.00	281.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	650	3040	A	8 Stk./Pal.	222.00	233.00	273.00	279.00	279.00	302.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	650	3050	A	8 Stk./Pal.	222.00	233.00	273.00	279.00	279.00	302.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	650	3300	R	12 Stk./Pal.	145.00	151.00	186.00	186.00	186.00	217.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	650	3320	R	12 Stk./Pal.	185.00	191.00	219.00	219.00	219.00	268.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	650	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	240.00	240.00	240.00	281.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00

Product range for snow protection, roof access and solar installation in metal					Price in EUR/pc						
 3600  4010  4020  4030  4150  4040  4060  4071  4080  4090  4110  4120	Base element in aluminium, colour coated	650	4000	R	B	50.90	50.90	50.90	59.80	59.80	74.90
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	84.10	84.10	101.00
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	122.00	122.00	155.00
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	149.00	149.00	188.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	268.00	268.00	322.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	25.50	25.50	36.80
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	25.50	25.50	36.80
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	49.60	49.60	57.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70
	Solar system bracket kit for 30 cm, 40 cm or 50 cm batten spacing (consisting of stainless steel solar bracket and system tile)	650	System tile 3600, 30 3610, 40 3620, 50 3630	R	10 Stk./Kart.	23.40	24.50	24.50	28.90	28.90	36.90
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30

Product range for roof details and uplift protection					Price in EUR/pc						
 3609  3800  3771  2795	Transparent tile (acrylic)	650	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95
	Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40
	Drive-in storm clip in zinc-aluminium, all batten sizes, for SINFONIE, only supplied in complete packaging units, universal colour order code: 900	UNI	3582	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for SIENFONIE, only supplied in complete packaging units, universal colour order code: 900	UNI	3608	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 40 x 50 mm battens, for SINFONIE, only supplied in complete packaging units, universal colour order code: 900	UNI	3609	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 30/50 mm battens, suitable for SINFONIE, only supplied in complete packaging units, universal colour order code: 900	UNI	3611	R	200 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97



✓ OTHER ACCESSORIES
SEE PAGE 04


Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement

	MELODIE® The light, flexible curved interlocking tile. Production works Wertingen Minimum requirement/m² 13.7 pcs/m² Pcs/mini package 6 Unit Weight/pallet 793 kg		Order code:			NUANCE				FINESSE	
				Availability	Packaging unit	R	A	A	A	A	
						natural red	copper red engobed	slate shade engobed	anthracite engobed	black glazed	
											
Field tile	Model										
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR		649	1000	R	240 Stk./Pal.	1.10	1.16	1.29	1.29	1.48
	Price per m² in EUR						15.07	15.89	17.67	17.67	20.28

Accessory range				Price in EUR/pc								
	Verge tile (3 pcs/m)	649	right 1820, left 1830	R	56 Stk./Pal.	10.40	10.90	11.80	11.80	13.70		
	Double roll tile (3 pcs/m)	649	1840	R	120 Stk./Pal.	10.40	10.90	11.80	11.80	13.70		
	Ventilating tile vent area 32.5 cm²	649	1400	R	120 Stk./Pal.	13.20	13.40	14.40	14.40	16.60		
	Ridge connection ventilating tile (4.8 pcs/m on each side of ridge)	649	1600	R	120 Stk./Pal.	3.70	3.80	4.00	4.00	4.80		
	Ridge connection ventilating verge tile	649		R	56 Stk./Pal.	19.30	20.60	21.40	21.40	25.00		
	Ridge connection ventilating double-roll tile	649	1640	R	120 Stk./Pal.	19.30	20.60	21.40	21.40	25.00		
	Shed roof tile decorated standard (4.8 pcs/m)	649	2700	A	B	38.20	38.50	38.50	38.50	38.50		
	Shed roof verge tile decorated standard	649	right 2720, left 2730	A	B	57.80	57.80	57.80	57.80	57.80		
	Shed roof tile decorated special size (4.8 pcs/m)	649	2760	A	B	40.30	40.60	40.60	40.60	40.60		
	Shed roof verge tile decorated special size	649	right 2840, left 2850	A	B	54.70	54.80	54.80	54.80	54.80		
	Mansard/pitch transition tile decorated special size (4.8 pcs/m)	649	2800	A	B	40.30	40.60	40.60	40.60	40.60		
	Mansard/pitch transition verge tile decorated special size	649	right 2820, left 2830	A	B	57.70	57.80	57.80	57.80	57.80		

Ridge and hip tile product range				Price in EUR/pc								
	Ridge tile PMoN (2.8 pcs/m)	WER	6800	R	60 Stk./Pal.	10.70	11.20	11.80	11.20	14.40		
	Ridge tile PZ (2.5 pcs/m)	WER	5800	R	60 Stk./Pal.	10.90	11.20	11.80	11.20	14.60		
	Ridge starter and termination plate ceramic PMoN	WER	6810	R	B	14.40	14.90	18.40	14.90	18.40		
	Ridge starter and termination plate ceramic PZ	WER	5810	R	B	14.40	14.90	18.40	14.90	18.40		
	Function starter and termination plate ceramic PMoN	WER	6812	R	B	34.60	36.50	42.20	36.50	42.20		
	Function starter and termination plate ceramic PZ	WER	5812	R	B	34.60	36.50	42.20	36.50	42.20		
	Hip starter ceramic PMoN	WER	6815	R	33 Stk./Pal.	33.30	34.80	34.80	34.80	36.10		
	Hip starter ceramic PZ	WER	5815	R	33 Stk./Pal.	33.30	34.80	34.80	34.80	36.10		
	Hip starter ceramic round connection PZ	WER	5817	R	60 Stk./Pal.	36.70	53.80	53.80	53.80	59.90		
	Hip starter ceramic with scallop PZ	WER	5816	A	33 Stk./Pal.	36.70	53.80	53.80	53.80	59.90		
	Hip cap 3-axis PMoN	WER	6820	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	188.00		
	Hip cap 3-axis PZ	WER	5820	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	188.00		
	Hip cap 4-axis PZ	WER	5821	A	B	186.00	216.00	216.00	216.00	280.00		
	Hip cap 4-axis PMoN	WER	6821	A	B	186.00	216.00	216.00	216.00	280.00		
	Ridge clip in aluminium PMoN, only supplied in complete packaging units, available in red (colour code U03) and black (colour code U06)	UNI	6823	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56		
	Ridge clip aluminium (red/black) PZ	UNI	5823	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56		
	FIRSTFIX ridge clip stainless steel PMoN, only supplied in complete packaging units, universal colour code: 900	UNI	6824	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56		
	FIRSTFIX ridge clip stainless steel PZ	UNI	5824	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56		
	FIRSTFIX ridge clip wire PMoN, only supplied in complete packaging units, universal colour code: 900	UNI	6825	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31		
	FIRSTFIX ridge clip wire PZ	UNI	5825	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31		
	FIRSTFIX clip kit PMoN, only supplied in complete packaging units, universal colour code: 900	UNI	6826	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00		
	FIRSTFIX ridge clip kit PZ	UNI	5826	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00		





MELODIE®

The light, flexible curved interlocking tile.

Production works Wertingen

Minimum requirement/m² 13.7 pcs/m²








Pcs/mini package 6 Unit



Weight/pallet 793 kg

Order code:

Field tile	Model
------------	-------

		NUANCE			FINESSE	
Availability		R	A	A	A	
Availability	Packaging unit	natural red	copper red engobed	slate shade en-gobed	anthracite engobed	black glazed
						
		100	200	418	220	503

Product range for roof ventilation and penetrations				Price in EUR/pc						
 3000  3010  3041  3340  3300  3320	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	649	3000	R	8 Stk./Pal.	170.00	176.00	215.00	176.00	220.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	649	3010	R	8 Stk./Pal.	198.00	208.00	252.00	208.00	258.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	649	3040	A	8 Stk./Pal.	222.00	233.00	273.00	233.00	279.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	649	3050	A	8 Stk./Pal.	222.00	233.00	273.00	233.00	279.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	649	3300	R	12 Stk./Pal.	145.00	151.00	186.00	151.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	649	3320	R	12 Stk./Pal.	185.00	191.00	219.00	191.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	649	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	240.00	219.00	240.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00
Product range for snow protection, roof access and solar installation in metal				Price in EUR/pc						
 4000  4010  4020  4030  4150  4040  4030  4150  4040  4060  4071  4080  4090  4110  4120	Base element in aluminium, colour coated	649	4000	R	B	33.70	50.90	50.90	50.90	59.80
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	84.10
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	122.00
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	149.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	268.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	25.50
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	25.50
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	49.60
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70
	Solar system bracket kit for 30, 40 or 50 mm battens, (consisting of stainless steel solar bracket and system tile)	649	System tile 3600, 30 3610, 40 3620, 50 3630	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	28.90
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30

Product range for roof details and uplift protection				Price in EUR/pc						
 3700  3800  3772  3584  3561  2795	Transparent tile (acrylic), universal colour order code: 900	649	3700	R	B	34.00	34.00	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95
	Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40
	Hook storm clip in zinc–aluminium for MELODIE (40 x 60 mm battens) and BALANCE, PREMION (40 x 50 mm battens), only supplied in complete packaging units, universal colour order code: 900	UNI	3561	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for 40 x 50 mm battens, for HERZZIEGEL, MZ3, ELEGANZ, RAPIDO, MELODIE, only supplied in complete packaging units, universal colour order code: 900	UNI	3594	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for MELODIE, VISIO only supplied in complete packaging units, universal colour order code: 900	UNI	3571	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Drive-in storm clip in zinc–aluminium, all batten sizes, for RAPIDO, MELODIE, GALANT only supplied in complete packaging units, universal colour order code: 900	UNI	3584	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



MAXIMA

The adaptable large-format tile for renovation.

Production works Malsch

Minimum requirement/m² 9.5 pcs/m²

Pcs/mini package 4 Unit

Weight/pallet 1009 kg

Order code

Field tile		Model			Availability	Packaging unit	NUANCE					FINESSE
							R	R	A	R	R	R
							natural red	copper red engobed	dark brown en-gobed	slate shade en-gobed	anthracite engobed	black glazed
							100	200	213	418	220	503
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	645	1000	R	240 Stk./Pal.		1.15	1.26	1.26	1.46	1.26	1.80
	Price per m² in EUR						10.93	11.97	11.97	13.87	11.97	17.10

Accessory range					Price in EUR/pc						
  	Half-width tile	645	1210	R	80 Stk./Pal.	4.40	5.00	5.00	7.10	5.00	7.10
	Verge tile (3.0 pcs/m)	645	right 1820, left 1830	R	28 Stk./Pal.	10.70	11.00	11.00	11.30	11.00	13.70
	Double roll tile (3.0 pcs/m)	645	1840	R	80 Stk./Pal.	10.70	11.00	11.00	11.30	11.00	13.70
	Ventilating tile vent area 35.0 cm²	645	1400	R	80 Stk./Pal.	13.10	13.60	13.60	13.70	13.60	13.70
	Ridge connection ventilating tile (3.3 pcs/m on each side of ridge)	645	1600	R	48 Stk./Pal.	3.70	3.90	3.90	4.30	3.90	4.40
	Ridge connection ventilating half tile	645	1610	R	B	39.80	40.30	40.30	40.30	40.30	40.30
	Ridge connection ventilating verge tile	645		R	32 Stk./Pal.	18.40	19.10	19.10	19.80	19.10	23.40
	Shed roof tile decorated standard (3.3 pcs/m)	645	2700	R	B	29.70	32.00	32.00	34.20	32.00	37.20
	Shed roof verge tile decorated standard	645	right 2720, left 2730	R	B	57.20	57.50	57.50	58.10	57.50	58.30
	Shed roof tile decorated special size (3.3 pcs/m)	645	2760	A	B	39.80	40.30	40.30	40.30	40.30	40.60
	Shed roof verge tile decorated special size	645	right 2840, left 2850	A	B	62.10	62.20	62.20	63.20	62.20	63.40
	Mansard/pitch transition tile decorated special size (3.3 pcs/m)	645	2800	A	B	39.80	40.30	40.30	40.30	40.30	40.60
	Mansard/pitch transition verge tile decorated special size	645	right 2820, left 2830	A	B	57.20	57.50	57.50	58.10	57.50	58.30

Ridge and hip tile product range		Price in EUR/pc									
 5500 5510 5518 5512 5515 5517 5520 5521 5523	Ridge tile G10 (3.0 pcs/m)	MAL	5500	R	72 Stk./Pal.	8.80	9.40	9.40	11.60	9.40	12.10
	Ridge starter and termination plate ceramic G10	MAL	5510	R	B	14.40	14.90	14.90	18.40	14.90	18.40
	Ridge starter/termination G10	MAL	5518	R	45 Stk./Pal.	33.10	34.80	34.80	45.10	34.80	45.10
	Function starter and termination plate ceramic G10	MAL	5512	R	B	34.60	36.50	36.50	42.20	36.50	42.20
	Hip starter ceramic G10	MAL	5515	R	45 Stk./Pal.	33.30	34.80	34.80	34.80	34.80	36.10
	Hip starter ceramic round connection G10	MAL	5517	R	45 Stk./Pal.	36.70	53.80	53.80	53.80	53.80	59.90
	Hip cap 3-axis G10	MAL	5520	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	144.00	188.00
	Hip cap 4-axis G10	MAL	5521	A	B	186.00	216.00	216.00	216.00	216.00	280.00
	Ridge clip aluminium (red/black) G10	UNI	5523	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip stainless steel G10	UNI	5524	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56
	FIRSTFIX ridge clip wire G10	UNI	5525	R	30 Stk./Kart.	0.31	0.31	0.31	0.31	0.31	0.31
	FIRSTFIX clip kit G10	UNI	5526	R	4 Stk./VE	3.00	3.00	3.00	3.00	3.00	3.00

Product range for roof ventilation and penetrations		Price in EUR/pc									
 3000 3010 3041 3340 3300 3320	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	645	3000	R	8 Stk./Pal.	170.00	176.00	176.00	215.00	176.00	220.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	645	3010	R	8 Stk./Pal.	198.00	208.00	208.00	252.00	208.00	258.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	645	3040	A	8 Stk./Pal.	222.00	233.00	233.00	273.00	233.00	279.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	645	3050	A	8 Stk./Pal.	222.00	233.00	233.00	273.00	233.00	279.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	645	3300	R	12 Stk./Pal.	145.00	151.00	151.00	186.00	151.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	645	3320	R	12 Stk./Pal.	185.00	191.00	191.00	219.00	191.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	645	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00	240.00	219.00	240.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



MAXIMA

The adaptable large-format tile for renovation.

Production works Malsch

Minimum requirement/m² 9.5 pcs/m²

Pcs/mini package 4 Unit

Weight/pallet 1009 kg

Order code

Field tile	Model
------------	-------

		NUANCE					FINESSE
Availability	Packaging unit	R	R	A	R	R	R
		natural red	copper red engobed	dark brown en-gobed	slate shade en-gobed	anthracite engobed	black glazed
		100	200	213	418	220	503

Product range for snow protection, roof access and solar installation in metal				Price in EUR/pc							
 4000 4010 4020 4030 4150 4040 4060 4071 4080 4090 4110 3600	Base element in aluminium, colour coated	645	4000	R	B	50.90	50.90	50.90	50.90	50.90	59.80
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	54.70	84.10
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	95.40	122.00
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	113.00	149.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	203.00	268.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	19.10	25.50
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	19.10	25.50
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	33.80	49.60
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70
Solar system bracket kit for 40 cm or 50 cm batten spacing (consisting of stainless steel solar bracket and system tile)		645	System tile 3600, 40 3620, 50 3630	R	10 Stk./Kart.	23.40	24.50	24.50	24.50	24.50	28.90
Solar element bracket galvanized (1 base element and 1 storm clip per bracket)		UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30
Snow clip (red/black/brown)		645	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection				Price in EUR/pc							
 3581 3800 3772 3776 3564 2795	Transparent tile (acrylic)	645	3700	R	B	34.00	34.00	34.00	34.00	34.00	34.00
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 13-17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95
	Stainless steel screw 60 mm with seal for fastening verges, etc.	UNI	3776	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40
	Hook storm clip in zinc-aluminium for GRATUS, MAXIMA, MIKADO (40 x 60 mm battens,) and MAXIMA (40 x 50 mm battens), only supplied in complete packaging units, universal colour order code: 900	UNI	3564	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for GRATUS, MAXIMA, MIKADO, only supplied in complete pack-aging units, universal colour order code: 900	UNI	3574	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Drive-in storm clip in zinc-aluminium, all batten sizes, for VIVA, GRATUS, MAXIMA, only supplied in complete packaging units, universal colour order code: 900	UNI	3581	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97	0.97	0.97	0.97	0.97	0.97



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required


R

Standard delivery time

A

Delivery date by arrangement

	ETRUSKO STRIKINGLY MEDITERRANEANN Production works Umbelino, Portugal Minimum requirement/m² 12.9 pcs/m² Pcs/mini package 9 Unit Weight/pallet 934 kg	Order code	NUANCE								
			Availability		R	R	R				
			Packaging unit	natural red	natural red flamed	Tuscany engobed					
											
Field tile		Model			100	243	244				
		Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR		662	1000	R	288 Stk./Pal.	1280.00	1530.00	1530.00	
		Price per m² in EUR						16.51	19.74	19.74	

Accessory range					Price in EUR/pc			
	Verge tile (2.6 pcs/m)	662	right 1820, left 1830	R	192 Stk./Pal.	13.20	14.80	14.80
	Connection tile left	662	1810	R	255 Stk./Pal.	6.90	9.90	7.80
	Double roll tile (2.6 pcs/m)	662	1840	R	B	16.70	17.50	17.50
	Ventilating tile vent area 12 cm²	662	1400	R	B	15.90	16.50	16.50
	Ridge connection insert (5 pcs/m on each side of ridge)	662	1750	R	144 Stk./Pal.	4.80	4.90	4.90
	Shed roof tile decorated, standard (5 pcs/m)	662	2700	A	B	29.30	29.30	29.30
	Shed roof verge tile decorated standard	662	right 2720, left 2730	A	B	33.50	33.50	33.50
	Shed roof tile decorated, special size (5 pcs/m)	662	2760	A	B	44.40	44.40	44.40
	Shed roof verge tile decorated special size	662	right 2840, left 2850	A	B	62.10	62.10	62.10
	Mansard/pitch transition tile, decorated, special size (5 pcs/m)	662	2800	A	B	44.40	44.40	44.40
Mansard/pitch transition verge tile decorated special size		662	right 2820, left 2830	A	B	62.10	62.10	62.10

Concrete ridge and hip tile range						Price in EUR/pc					
	Ridge tile PE (2.5 pcs/m)	UMP	4900	R	160 Stk./Pal.	10.90	11.80	11.80			
	Ridge starter and termination plate ceramic PE	UMP	4910	R	1024 Stk./Pal.	14.40	18.40	18.40			
	Hip starter ceramic PE	UMP	4915	R	49 Stk./Pal.	36.70	53.80	53.80			
	Hip cap, 3-axis PE (overlap on 3 sides)	UMP	4920	R	30 Stk./Pal.	124.00	144.00	144.00			
	Hip cap, 3-axis PE (overlap on 2 sides, underlap on 1 side)	UMP	4927	R	30 Stk./Pal.	124.00	144.00	144.00			
	Hip cap, 4-axis PE	UMP	4921	A	B	186.00	216.00	216.00			
	Ridge clip in aluminium PE, only supplied in complete packaging units, available in red (colour code U03)				UNI	4923	R	30 Stk./Kart.	0.56	0.56	0.56

Product range for roof ventilation and penetrations					Price in EUR/pc			
	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	662	3000	R	8 Stk./Pal.	170.00	176.00	215.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	662	3010	R	8 Stk./Pal.	198.00	208.00	252.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	662	3040	A	B	222.00	273.00	273.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	662	3050	A	B	222.00	273.00	273.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	662	3300	R	12 Stk./Pal.	145.00	151.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	662	3320	R	12 Stk./Pal.	185.00	191.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	662	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	240.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00





ETRUSKO

STRIKINGLY MEDITERRANEANN

Production works Umbelino, Portugal

Minimum requirement/m² 12.9 pcs/m²

Pcs/mini package 9 Unit

Weight/pallet 934 kg

Order code:

		NUANCE		
Availability	Packaging unit	R	R	R
		natural red	natural red flamed	Tuscany engobed
				
		100	243	244

Field tile	Model
------------	-------

Product range for snow protection, roof access and solar installation in metal					Price in EUR/pc				
--	--	--	--	--	-----------------	--	--	--	--

 4000  4010  4020  4030  4150  4040  4060  4071  4080	Base element in aluminium, colour coated	662	4000	R	B	50.90	50.90	50.90
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	—	54.70
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	—	95.40
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	—	113.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	—	19.10
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	—	19.10
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	—	33.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30
	Snow clip (red/black)	662	4140	R	100 Stk./Kart.	0.70	0.70	0.70

Product range for roof details and uplift protection					Price in EUR/pc				
--	--	--	--	--	-----------------	--	--	--	--

 3771  3592	Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95
	Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40
	Drive-in storm clip in zinc-aluminium, all batten sizes, for ETRUSKO, only supplied in complete packaging units, universal colour order code: 900	UNI	3592	R	200 Stk./Kart.	0.42	0.42	0.42



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



HERZZIEGEL

The unmistakable interlocking tile with snow guard feature.

Production works Wertingen

Minimum requirement/m² 13.7 pcs/m²

Pcs/mini package 5 Unit

Weight/pallet 769 kg

Order code

Availability	Packaging unit	natural red

Field tile	Model		Availability		Packaging unit	
	642	1000	R	240 Stk./Pal.	1.11	100
					15.21	

Accessory range				Price in EUR/pc		
 1210  1820  1400	Half-width tile	642	1210	R	240 Stk./Pal.	5.00
	Verge tile (2.9 pcs/m)	642	right 1820, left 1830	R	56 Stk./Pal.	14.70
	Ventilating tile vent area 15 cm²	642	1400	R	64 Stk./Pal.	18.00
	Shed roof tile decorated standard (4.9 pcs/m)	642	2700	A	B	29.30
	Shed roof verge tile decorated standard	642	right 2720, left 2730	A	B	33.50
	Shed roof tile decorated special size (4.9 pcs/m)	642	2760	A	B	44.40
	Shed roof verge tile decorated special size	642	right 2840, left 2850	A	B	62.10
	Mansard/pitch transition tile decorated special size (4.9 pcs/m)	642	2800	A	B	44.40
	Mansard/pitch transition verge tile decorated special size	642	right 2820, left 2830	A	B	62.10

Ridge and hip tile product range				Price in EUR/pc		
 5800  6200  5810  6210  5812  6212  5815  6215  5817  5816  5820  5821	Ridge tile PZ (2.5 pcs/m)	WER	5800	R	60 Stk./Pal.	10.90
	Ridge tile PRU (3.0 pcs/m)	WER	6200	R	60 Stk./Pal.	10.70
	Ridge starter and termination plate ceramic PZ	WER	5810	R	B	14.40
	Ridge starter and termination plate ceramic PRU	WER	6210	R	B	14.40
	Function starter and termination plate ceramic PZ	WER	5812	R	B	34.60
	Function starter and termination plate ceramic PRU	WER	6212	R	B	34.60
	Hip starter ceramic PZ	WER	5815	R	33 Stk./Pal.	33.30
	Hip starter ceramic PRU	WER	6215	R	30 Stk./Pal.	33.30
	Hip starter ceramic round connection PZ	WER	5817	R	60 Stk./Pal.	36.70
	Hip starter ceramic with scallop PZ	WER	5816	A	33 Stk./Pal.	36.70
	Hip cap 3-axis PZ	WER	5820	R	30 Stk./Pal.	124.00
	Hip cap 3-axis PRU	WER	6220	R	30 Stk./Pal.	124.00
	Hip cap 4-axis PZ	WER	5821	A	B	186.00
	Hip cap 4-axis PRU	WER	6221	A	B	186.00
	Ridge clip aluminium (red/black) PZ	UNI	5823	R	30 Stk./Kart.	0.56
	Ridge clip aluminium (red/black) PRU	UNI	6223	R	30 Stk./Kart.	0.56

Product range for roof ventilation and penetrations				Price in EUR/pc		
 3000  3010  3042	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	642	3000	R	8 Stk./Pal.	170.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	642	3010	R	8 Stk./Pal.	198.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	642	3040	A	8 Stk./Pal.	222.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	642	3050	A	8 Stk./Pal.	222.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	642	3300	R	12 Stk./Pal.	145.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	642	3320	R	12 Stk./Pal.	185.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	642	110 3340, 125 3341	A	8 Stk./Pal.	208.00
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



HERZZIEGEL

The unmistakable interlocking tile with snow guard feature.

Production works Wertingen

Minimum requirement/m² 13.7 pcs/m²

Pcs/mini package 5 Unit

Weight/pallet 769 kg

Order code

Availability	Packaging unit	natural red	
			100

Field tile	Model
------------	-------

Product range for snow protection, roof access and solar installation in metal				Price in EUR/pc		
	Base element in aluminium, colour coated	642	4000	R	B	50.90
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70
	Solar system bracket kit for 30 cm or 40 cm batten spacing (consisting of stainless steel solar bracket and system tile)	642	System tile 3600, 30 3610, 40 3620	R	10 Stk./Kart.	23.40
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30

Product range for roof details and uplift protection				Price in EUR/pc		
	Transparent tile (acrylic)	642	3700	R	B	34.00
	Hip and valley clip stainless steel 13-17 mm	UNI	3772	R	50 Stk./Kart.	0.95
	Stainless steel screw 70 mm with seal for fastening verges, etc.	UNI	3775	R	100 Stk./Kart.	38.40
	Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for HARMONIE, HERZZIEGEL, ELEGANZ, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3563	R	250 Stk./Kart.	0.42
	Hook storm clip in zinc-aluminium for 40 x 50 mm battens, for HERZZIEGEL, MZ3, ELEGANZ, RAPIDO, MELODIE, only supplied in complete packaging units, universal colour order code: 900	UNI	3594	R	250 Stk./Kart.	0.42
	Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for HARMONIE, HERZZIEGEL, ELEGANZ, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3573	R	250 Stk./Kart.	0.42
	Drive-in storm clip in zinc-aluminium, all batten sizes, for ELEGANZ, DOMINO, RATIO Dorfen, RATIO Hõngeda, RUSTICO, HERZZIEGEL, CANTUS, only supplied in complete packaging units, universal colour order code: 900	UNI	3587	R	250 Stk./Kart.	0.42
	Universal storm clip for shed roof tile, only supplied in complete packaging units, universal colour order code: 900	UNI	2795	R	100 Stk./Kart.	0.97



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



Plain tile

When the right tone is everything.


Production works Wertingen-Roggden

Minimum requirement/m² 33.6 pcs/m²

Pcs/mini package 8 Unit

Weight/pallet 985 kg

Field tile	Order code	Model	Availability	Packaging unit	R	NUANCE						FINESSE				
						R	R	R	R	R	A	R	R	R	A	R
						natural red	red engobed	wine red engobed	anthracite engobed	antique grey engobed	grey engobed	red glazed	wine red glazed	brown glazed	green glazed	black glazed
						100	201	202	220	215	231	501	507	502	506	503
		Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	100	1000	R	480 Stk./Pal.	0.48	0.51	0.51	0.51	0.51	0.51	0.81	0.81	0.81	0.81
		Price per m² in EUR				16.66	17.70	17.70	17.70	17.70	17.70	28.11	28.11	28.11	28.11	28.11

Accessory range	Price in EUR/pc															
	Half-width tile	100	1210	R	960 Stk./Pal.	0.48	0.51	0.51	0.51	0.51	0.51	0.81	0.81	0.81	0.81	0.81
	3/4 width plain tile	100	1220	R	640 Stk./Pal.	0.48	0.51	0.51	0.51	0.51	0.51	0.81	0.81	0.81	0.81	0.81
	1-1/4 width plain tile	100	1230	R	480 Stk./Pal.	1.90	2.00	2.00	2.00	2.00	2.00	2.30	2.30	2.30	2.30	2.30
	Ridge connection tile (5.5 pcs/m)	100	1650	R	480 Stk./Pal.	0.48	0.51	0.51	0.51	0.51	0.51	0.81	0.81	0.81	0.81	0.81
	Eave tile (5.5 pcs/m)	100	2400	R	480 Stk./Pal.	0.48	0.51	0.51	0.51	0.51	0.51	0.81	0.81	0.81	0.81	0.81
	Ridge connection ventilating tile vent area, 10 cm² (5.5 pcs/m on each side of ridge)	100	1600	R	360 Stk./Pal.	4.50	4.60	4.60	4.60	4.60	4.60	6.00	6.00	6.00	6.00	6.00
	Eave ventilating tile vent area 10cm² (5.5 pcs/m)	100	2600	R	360 Stk./Pal.	4.50	4.60	4.60	4.60	4.60	4.60	6.00	6.00	6.00	6.00	6.00
	Field ventilating tile vent area 10 cm² (5.5 pcs/m)	100	1240	R	360 Stk./Pal.	4.50	4.60	4.60	4.60	4.60	4.60	6.00	6.00	6.00	6.00	6.00
	Ventilating tile vent area 25 cm²	100	1400	R	216 Stk./Pal.	13.30	14.10	14.10	14.10	14.10	14.10	20.40	20.40	20.40	20.40	20.40
	Cutout tile for ventilating tile in double tile pattern	100	right 1420, left 1430	R	B	4.30	—	—	—	—	—	—	—	—	—	—
	Verge plate plain tile with short side lap approx. 5 cm (3,3 pcs/m)	100	right 1920, left 1930	R	B	10.10	11.00	11.00	11.00	11.00	11.00	17.00	17.00	17.00	17.00	17.00
	3/4 and 1-1/4 width verge tile with long side tongue approx. 11 cm (both 3.3 pcs/m)	100	3/4 right 2020, left 2030, 1-1/4 right 2040, left 2050	R	120/60 Stk./Pal.	10.10	11.00	11.00	11.00	11.00	11.00	17.00	17.00	17.00	17.00	17.00
	Shed roof tile long/short (5.5 pcs/m)	100	long 2750, short 2740	A	176 Stk./Pal.	18.90	—	—	—	—	—	—	—	—	—	—
	Flashing tile	100	right 2920, left 2930	R	576 Stk./Pal.	4.40	4.90	4.90	—	—	—	—	—	—	—	—
	convex/concave curved (special production in accordance with specification)	100	convex 1010, concave 1020	A	160 Stk./Pal.	7.40	7.40	7.40	7.40	7.40	7.40	7.40	7.40	7.40	7.40	7.40

Ridge and hip tile product range	Price in EUR/pc															
	Ridge tile BZ (3.0 pcs/m)	ROG	7000	R	90 Stk./Pal.	9.40	9.90	9.90	9.80	9.90	9.90	14.50	14.50	14.50	14.50	14.50
	Ridge tile BM (3.0 pcs/m)	ROG	7200	R	180 Stk./Pal.	12.20	12.80	12.80	—	—	—	—	—	—	—	—
	Ridge tile BG (3.0 pcs/m)	ROG	7300	R	150 Stk./Pal.	15.00	—	—	—	—	—	—	—	—	—	—
	Ridge tile BMZ (2.7 pcs/m, with ventilation function 60 cm²/m on one side, up to 12 m rafter length)	DOR	7700	R	90 Stk./Pal.	10.80	12.30	—	—	12.30	—	—	—	—	—	—
	Ridge tile BM (3.0 pcs/m)	ROG	7600	R	180 Stk./Pal.	12.20	—	—	—	12.80	—	—	—	—	—	—
	Ridge starter and termination plate ceramic BZ	ROG	7010	R	B	12.60	12.80	12.80	12.80	12.80	12.80	21.10	21.10	21.10	21.10	21.10
	Ridge starter and termination plate ceramic BM	ROG	7210	R	B	12.60	12.80	—	—	—	—	—	—	—	—	—
	Ridge starter and termination plate ceramic BZ	ROG	7610	R	B	12.60	—	—	—	12.80	—	—	—	—	—	—
	Hip starter ceramic BZ	ROG	7015	R	120 Stk./Pal.	33.30	34.80	34.80	34.80	34.80	34.80	36.10	36.10	36.10	36.10	36.10
	Hip starter ceramic BM	ROG	7215	R	50 Stk./Pal.	33.30	34.80	—	—	—	—	—	—	—	—	—
	Hip starter ceramic BG	ROG	7315	R	120 Stk./Pal.	33.30	—	—	—	—	—	—	—	—	—	—
	Hip starter, ceramic round finish BZ	ROG	7017	R	120 Stk./Pal.	36.70	53.80	53.80	53.80	53.80	53.80	59.90	59.90	59.90	59.90	59.90
	Hip cap 3-axis BZ	ROG	7020	R	30 Stk./Pal.	124.00	144.00	144.00	144.00	144.00	144.00	188.00	188.00	188.00	188.00	188.00
	Hip cap 3-axis BM	ROG	7220	R	30 Stk./Pal.	124.00	144.00	144.00	—	—	—	—	—	—	—	—
	Hip cap 3-axis BG	ROG	7320	R	30 Stk./Pal.	124.00	—	144.00	—	—	—	—	—	—	—	—
	Hip cap 3-axis BMZ	ROG	7720	R	30 Stk./Pal.	124.00	144.00	—	—	144.00	—	—	—	—	—	—
	Hip cap 4-axis BZ	ROG	7021	A	B	186.00	216.00	216.00	216.00	216.00	216.00	280.00	280.00	280.00	280.00	280.00
	Hip cap 4-axis BM	ROG	7221	A	B	186.00	216.00	216.00	—	—	—	—	—	—	—	—
	Hip cap 4-axis BG	ROG	7321	A	B	186.00	—	216.00	—	—	—	—	—	—	—	—
	Hip cap 4-axis BMZ	ROG	7721	A	B	186.00	216.00	—	—	216.00	—	—	—	—	—	—
	Ridge clip aluminium (red/black) BZ	UNI	7023	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	Ridge clip aluminium (red/black) BM	UNI	7223	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	Ridge clip aluminium (red/black) BG	UNI	7323	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56
	Ridge clip aluminium (red/black) BMZ	UNI	7723	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



Plain tile

When the right tone is everything.

Production works Wertingen-Roggden

Minimum requirement/m² 33.6 pcs/m²

Pcs/mini package 8 Unit

Weight/pallet 985 kg

Order code

Field tile	Model
------------	-------

		NUANCE					FINESSE					
Availability		R	R	R	R	A	R	R	R	A	R	
Availability	Packaging unit	natural red	red engobed	wine red engobed	anthracite engobed	antique grey engobed	grey engobed	red glazed	wine red glazed	brown glazed	green glazed	black glazed
		100	201	202	220	215	231	501	507	502	506	503

Product range for roof ventilation and penetrations					Price in EUR/pc												
     	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	100	3000	R	8 Stk./Pal.	170.00	176.00	176.00	176.00	176.00	176.00	220.00	220.00	220.00	220.00	220.00	
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	100	3010	R	8 Stk./Pal.	198.00	208.00	208.00	208.00	208.00	208.00	258.00	258.00	258.00	258.00	258.00	
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	100	3040	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	233.00	233.00	279.00	279.00	279.00	279.00	279.00	
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	100	3050	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	233.00	233.00	279.00	279.00	279.00	279.00	279.00	
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	100	3300	R	12 Stk./Pal.	145.00	151.00	151.00	151.00	151.00	151.00	186.00	186.00	186.00	186.00	186.00	
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	100	3320	R	12 Stk./Pal.	185.00	191.00	191.00	191.00	191.00	191.00	219.00	219.00	219.00	219.00	219.00	
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	100	110 3340, 125 3341	A	8 Stk./Pal.	208.00	219.00	219.00	219.00	219.00	219.00	240.00	240.00	240.00	240.00	240.00	
	Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	
	Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	17.00	
	Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	19.00	

Product range for snow protection, roof access and solar installation in metal			Price in EUR/pc														
  	Base element in aluminium, colour coated	100	4000	R	B	38.20	38.20	38.20	38.20	38.20	38.20	49.70	49.70	49.70	49.70	49.70	
	Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	54.70	54.70	54.70	54.70	54.70	54.70	84.10	84.10	84.10	84.10	84.10	
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	95.40	95.40	95.40	95.40	95.40	95.40	122.00	122.00	122.00	122.00	122.00	
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	113.00	113.00	113.00	113.00	113.00	113.00	149.00	149.00	149.00	149.00	149.00	
  	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00	203.00	203.00	203.00	268.00	268.00	268.00	268.00	268.00	
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50	25.50	25.50	25.50	
	Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	19.10	19.10	19.10	19.10	19.10	19.10	25.50	25.50	25.50	25.50	25.50	
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	33.80	33.80	33.80	33.80	33.80	33.80	49.60	49.60	49.60	49.60	49.60	
  	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	31.80	
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	48.40	
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	236.00	
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	49.70	
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	40.30	
	Snow clip (red/black)	100	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	0.70	

Product range for roof details and uplift protection				Price in EUR/pc														
  	Glass plain tile round cut	100	3750	R	B	23.00	23.00	23.00	23.00	23.00	23.00	23.00	23.00	23.00	23.00	23.00	23.00	
	Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	31.60	
	Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	
	Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	
	Hip and valley clip stainless steel 17–21 mm	UNI	3773	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	
	Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	38.40	
	Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for BIBER 14 mm, only supplied in complete packaging units, universal colour order code: 900	UNI	3566	R	100 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for BIBER 14 mm, only supplied in complete packaging units, universal colour order code: 900	UNI	3576	R	200 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
	Plain tile storm hook 12–14 mm crown pattern, only supplied in complete packaging units, universal colour order code: 900	UNI	3540	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	
	Plain tile storm hook 14–16 mm crown pattern, only supplied in complete packaging units, universal colour order code: 900	UNI	3550	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	

✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement



Plain tile

When the right tone is everything.

Production works Autenried





Minimum requirement/m² 33.6 pcs/m²

Pcs/mini package 8 Unit

Weight/pallet 985 kg

	Plain tile When the right tone is everything. Production works Autenried Minimum requirement/m² 33.6 pcs/m² Pcs/mini package 8 Unit Weight/pallet 985 kg	Order code	NUANCE									
	Availability		Packaging unit	R	A	R	R	R	R	R		
					natural red flamed	copper red engobed	brown engobed	dark brown en-gobed	slate shade en-gobed	black engobed		
												
					100	243	200	208	213	418	809	
Field tile	Model			R	480 Stk./Pal.	0.48	0.68	0.51	0.51	0.51	0.73	0.54
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	101	1000			16.66	23.60	17.70	17.70	17.70	25.33	18.74
	Price per m² in EUR											

Accessory range					Price in EUR/pc									
 1210	 1220	 1230	Half-width tile	1210	R	960 Stk./Pal.	0.48	0.68	0.51	0.51	0.51	0.73	0.54	
			3/4 width plain tile	1220	R	640 Stk./Pal.	0.48	0.68	0.51	0.51	0.51	—	0.54	
			1-1/4 width plain tile	1230	R	480 Stk./Pal.	1.90	2.30	2.00	2.00	2.00	—	2.00	
			Ridge connection tile (5.5 pcs/m)	1650	R	480 Stk./Pal.	0.48	0.68	0.51	0.51	0.51	0.73	0.54	
 1650	 2400	 1600	Eave tile (5.5 pcs/m)	2400	R	480 Stk./Pal.	0.48	—	0.51	0.51	0.51	0.73	0.54	
			Ridge connection ventilating tile vent area, 10 cm² (5.5 pcs/m on each side of ridge)	1600	R	360 Stk./Pal.	4.50	4.90	4.60	4.80	4.80	6.00	5.00	
			Eave ventilating tile vent area 10cm² (5.5 pcs/m)	2600	R	360 Stk./Pal.	4.50	—	4.60	4.80	4.80	—	5.00	
			Field ventilating tile vent area 10 cm² (5.5 pcs/m)	1240	R	360 Stk./Pal.	4.50	4.90	4.60	4.80	4.80	—	5.00	
 2600	 1240	 1400	Ventilating tile vent area 25 cm²	1400	R	304 Stk./Pal.	13.30	—	14.10	14.10	14.10	23.90	14.10	
			Cutout tile for ventilating tile in double tile pattern	right 1420, left 1430	R	B	4.30	—	—	—	—	—	—	
			Verge plate plain tile with short side lap approx. 5 cm (3,3 pcs/m)	right 1920, left 1930	R	B	9.80	—	10.50	10.50	10.50	16.40	13.30	
			3/4 and 1-1/4 width verge tile with long side tongue approx. 11 cm (both 3.3 pcs/m)	3/4 right 2020, left 2030, 1-1/4 right 2040, left 2050	R	112/69 Stk./Pal.	10.10	16.30	11.00	11.00	11.00	17.00	13.80	
			Shed roof tile long/short (5.5 pcs/m)	long 2750, short 2740	A	176 Stk./Pal.	18.90	—	—	—	—	—	—	
			Flashing tile	right 2920, left 2930	R	576 Stk./Pal.	4.40	—	4.90	—	—	—	5.10	
			convex/concave curved (special production in accordance with specification)	convex 1010, concave 1020	A	480 Stk./Pal.	7.40	7.40	7.40	7.40	7.40	7.40	7.40	

Ridge and hip tile product range					Price in EUR/pc									
 7000  7200  7300	Ridge tile BZ (3.0 pcs/m)	7000	R	90 Stk./Pal.	9.40	10.20	9.90	10.20	10.20	14.50	10.70			
	Ridge tile BM (3.0 pcs/m)	7200	R	180 Stk./Pal.	12.20	—	12.80	13.20	13.20	—	—			
	Ridge tile BG (3.0 pcs/m)	7300	R	150 Stk./Pal.	15.00	—	15.70	15.90	15.90	—	—			
	Ridge tile BMZ (2.7 pcs/m, with ventilation function 60 cm²/m on one side, up to 12 m rafter length)		7700	R	90 Stk./Pal.	10.80	—	—	—	—	—	—		
 7700  7010  7315	Ridge starter and termination plate ceramic BZ	7010	R	B	12.60	—	12.80	13.20	13.20	21.10	13.40			
	Ridge starter and termination plate ceramic BM	7210	R	B	12.60	—	12.80	13.20	13.20	—	—			
	Hip starter ceramic BZ	7015	R	120 Stk./Pal.	33.30	—	34.80	34.80	34.80	34.80	34.80			
	Hip starter ceramic BM	7215	R	50 Stk./Pal.	33.30	—	34.80	34.80	34.80	—	—			
 7015  7215	Hip starter ceramic BG	7315	R	120 Stk./Pal.	33.30	—	34.80	—	—	—	—			
	Hip starter, ceramic round finish BZ	7017	R	120 Stk./Pal.	36.70	—	53.80	53.80	53.80	53.80	53.80			
	Hip cap 3-axis BZ	7020	R	30 Stk./Pal.	124.00	—	144.00	144.00	144.00	144.00	144.00			
	Hip cap 3-axis BM	7220	R	30 Stk./Pal.	124.00	—	144.00	144.00	144.00	—	—			
	Hip cap 3-axis BG	7320	R	30 Stk./Pal.	124.00	—	144.00	144.00	144.00	—	—			
	Hip cap 3-axis BMZ	7720	R	30 Stk./Pal.	124.00	—	—	—	—	—	—			
	Hip cap 4-axis BZ	7021	A	B	186.00	—	216.00	216.00	216.00	216.00	216.00			
	Hip cap 4-axis BM	7221	A	B	186.00	—	216.00	216.00	216.00	—	—			
	Hip cap 4-axis BG	7321	A	B	186.00	—	216.00	216.00	216.00	—	—			
	Hip cap 4-axis BMZ	7721	A	B	186.00	—	—	—	—	—	—			
	Ridge clip aluminium (red/black) BZ	7023	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56			
	Ridge clip aluminium (red/black) BM	7223	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56			
Ridge clip aluminium (red/black) BG	7323	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56				
Ridge clip aluminium (red/black) BMZ	7723	R	30 Stk./Kart.	0.56	0.56	0.56	0.56	0.56	0.56	0.56				

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement

	Plain tile When the right tone is everything. Production works Autenried Minimum requirement/m² 33.6 pcs/m² Pcs/mini package 8 Unit Weight/pallet 985 kg	Order code	NUANCE								Model code 310: Plain tile, 20 x 40 x 1.4 cm natural red, round cut 	
			Availability	R	A	R	R	R	R	R	R	
			Packaging unit	natural red	natural red flamed	copper red engobed	brown engobed	dark brown engobed	slate shade engobed	black engobed		
				100	243	200	208	213	418	809		
			Field tile			Model						

Product range for roof ventilation and penetrations				Price in EUR/pc							
 300030103041334033003320	SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	3000	R	8 Stk./Pal.	170.00	176.00	176.00	176.00	176.00	215.00	215.00
	SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	3010	R	8 Stk./Pal.	198.00	208.00	208.00	208.00	208.00	252.00	252.00
	SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	3040	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	233.00	273.00	273.00
	SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	3050	A	8 Stk./Pal.	222.00	233.00	233.00	233.00	233.00	273.00	273.00
	Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	3300	R	12 Stk./Pal.	145.00	151.00	151.00	151.00	151.00	186.00	186.00
	Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	3320	R	12 Stk./Pal.	185.00	—	191.00	191.00	191.00	219.00	219.00
	Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	110 3340, 125 3341	A	8 Stk./Pal.	208.00	—	219.00	219.00	219.00	240.00	240.00
	Universal sub-roof connection adapter	3311	R	1 Stk./Kart.	24.00	24.00	24.00	24.00	24.00	24.00	24.00
	Universal flexible duct DN 150/160	3041	R	1 Stk./Kart.	17.00	17.00	17.00	17.00	17.00	17.00	17.00
	Universal flexible duct DN 200	3042	R	1 Stk./Kart.	19.00	19.00	19.00	19.00	19.00	19.00	19.00

Product range for snow protection, roof access and solar installation in metal				Price in EUR/pc							
 400040104020403041504040406040714080409041104120	Base element in aluminium, colour coated	4000	R	B	38.20	—	38.20	38.20	38.20	38.20	38.20
	Single tread aluminium (1 base element required per tread) *	4010	R	B	54.70	—	54.70	54.70	54.70	54.70	54.70
	Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	4020	R	B	95.40	—	95.40	95.40	95.40	95.40	95.40
	Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	4030	R	B	113.00	—	113.00	113.00	113.00	113.00	113.00
	Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	4150	R	B	203.00	203.00	203.00	203.00	203.00	203.00	203.00
	Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	4040	R	B	19.10	—	19.10	19.10	19.10	19.10	19.10
	Snow guard grid support aluminium (1 base element required per bracket) *	4060	R	B	19.10	—	19.10	19.10	19.10	19.10	19.10
	Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	4071	R	B	33.80	—	33.80	33.80	33.80	33.80	33.80
	Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	4080	R	B	31.80	31.80	31.80	31.80	31.80	31.80	31.80
	Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	4090	R	B	48.40	48.40	48.40	48.40	48.40	48.40	48.40
	Roof ladder aluminium length 1.68 m including connector (red/black/grey)	4110	R	B	236.00	236.00	236.00	236.00	236.00	236.00	236.00
	Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	4100	R	B	49.70	49.70	49.70	49.70	49.70	49.70	49.70
	Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	4120	R	B	40.30	40.30	40.30	40.30	40.30	40.30	40.30
	Snow clip (red/black)	4140	R	100 Stk./Kart.	0.70	0.70	0.70	0.70	0.70	0.70	0.70

Product range for roof details and uplift protection				Price in EUR/pc							
 3750380037713566357635403550	Glass plain tile round cut	3750	R	B	23.00	23.00	23.00	23.00	23.00	23.00	23.00
	Acrylic paint to match our engobes/glazes, 250 ml	3800	R	B	—	—	31.60	31.60	31.60	31.60	31.60
	Hip and valley clip stainless steel 10–13 mm	3771	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95
	Hip and valley clip stainless steel 13–17 mm	3772	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95
	Hip and valley clip stainless steel 17–21 mm	3773	R	50 Stk./Kart.	0.95	0.95	0.95	0.95	0.95	0.95	0.95
	Stainless steel screw 50 mm with seal for fastening verges, etc.	3774	R	100 Stk./Kart.	38.40	38.40	38.40	38.40	38.40	38.40	38.40
	Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for BIBER 14 mm, only supplied in complete packaging units, universal colour order code: 900	3566	R	100 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42
	Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for BIBER 14 mm, only supplied in complete packaging units, universal colour order code: 900	3576	R	200 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42
	Plain tile storm hook 12–14 mm crown pattern, only supplied in complete packaging units, universal colour order code: 900	3540	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42
	Plain tile storm hook 14–16 mm crown pattern, only supplied in complete packaging units, universal colour order code: 900	3550	R	250 Stk./Kart.	0.42	0.42	0.42	0.42	0.42	0.42	0.42

✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B As required

R Standard delivery time

A Delivery date by arrangement

KERA BIBER KLASSIK

PLAIN TILE IN KERALIS® QUALITY

Production works	Guttau
Minimum requirement/m ²	33.6 pcs/m ²
Pcs/mini package	8 Unit
Weight/pallet	923 kg

Field tile	Model		Avail	Pack	101	102	221
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	300	1000	R	528 Stk./Pal.	0.63	0.63	0.63
Price per m² in EUR					21.17	21.17	21.25

Accessory range				Price in EUR/pc			
Half-width tile	300	1210	R	1056 Stk./Pal.	0.64	0.64	0.64
Ridge connection tile (5.5 pcs/m)	300	1650	R	816 Stk./Pal.	0.64	0.64	0.64
Eave tile (5.5 pcs/m)	300	2400	R	816 Stk./Pal.	0.64	0.64	0.64
Ridge connection ventilating tile vent area, 10 cm² (5.5 pcs/m on each side of ridge)	300	1600	R	576 Stk./Pal.	—	—	—
Field ventilating tile vent area 10 cm² (5.5 pcs/m)	300	1240	R	360 Stk./Pal.	4.90	4.90	4.90
Ventilating tile vent area 25 cm²	300	1400	R	180 Stk./Pal.	19.20	19.20	19.20
Verge plate "KERA" plain tile with short side lap approx. 5 cm (3.3 pcs/m)	300	right 2220, left 2230	R	96 Stk./Pal.	15.30	15.30	16.10
Flashing tile	300	right 2920, left 2930	A	432 Stk./Pal.	4.70	4.70	4.90
In/outfeed	300	right 2940, left 2950	A	672 Stk./Pal.	4.70	4.70	—
curved longitudinal axis	300	1030	A	480 Stk./Pal.	7.10	7.10	—
convex/concave curved (special production in accordance with specification)	300	convex 1010, concave 1020	A	480 Stk./Pal.	7.20	7.20	7.20

Accessory range					Price in EUR/pc			
Ridge tile BZ (3.0 pcs/m)	GUT	7000	R	90 Stk./Pal.	9.90	9.90	10.70	
Ridge tile BG (3.0 pcs/m)	GUT	7300	R	180 Stk./Pal.	15.90	15.90	15.90	
Ridge starter and termination plate ceramic BZ	GUT	7010	R	B	12.60	12.60	13.40	
Hip starter ceramic BZ	GUT	7015	R	60 Stk./Pal.	34.80	34.80	34.80	
Hip starter ceramic BG	GUT	7315	R	120 Stk./Pal.	34.80	34.80	34.80	
Hip cap 3-axis BZ	GUT	7020	R	30 Stk./Pal.	144.00	144.00	144.00	
Hip cap 3-axis BG	GUT	7320	R	30 Stk./Pal.	144.00	—	144.00	
Hip cap 4-axis BZ	GUT	7021	A	B	216.00	216.00	216.00	
Hip cap 4-axis BG	GUT	7321	A	B	216.00	—	216.00	
Ridge clip aluminium (red/black) BZ	UNI	7023	R	30 Stk./Kart.	0.56	0.56	0.56	
Ridge clip aluminium (red/black) BG	UNI	7323	R	30 Stk./Kart.	0.56	0.56	0.56	

Product range for roof ventilation and penetrations					Price in EUR/pc			
SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	300	3000	R	8 Stk./Pal.	172.00	172.00	172.00	
SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	300	3010	R	8 Stk./Pal.	203.00	203.00	220.00	
SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	300	3040	A	8 Stk./Pal.	228.00	228.00	225.00	
SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	300	3050	A	8 Stk./Pal.	228.00	228.00	228.00	
Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	300	3300	R	12 Stk./Pal.	148.00	148.00	159.00	
Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	300	3320	R	12 Stk./Pal.	187.00	187.00	198.00	
Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	300	110 3340, 125 3341	A	8 Stk./Pal.	214.00	214.00	220.00	
Universal sub-roof connection adapter	UNI	3311	R	1 Stk./Kart.	24.00	24.00	24.00	
Universal flexible duct DN 150/160	UNI	3041	R	1 Stk./Kart.	17.00	17.00	17.00	
Universal flexible duct DN 200	UNI	3042	R	1 Stk./Kart.	19.00	19.00	19.00	

Product range for snow protection, roof access and solar installation in metal					Price in EUR/pc		
Base element in aluminium, colour coated	300	4000	R	B	—	—	38.20
Single tread aluminium (1 base element required per tread) *	UNI	4010	R	B	—	—	54.70
Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4020	R	B	—	—	95.40
Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	UNI	4030	R	B	—	—	113.00
Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	UNI	4150	R	B	203.00	203.00	203.00
Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	UNI	4040	R	B	—	—	19.10
Snow guard grid support aluminium (1 base element required per bracket) *	UNI	4060	R	B	—	—	19.10
Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	UNI	4071	R	B	—	—	33.80
Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	UNI	4080	R	B	31.80	31.80	31.80
Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	UNI	4090	R	B	48.40	48.40	48.40
Roof ladder aluminium length 1.68 m including connector (red/black/grey)	UNI	4110	R	B	236.00	236.00	236.00
Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	UNI	4100	R	B	49.70	49.70	49.70
Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	UNI	4120	R	B	40.30	40.30	40.30
Snow clip (red/black/brown)	300	4140	R	100 Stk./Kart.	0.80	0.80	0.80

Ridge and hip tile product range					Price in EUR/pc		
Glass plain tile round cut	300	3750	R	B	23.00	23.00	23.00
Acrylic paint to match our engobes/glazes, 250 ml	UNI	3800	R	B	—	—	31.60
Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	0.95	0.95	0.95
Hip and valley clip stainless steel 13–17 mm	UNI	3772	R	50 Stk./Kart.	0.95	0.95	0.95
Hip and valley clip stainless steel 17–21 mm	UNI	3773	R	50 Stk./Kart.	0.95	0.95	0.95
Stainless steel screw 50 mm with seal for fastening verges, etc.	UNI	3774	R	100 Stk./Kart.	38.40	38.40	38.40
Hook storm clip in zinc–aluminium for 40 x 60 mm battens, for KERA–BIBER 12 mm, only supplied in complete packaging units, universal colour order code: 900	UNI	3565	R	100 Stk./Kart.	0.42	0.42	0.42
Hook storm clip in zinc–aluminium for 30 x 50 mm battens, for KERA–BIBER 12 mm, only supplied in complete packaging units, universal colour order code: 900	UNI	3575	R	100 Stk./Kart.	0.42	0.42	0.42
Plain tile storm hook 12–14 mm crown pattern, only supplied in complete packaging units, universal colour order code: 900	UNI	3540	R	250 Stk./Kart.	0.42	0.42	0.42
Plain tile storm hook 14–16 mm crown pattern, only supplied in complete packaging units, universal colour order code: 900	UNI	3550	R	250 Stk./Kart.	0.42	0.42	0.42



B	As required	R	Standard delivery time	A	Delivery date by arrangement
----------	-------------	----------	------------------------	----------	------------------------------

* Please include the production plant of the model in addition to the order code when ordering this product.

PROFIL



Field tile	Function	Availability	100	100	200	220	809	100	100	101	102	220	101
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	1000	R	0.61	0.52	0.55	0.59	0.59	0.52	0.73	0.52	0.55	0.59	0.73
Price per m² in EUR			11.29	20.33	21.51	23.07	23.07	17.47	28.54	20.33	21.51	23.07	28.54

Accessory range prices in €/pc													
Half-width tile	1210	R	0.63	0.58	0.58	0.63	0.63	0.58	-	0.63	0.58	0.63	-
Half width tile (2 side grooves)	1211	R	0.63	—	—	—	—	—	-	—	—	—	-
Field ventilating tile vent area 10 cm² (5.5 pcs/m)	1240	R	1.60	—	—	—	—	—	-	—	—	—	-
Ventilating tile vent area 25 cm²	1400	R	13.30	18.40	19.60	22.30	22.30	22.30	-	22.30	18.40	19.60	-
Verge tile (3.2 pcs/m)	right 1820, left 1830	R	9.80	—	—	—	—	—	-	—	—	—	-
Verge plate plain tile with short side lap approx. 5 cm (3,3 pcs/m)	right 1920, left 1930	R	—	9.60	10.20	13.00	13.00	9.60	-	13.00	13.00	13.00	-
Flashing tile	right 2920, left 2930	A	—	4.50	4.90	5.10	5.10	4.50	-	5.10	4.90	5.10	-
In/outfeed	right 2940, left 2950	A	—	4.50	4.90	5.10	5.10	4.50	-	5.10	4.90	5.10	-
curved longitudinal axis	1030	A	—	7.40	—	—	—	—	-	—	—	—	-
convex/concave curved (special production in accordance with specification)	convex 1010, concave 1020	A	—	7.70	7.70	7.70	7.70	—	-	7.70	7.70	7.70	-

SAKRAL



Field tile	Function	Availability	100	100
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	1000	R	0.77	0.77
Price per m² in EUR			25.87	25.87

Accessory range prices in €/pc				
Half-width tile	1210	R	0.77	0.77
Ridge connection tile (5.5 pcs/m)	1650	R	0.77	0.77
Eave tile (5.5 pcs/m)	2400	R	0.77	0.77
Field ventilating tile vent area 10 cm² (5.5 pcs/m)	1240	R	4.30	4.30
Ridge connection ventilating tile vent area, 10 cm² (5.5 pcs/m on each side of ridge)	1600	R	4.30	4.30

MANU-FAKTUR



Field tile	Function	Availability	100	200
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	1000	R	0.87	0.87
Price per m² in EUR			59.16	59.16

Accessory range prices in €/pc				
Ridge tile BK. or K. (4.3 pcs/m)	7400	R	15.10	15.90
Hip starter ceramic BK or K	7415	R	35.60	36.50

AMBIENTE



Field tile	Function	Availability	100	200	220	215	100	200
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	1000	R	0.48	0.51	0.56	0.51	0.53	0.63
Price per m² in EUR			16.13	17.14	18.82	17.14	17.81	21.17

Accessory range prices in €/pc								
Half-width tile	1210	R	0.48	0.51	0.56	0.51	0.53	0.63
3/4 width plain tile	1220	R	0.48	—	—	—	—	—
1-1/4 width plain tile	1230	R	1.90	—	—	—	—	—
Ridge connection tile (5.5 pcs/m)	1650	R	0.48	0.51	0.56	0.51	0.53	0.63
Eave tile (5.5 pcs/m)	2400	R	0.48	0.51	0.56	0.51	0.53	0.63
Ridge connection ventilating tile vent area, 10 cm² (5.5 pcs/m on each side of ridge)	1600	R	4.30	4.40	4.40	4.40	4.30	4.60
Eave ventilating tile vent area 10cm² (5.5 pcs/m)	2600	R	4.30	4.40	4.40	4.40	4.30	4.60
Field ventilating tile vent area 10 cm² (5.5 pcs/m)	1240	R	4.30	4.40	4.40	4.40	4.40	—
Ventilating tile vent area 25 cm²	1400	R	13.30	13.80	13.80	13.80	12.80	—
Verge plate plain tile with short side lap approx. 5 cm (3,3 pcs/m)	right 1920, left 1930	R	9.60	10.20	13.00	10.20	—	—
3/4 and 1-1/4 width verge tile with long side tongue approx. 11 cm (both 3.3 pcs/m)	3/4 right 2020, left 2030, 1-1/4 right 2040, left 2050	R	13.40	14.20	—	14.20	16.30	—

ANTI-K



Field tile	Function	Availability	120	120
Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	1000	R	0.82	0.82
Price per m² in EUR			27.55	27.55

Accessory range prices in €/pc				
Ridge connection tile (5.5 pcs/m)	1650	R	0.82	0.82
Eave tile (5.5 pcs/m)	2400	R	0.82	0.82
Ventilating tile vent area 14 cm²	1400	R	29.30	29.30

Additional accessories for our special plain tile shapes are available upon request.

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

B

As required

R

Standard delivery time

A

Delivery date by arrangement

NOBLESSE® THE EXCLUSIVE GLAZE COLLECTION

	Order code	more than 3,000 pcs	from 2,000 to 3,000 pcs	from 1,000 to 2,000 pcs	less than 1,000 pcs
Field tile	1000				
KLASSIK round cut 1,000 pcs (ROG/AUT)	100 / 101	2030.00 €	2890.00 €	3590.00 €	4420.00 €
AMBIENTE segmented cut, 1,000 pcs	121	2410.00 €	3050.00 €	3720.00 €	4560.00 €
AMBIENTE straight cut, 1,000 pcs	122	2410.00 €	3050.00 €	3720.00 €	4560.00 €
PROFIL 15.5 x 38 x 1.2 cm Saxony plain tile, 1,000 pcs	141	2410.00 €	3050.00 €	3720.00 €	4560.00 €
MANUFAKTUR tower plain tile, 1,000 pcs	251	2410.00 €	3050.00 €	3720.00 €	4560.00 €

Accessory range	Price in EUR/pc		
Half-width tile	1210	R	3.90
3/4 width plain tile	1220	R	4.40
1-1/4 width plain tile	1230	R	5.10
Ridge connection tile	1650	R	3.90
Eave tile	2400	R	3.90
Ridge connection ventilating tile vent area 10 cm²	1600	R	10.70
Eave ventilating tile vent area 10cm²	2600	R	10.70
Field ventilating tile vent area 10 cm²	1240	R	10.70
Ventilating tile vent area 25 cm²	1400	R	31.90
3/4 and 1-1/4 width verge tile with long side tongue approx. 11 cm	3/4 right 2020, left 2030, 1-1/4 right 2040, left 2050 right 2920, left 2930 convex 1010, concave 1020	R	25.80
Flashing tile		R	10.70
convex/concave curved (special production in accordance with specification)		A	10.70

Ridge and hip tile product range	Price in EUR/pc		
Ridge tile BZ (3.0 pcs/m)	7000	R	27.10
Ridge tile BM (3.0 pcs/m)	7200	R	28.30
Ridge tile BG (3.0 pcs/m)	7300	R	28.30
Ridge starter and termination plate ceramic BZ	7010	R	27.30
Ridge starter and termination plate ceramic BM	7210	R	52.30
Hip starter ceramic BZ	7015	R	51.40
Hip starter ceramic BM	7215	R	51.40
Hip starter ceramic BG	7315	R	51.40
Hip starter ceramic with scallop BZ	7016	A	81.70
Hip cap 3-axis BZ	7020	R	249.00
Hip cap 3-axis BM	7220	R	249.00
Hip cap 3-axis BG	7320	R	249.00
Hip cap 4-axis BZ	7021	A	366.00
Hip cap 4-axis BM	7221	A	366.00
Hip cap 4-axis BG	7321	A	366.00

Product range for roof ventilation and penetrations	Price in EUR/pc		
SIGNUM ceramic outlet vent DN 100 mm with screw-on hood, incl. sub-roof connection adapter and flexible duct	3000	R	247.00
SIGNUM ceramic outlet vent DN 125 mm with removable cap, incl. sub-roof connection adapter and flexible duct	3010	R	281.00
SIGNUM ceramic vapour vent DN 150/160 mm incl. sub-roof connection adapter	3040	A	302.00
SIGNUM ceramic vapour vent DN 200 mm, incl. sub-roof connection adapter	3050	A	302.00
Aerial entry, ceramic, NW 60 with rubber connection, incl. sub-roof connection adapter	3300	R	217.00
Solar entry tile, ceramic, NW 70, incl. sub-roof connection adapter	3320	R	268.00
Flue pipe penetration, ceramic, NW 110 or NW 125, incl. sub-roof connection adapter	110 3340, 125 3341	A	281.00
Universal sub-roof connection adapter	3311	R	24.00
Universal flexible duct DN 150/160	3041	R	17.00
Universal flexible duct DN 200	3042	R	19.00

Product range for snow protection, roof access and solar installation in metal	Price in EUR/pc		
Base element in aluminium, colour coated	4000	R	82.60
Single tread aluminium (1 base element required per tread) *	4010	R	97.50
Short grating aluminium 46 x 25 cm colour-coated (2 base elements required per grating) *	4020	R	152.00
Long grating aluminium 80 x 25 cm colour-coated (2 base elements required per grating) *	4030	R	183.00
Aluminium grid tread 150 x 25 cm colour coated with connector for continuous assembly, including bracket (at least 3 supports are required per grid), available in red (colour code U03), reddish brown (colour code U05), anthracite (colour code U08) and black (colour code U06)	4150	R	322.00
Log bracket aluminium Ø 14 cm (1 base element required per bracket) *	4040	R	35.80
Snow guard grid support aluminium (1 base element required per bracket) *	4060	R	35.80
Snow guard grid massive 1.50 m length with plug-in connection, height 20 cm *	4071	R	57.80
Mountain snow guard support (natural red/copper red/unpainted/grey/anthracite)	4080	R	30.90
Round pipe Ø 40 mm length 3 m (natural red/copper red/unpainted/grey/anthracite)	4090	R	48.40
Roof ladder aluminium length 1.68 m including connector (red/black/grey)	4110	R	236.00
Roof ladder bracket for installation on base plate (2 pcs per ladder) (red/black/grey)	4100	R	49.70
Solar element bracket galvanized (1 base element and 1 storm clip per bracket)	4120	R	40.30

Product range for roof details and uplift protection	Price in EUR/pc		
Glass plain tile round cut	3750	R	21.10
Hip and valley clip stainless steel 10-13 mm	3771	R	0.95
Stainless steel screw 50 mm with seal for fastening verges, etc.	3774	R	38.40
Hook storm clip in zinc-aluminium for 40 x 60 mm battens, for BIBER 14 mm, only supplied in complete packaging units, universal colour order code: 900	3566	R	0.42
Hook storm clip in zinc-aluminium for 30 x 50 mm battens, for BIBER 14 mm, only supplied in complete packaging units, universal colour order code: 900	3576	R	0.42
Plain tile storm hook 12-14 mm crown pattern, only supplied in complete packaging units, universal colour order code: 900	3540	R	0.42
Plain tile storm hook 14-16 mm crown pattern, only supplied in complete packaging units, universal colour order code: 900	3550	R	0.42



Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
* Please include the production plant of the model in addition to the order code when ordering this product.

TECHNICAL MODEL DATA PLAIN TILE

Product group	Model	approx. dimen- sions (width/ length/thickness) mm	gauge mm			coverage width mm	Mini pack (pcs)	kg/pc approx.	pcs/m²	kg/m² ap- prox.	pcs/euro pallet	weight/euro pallet	coverage width verge tile left/right mm	Verge tile approx. pcs/ lin. m.	Eave tile approx. pcs/ lin. m.	Shed roof tile approx. pcs/ lin. m.	Ridge connec- tion ventilating tile approx. pcs/lin. m.
KLASSIK																	
	Round cut	180 x 380 x 14	145	–	165	180	8	2.1	36	73.8	480	985	Plain tile spacing verge tile 3/4 105 mm 1 1/4 195 mm sliding verge 80 mm	3.3	5.6	5.6	5.6
	Round cut	200 x 400 x 14	155	–	175	200	8	2.3	30.3	69.7	480	1076	–	–	5	–	–
	KERA-BIBER KLASSIK round cut	180 x 380 x 12	145	–	165	180	8	1.7	36	61.2	528	923	Plain tile spacing verge tile 3/4 105 mm 1 1/4 195 mm sliding verge 80 mm	3.3	5.6	–	5.6
AMBIENTE																	
	segmented cut	180 x 380 x 14	145	–	165	180	8	2.1	36	74.9	480	985	3/4 105 mm 1 1/4 195 mm sliding verge 80 mm	3.3	5.6	–	5.6
	straight cut	180 x 380 x 14	145	–	165	180	8	2.1	36	74.9	480	985	3/4 105 mm 1 1/4 195 mm sliding verge 80 mm	3.3	5.6	–	5.6
PROFIL																	
	Berlin plain tile segmented cut	160 x 380 x 16	145	–	165	160	8	2.9	40	114	512	1413	–	–	–	–	–
	KERA BIBER Berlin plain tile, segmented cut	160 x 380 x 16	145		165	160	8	2.9	40	114	512	1413	–	–	–	–	–
	Side interlock tile	205 x 400 x 21	270	–	300	180	6	2.5	19.2	48.4	324	803	right 165 mm, left 145 mm	3.2	–	–	–
	Saxony plain tile, 155 mm segmented cut	155 x 380 x 12	145	–	165	155	8	1.5	40	60.8	640	998	Sliding verge 80 mm	3.3	–	–	–
	KERA BIBER Berlin Saxony plain tile, 155 mm segmented cut	155 x 380 x 12	145	–	165	155	8	1.5	40	60.8	640	998	Sliding verge 80 mm	3.3	–	–	–
	Saxony plain tile 180 mm wide segmented cut	180 x 380 x 14	145	–	165	180	8	2	36	73.8	480	985	Sliding verge 80 mm	3.3	–	–	–
ANTIK																	
	elliptical cut	180 x 380 x 18	145	–	165	180	8	2.5	36	90.4	336	868	–	–	5.5	–	5.5
	Straight cut rounded corner	180 x 380 x 18	145	–	165	180	8	2.5	36	90.4	336	868	–	–	5.5	–	5.5
SAKRAL																	
	Round cut	180 x 380 x 18	145	–	165	180	12	3	36	104.4	360	1069	–	–	5.6	–	5.6
MANUFAKTUR																	
	Tower plain tile	140 x 280 x 14	95	–	115	140	8	1.3	68	88.4	640	857	–	–	–	–	–

Country-specific standards and specifications must be taken into account.

120

121


TECHNICAL MODEL DATA PRESSED ROOF TILE

Type	field tile mm				pcs/m²	kg/m² approx.	kg/pc approx.	Coverage width verge mm/ requirement		Coverage width double roll mm/ requirement	Coverage width half-width tile mm/requirement	Gauge INTERLOCK mm/re-quirement	Gauge shed mm/re-quirement	Eave, with projection/without projection, mm
	external dimensions	coverage width		gauge				left	right					
Flat roof tile	MAGNUM													
	357 x 495	min. 295 to scale 296 max. 297	min. 390 to scale 400 max. 411	min. 8.2 to scale 8.5 max. 8.7	41.7	4.9	250 2.5	250 2.5	335 2.5	220 2.5	396–405 3.4	290 3.4	380 435	
	TITANIA													
	325 x 515	min. 260 to scale 262 max. 265	min. 382 to scale 403 max. 425	min. 9 to scale 9.5 max. 10.1	47.5	5	236 2.5	252 2.5	310 2.5	– –	382–425 3.8	275 3.8	430 480	
	GALANT													
	320 x 400	min. 269 to scale 270 max. 271	min. 300 to scale 325 max. 350	min. 10.5 to scale 11.4 max. 12.4	43.3	3.8	260 3.1	305 3.1	275 3.1	– –	300–350 3.7	230 3.7	335 385	
	FUTURA													
	300 x 482	min. 234 to scale 237 max. 239	min. 360 to scale 374 max. 388	min. 10.8 to scale 11.3 max. 11.9	49.7	4.4	200 2.7	230 2.7	275 2.7	171 2.7	385–400 4.2	285 4.2	370 425	
	PREMION													
	280 x 460	min. 220 to scale 224 max. 228	min. 357 to scale 368 max. 379	min. 11.6 to scale 12.1 max. 12.7	42.4	3.5	201 2.7	220 2.7	261 2.7	163 2.7	363–373 4.5	275 4.5	360 405	
Reform tile	VIVA													
	268 x 403	min. 218 to scale 220 max. 222	min. 342 to scale 350 max. 355	min. 12.7 to scale 13.1 max. 13.4	45.9	3.5	202 2.9	240 2.9	219 2.9	118 2.9	342–355 4.6	230 4.6	340 390	
	MZ3 NEU													
	268 x 442	min. 216 to scale 218 max. 220	min. 334 to scale 345 max. 360	min. 12.6 to scale 13.3 max. 13.9	47.9	3.6	205 2.9	205 2.9	265 2.9	– –	350–373 4.6	240 4.6	340 390	
	HARMONIE													
	250 x 410	min. 197 to scale 199 max. 201	min. 328 to scale 340 max. 352	min. 14.2 to scale 14.9 max. 15.6	46.2	3.1	114 2.9	170 2.9	194 2.9	98 2.9	330–350 5.1	255 5.1	350 390	
	CANTUS													
	262 x 450	min. 220 to scale 221 max. 222	min. 342 to scale 361 max. 379	min. 11.8 to scale 12.5 max. 13.4	44.4	3.6	155 2.8	200 2.8	225 2.8	– –	342–379 4.5	275 4.5	360 410	
	TERRA OPTIMA													
	262 x 444	min. 220 to scale 221 max. 223	min. 330 to scale 355 max. 380	min. 11.9 to scale 12.8 max. 13.8	42.2	3.3	150 2.8	185 2.8	235 2.8	110 2.8	330–380 4.5	230 4.5	360 410	
ELEGANZ														
230 x 420	min. 204 to scale 205 max. 207	min. 337 to scale 344 max. 350	min. 13.7 to scale 14.1 max. 14.5	46.5	3.3	145 2.9	170 2.9	– –	102 2.9	– –	250 4.9	340 370		

1) With a 330 mm to 350 mm gauge, verge must be notched.
Country-specific standards and specifications must be taken into account.

Type	field tile mm				pcs/m²	kg/m² approx.	kg/pc approx.	Coverage width verge mm/ requirement		Coverage width double roll mm/ requirement	Coverage width half-width tile mm/requirement	Gauge INTERLOCK mm/re-quirement	Gauge shed mm/re-quirement	Eave, with projection/without projection, mm	
	external dimensions	coverage width		gauge				left	right						
Smooth tile	VISIO														
	262 x 450	min. 220 to scale 221 max. 222	min. 350 to scale 365 max. 379	min. 11.8 to scale 12.4 max. 13	43.4	3.5	155 2.7	200 2.7	215 2.7	105 2.7	350–379 4.5	275 4.5	365 415		
	DOMINO														
	257 x 436	min. 224 to scale 225 max. 226	min. 343 to scale 348 max. 354	min. 12.4 to scale 12.7 max. 13.1	53.3	4.2	168 2.9	201 2.9	224 2.9	111 2.9	343–354 4.5	275 4.5	365 400		
Interlocking tile/ double hollow interlocking tile	RAPIDO														
	325 x 502	min. 277 to scale 278 max. 280	min. 410 to scale 425 max. 440	min. 8.1 to scale 8.4 max. 8.8	42.8	5.1	210 2.4	255 2.4	278 2.4	135 2.4	415–450 3.6	280 3.6	420 470		
	RATIO HÖN														
	265 x 446	min. 221 to scale 223 max. 225	min. 357 to scale 368 max. 380	min. 11.7 to scale 12.2 max. 12.7	40.3	3.3	145 2.7	185 2.7	230 2.7	110 2.7	365–380 4.5	230 4.5	360 410		
	RUSTICO														
	225 x 405	min. 198 to scale 200 max. 202	min. 328 to scale 338 max. 348	min. 14.2 to scale 14.7 max. 15.3	44.1	3	135 3	150 3	– –	102 3	– –	255 5	315 365		
Curved interlocking tile	SINFONIE														
	300 x 482	min. 228 to scale 230 max. 232	min. 361 to scale 375 max. 389	min. 10.9 to scale 11.5 max. 12.2	54.6	4.7	200 2.7	228 2.7	270 2.7	187 2.7	390–405 4.4	275 4.4	350 420		
	MELODIE														
	255 x 440	min. 208 to scale 209 max. 210	min. 314 to scale 331 max. 348	min. 13.7 to scale 14.5 max. 15.3	46.4	3.2	130 3	170 3	219 3	– –	327–359 4.8	215 4.8	350 400		
Large coverage adjustable tile	MAXIMA														
	333 x 403	min. 300 to scale 300 max. 300	min. 310 to scale 330 max. 350	min. 9.5 to scale 10.1 max. 10.8	41.4	4.1	280 3	310 3	333 3	150 3	310–350 3.3	230 3.3	335 385		
Special shapes	ETRUSKO														
	249 x 445	min. 198 to scale 200 max. 202	min. 378 to scale 382 max. 385	min. 12.9 to scale 13.1 max. 13.4	40.4	3.2	250 2.6	235 2.6	255 2.6	– –	– –	215 5	380 430		
	HERZZIEGEL														
	230 x 420	min. 205 to scale 207 max. 209	min. 337 to scale 344 max. 350	min. 13.7 to scale 14.1 max. 14.5	43.7	3.1	145 2.9	170 2.9	– –	102 2.9	– –	240 4.9	340 370		

CONCRETE ROOF TILES



9.7 pcs/m²9.7 pcs/m²9.7 pcs/m²9.7 pcs/m²

9.8 pcs/m



HEIDELBERG

THE CLASSIC

Production works Autenried, Lenti, Roggden

Minimum requirement/m² 9.7 pcs/m²

pcs/package 40 Unit

Weight/package 180 kg


Order code


		universal								planar							
Availability		R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	
Availability	Packaging unit	classic red	brick red	dark brown	dark grey	pale grey	classic red perla	dark red perla	dark grey perla	classic red	brick red	dark brown	dark grey	pale grey	classic red perla	dark grey perla	
																	
		830	831	833	834	835	836	837	838	840	841	843	844	845	846	848	
R	40 Stk./VE	850.00	850.00	850.00	850.00	850.00	850.00	850.00	850.00	900.00	900.00	900.00	900.00	900.00	900.00	900.00	
		8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.73	8.73	8.73	8.73	8.73	8.73	8.73	

Concrete field tile	Model			Price in EUR/pc													
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	801	1001	R	40 Stk./VE	850.00	850.00	850.00	850.00	850.00	850.00	850.00	850.00	900.00	900.00	900.00	900.00
	Price per m² in EUR					8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.25	8.73	8.73	8.73	8.73

Accessory range		Price in EUR/pc																
	Half-width tile	801	1211	R	40 Stk./VE	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.20	2.20	2.20	2.20	2.20
	Verge tile (3 pcs/m), notch 90 mm	801	right 1821, left 1831	R	15 Stk./VE	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.60	5.60	5.60	5.60	5.60
	Verge tile (3 pcs/m), notch 120 mm	801	right 1822, left 1832	R	15 Stk./VE	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.60	5.60	5.60	5.60	5.60
	Double roll tile (3 pcs/m)	801	1841	A	40 Stk./VE	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.50	2.60	2.60	2.60	2.60	2.60
	Ventilating tile, vent area 36 cm²	801	1401	R	12 Stk./VE	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.00	11.80	11.80	11.80	11.80	11.80
	Shed ridge tile	801	2701	R	12 Stk./VE	14.95	14.95	14.95	14.95	14.95	14.95	14.95	14.95	15.05	15.05	15.05	15.05	15.05
	Shed half width tile	801	2711	R	12 Stk./VE	14.95	14.95	14.95	14.95	14.95	14.95	14.95	14.95	15.05	15.05	15.05	15.05	15.05
	Shed verge tile	801	right 2721, left 2731	R	6 Stk./VE	19.95	19.95	19.95	19.95	19.95	20.70	20.70	20.70	20.05	20.05	20.05	20.05	20.05
	Shed ridge tile, special dimension	801	2761	A	B	24.05	24.05	24.05	24.05	24.05	24.05	24.05	24.05	24.15	24.15	24.15	24.15	25.20
	Mansard/pitch transition tile	801	2801	A	B	26.80	26.80	26.80	26.80	26.80	27.80	27.80	27.80	27.00	27.00	27.00	27.00	28.00
	Mansard/pitch transition half-width tile	801	2811	A	B	26.80	26.80	26.80	26.80	26.80	27.80	27.80	27.80	27.00	27.00	27.00	27.00	28.00
	Mansard/pitch transition verge tile, notch 90 mm	801	right 2821, left 2831	A	B	31.95	31.95	31.95	31.95	31.95	33.50	33.50	33.50	32.15	32.15	32.15	32.15	33.70
	Mansard/pitch transition verge tile, notch 120 mm	801	right 2822, left 2832	A	B	31.95	31.95	31.95	31.95	31.95	33.50	33.50	33.50	32.15	32.15	32.15	32.15	33.70

Concrete ridge and hip tile range		Price in EUR/pc																
	Ridge tile (2.5 pcs/m), matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8100	R	40 Stk./Pal.	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.50	3.80	3.80	3.80	3.80	3.80
	Function starter and termination plate, matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8112	R	2 Stk./VE	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
	Ridge starter and termination plate aluminium, available in red (colour code U03), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	8110	R	50 Stk./VE	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55
	Round hip starter, matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8115	R	1 Stk./VE	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
	Hip cap, 3-axis, matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8120	R	1 Stk./VE	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00
	Hip cap, 4-axis, matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8121	R	1 Stk./VE	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00
	Ridge clip aluminium long, only supplied in complete packaging units, available in red (colour code U03), dark grey (colour code U13), dark brown (colour code U14) and zinc grey (colour code U15)	UNI	8123	R	50 Stk./Kart.	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55

Product range for roof ventilation and penetrations		Price in EUR/pc																
	Set with PVC base plate and long outlet vent DN 100, roof pitch 15°–45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	801	3092	R	B	46.95	46.95	46.95	46.95	46.95	46.95	46.95	46.95	46.95	46.95	46.95	46.95	46.95
	Set with PVC base plate and flat outlet vent DN 100, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	801	3091	R	B	44.20	44.20	44.20	44.20	44.20	44.20	44.20	44.20	44.20	44.20	44.20	44.20	44.20
	Set with PVC base plate and long outlet vent DN 125, roof pitch 15°–45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	801	3093	R	B	52.60	52.60	52.60	52.60	52.60	52.60	52.60	52.60	52.60	52.60	52.60	52.60	52.60
	Set with PVC base plate and aerial entry, 22–75 mm dia., roof pitch 20°–50°, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	801	3094	R	B	28.50	28.50	28.50	28.50	28.50	28.50	28.50	28.50	28.50	28.50	28.50	28.50	28.50
	HEIDELBERG PVC base plate for outlet vent, solar, flew and aerial entry, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	801	3080	R	B	12.55	12.55	12.55	12.55	12.55	12.55	12.55	12.55	12.55	12.55	12.55	12.55	12.55
	Outlet vent, long DN 100 in plastic, roof pitch 20°–50°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3081	R	B	22.40	22.40	22.40	22.40	22.40	22.40	22.40	22.40	22.40	22.40	22.40	22.40	22.40
	Outlet vent, flat DN 100 in plastic, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3083	R	B	19.65	19.65	19.65	19.65	19.65	19.65	19.65	19.65	19.65	19.65	19.65	19.65	19.65
	Outlet vent, long DN 125 in plastic, roof pitch 15°–45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3082	R	B	27.30	27.30	27.30	27.30	27.30	27.30	27.30	27.30	27.30	27.30	27.30	27.30	27.30
	Plastic aerial entry, roof pitch 20°–50°, 1-piece, 22–75 mm dia., available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3084	R	B	15.95	15.95	15.95	15.95	15.95	15.95	15.95	15.95	15.95	15.95	15.95	15.95	15.95
	Solar penetration in plastic, with EPDM sleeve, suitable for passage of lines and cables between 10–70 mm dia., available in classic red (U16), dark brown (U14) and dark grey (U13)	UNI	3085	R	10 Stk./VE	31.95	31.95	31.95	31.95	31.95	31.95	31.95	31.95	31.95	31.95	31.95	31.95	31.95
	Flue pipe adapter system 70/110, roof pitch 20°–50°, max. 60° C long-term temperature exposure, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14) and dark grey (U13)	UNI	3086	R	B	19.60	19.60	19.60	19.60	19.60	19.60	19.60	19.60	19.60	19.60	19.60	19.60	19.60
	Flue pipe adapter system 80/125, roof pitch 15°–45°, max. 60° long-term temperature exposure, not suitable for double walled stainless steel pipes in system 80/125. Available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14) and dark grey (U13),	UNI	3087	R	B	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70
	EPDM connection sleeve DN 100/125, universal colour order code: 900	UNI	3310	R	20 Stk./VE	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75
	Universal flexible hose DN 100, universal colour order code: 900	UNI	3043	R	1 Stk./VE	7.25	7.25	7.25	7.25	7.25	7.25	7.25	7.25	7.25	7.25	7.25	7.25	7.25
	Universal flexible hose DN 125, universal colour order code: 900	UNI	3044	R	1 Stk./VE	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00



HEIDELBERG THE CLASSIC

Production works Autenried, Lenti, Roggden

Minimum requirement/m² 9.7 pcs/m²

pcs/package 40 Unit



Weight/package 180 kg

Order code



Concrete field tile	Model
---------------------	-------

universal									planar							
Availability	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
Availability	Packaging unit	classic red	brick red	dark brown	dark grey	pale grey	classic red perla	dark red perla	dark grey perla	classic red	brick red	dark brown	dark grey	pale grey	classic red perla	dark grey perla
																
		830	831	833	834	835	836	837	838	840	841	843	844	845	846	848

Product range for snow protection, roof access and solar installation in metal

Price in EUR/pc																		
	Base fitting with tread, additional support batten required	801	4810	R	8 Stk./VE	47.40	47.40	47.40	47.40	47.40	48.50	48.50	48.50	47.50	47.50	47.50	47.50	48.60
	Base fitting with grid bracket for short and long grid, additional support batten required	801	4800	R	8 Stk./VE	24.80	24.80	24.80	24.80	24.80	25.90	25.90	25.90	24.90	24.90	24.90	24.90	26.00
	Short grid, galvanized steel 42 x 25 cm, colour coated, including stainless steel fastening screws, available in classic red (colour code U16), brick red (colour code U17), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4021	R	B	24.70	24.70	24.70	24.70	24.70	24.70	24.70	24.70	24.70	24.70	24.70	24.70	24.70
	Long grid, galvanized steel 88 x 25 cm, colour coated, including stainless steel mounting screws, available in classic red (colour code U16), dark red (colour code U18), brick red (colour code U17), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4022	R	B	35.55	35.55	35.55	35.55	35.55	35.55	35.55	35.55	35.55	35.55	35.55	35.55	35.55
	Connection set for short and long grid, consisting of 2 straps, 24 cm long, including steel strip spring for secure connection of 2 adjacent walkway gratings, universal colour order code: 900	UNI	4023	R	B	16.25	16.25	16.25	16.25	16.25	16.25	16.25	16.25	16.25	16.25	16.25	16.25	16.25
	Base fitting with snow guard support for snow guard grid, 20 cm high, additional support batten required	801	4830	R	6 Stk./VE	30.90	30.90	30.90	30.90	30.90	32.00	32.00	32.00	31.00	31.00	31.00	31.00	32.00
	Massive snow guard grid 3 m in length with plug-in connection, height 20 cm, available in classic red (colour code U16), brick red (colour code U17), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4070	R	4 Stk./VE	44.80	44.80	44.80	44.80	44.80	44.80	44.80	44.80	44.80	44.80	44.80	44.80	44.80
	Base fitting with snow guard support for log, 140 mm dia., additional support batten required	801	4820	R	6 Stk./VE	30.90	30.90	30.90	30.90	30.90	32.00	32.00	32.00	31.00	31.00	31.00	31.00	32.00
	Snow clip, available in classic red (colour code U16), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4142	R	100 Stk./VE	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Product range for roof details and uplift protection

Price in EUR/pc																		
	Transparent tile (acrylic), universal colour code: 900	801	3701	R	B	15.60	15.60	15.60	15.60	15.60	15.60	15.60	15.60	15.60	15.60	15.60	15.60	15.60
	Hip and valley clip stainless steel 10–13 mm	UNI	3771	R	50 Stk./Kart.	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	Hook storm clip in stainless steel for 40/60 mm battens, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900	UNI	3604	R	250 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
	Hook storm clip in stainless steel for 30/50 mm battens, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900	UNI	3605	R	250 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
	Drive-in storm clip in zinc-aluminium, all batten sizes, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900	UNI	3606	R	100 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



GÖTEBORG

THE SPIRITED ONE

Production works Neubeckum

Minimum requirement/m² 9.7 pcs/m²

pcs/package 40 Unit

Weight/package 192 kg

Order code

		universal					planar		
Availability		R	R	R	R	R	R	R	R
Availability	Packaging unit	classic red	dark red	dark brown	dark grey	black perla	classic red	dark grey	black perla
									
		830	832	833	834	839	840	844	849
R	40 Stk./VE	850.00	850.00	850.00	850.00	850.00	900.00	900.00	900.00
		8.25	8.25	8.25	8.25	8.25	8.73	8.73	8.73

Concrete field tile				Model		Av	Pa	830	832	833	834	839	840	844	849
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	802	1001	R	40 Stk./VE	850.00	850.00	850.00	850.00	850.00	900.00	900.00	900.00		
	Price per m² in EUR					8.25	8.25	8.25	8.25	8.25	8.73	8.73	8.73		

Accessory range		Price in EUR/pc											
 1211  1821  1822  1401  2701  2711	Half-width tile	802	1211	R	40 Stk./VE	2.00	2.00	2.00	2.00	2.00	2.20	2.20	2.20
	Verge tile (3 pcs/m), notch 90 mm	802	right 1821, left 1831	R	15 Stk./VE	5.00	5.00	5.00	5.00	5.00	5.60	5.60	5.60
	Verge tile (3 pcs/m), notch 120 mm	802	right 1822, left 1832	R	15 Stk./VE	5.00	5.00	5.00	5.00	5.00	5.60	5.60	5.00
	Ventilating tile, vent area 40 cm²	802	1401	R	12 Stk./VE	11.00	11.00	11.00	11.00	11.00	11.80	11.80	11.80
	Shed ridge tile	802	2701	R	12 Stk./VE	14.95	14.95	14.95	14.95	15.45	15.05	14.95	15.55
	Shed half width tile	802	2711	R	12 Stk./VE	14.95	14.95	14.95	14.95	15.45	15.05	14.95	15.55
	Shed verge tile	802	right 2721, left 2731	R	6 Stk./VE	19.95	19.95	19.95	19.95	20.70	20.05	19.95	19.95
	Shed ridge tile, special dimension	802	2761	A	B	24.05	24.05	24.05	24.05	25.10	24.15	24.15	24.05
	Mansard/pitch transition tile	802	2801	A	B	26.80	26.80	26.80	26.80	27.80	28.00	28.00	28.00
	Mansard/pitch transition half-width tile	802	2811	A	B	26.80	26.80	26.80	26.80	27.80	28.00	28.00	28.00
		802	right 2821, left 2831	A	B	31.95	31.95	31.95	31.95	33.50	32.15	32.15	33.70
		802	right 2822, left 2832	A	B	31.95	31.95	31.95	31.95	33.50	32.15	32.15	33.70

Concrete ridge and hip tile range		Price in EUR/pc											
 8100  8112  8110  8115  8120  8123	Ridge tile (2.5 pcs/m), matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8100	R	40 Stk./Pal.	3.50	3.50	3.50	3.50	3.50	3.80	3.80	3.80
	Function starter and termination plate, matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8112	R	2 Stk./VE	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00
	Ridge starter and termination plate aluminium, available in red (colour code U03), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	8110	R	50 Stk./VE	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55
	Round hip starter, matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8115	R	1 Stk./VE	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
	Hip cap, 3-axis, matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8120	R	1 Stk./VE	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00
	Hip cap, 4-axis, matches VERONA, HEIDELBERG and GÖTEBORG models	UNI	8121	R	1 Stk./VE	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00
	Ridge clip aluminium long, only supplied in complete packaging units, available in red (colour code U03), dark grey (colour code U13), dark brown (colour code U14) and zinc grey (colour code U15)	UNI	8123	R	50 Stk./Kart.	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55

Product range for roof ventilation and penetrations		Price in EUR/pc											
 3085  3080  3081  3083  3082  3084  3310  3086  3087  3043	Set with PVC base plate and long outlet vent DN 100, roof pitch 20°–50°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	802	3092	R	B	46.95	46.95	46.95	46.95	46.95	46.95	46.95	46.95
	Set with PVC base plate and flat outlet vent DN 100, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	802	3091	R	B	44.20	44.20	44.20	44.20	44.20	44.20	44.20	44.20
	Set with PVC base plate and long outlet vent DN 125, roof pitch 15°–45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	802	3093	R	B	52.60	52.60	52.60	52.60	52.60	52.60	52.60	52.60
	Set with PVC base plate and aerial entry, 22–75 mm dia., roof pitch 20°–50°, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	802	3094	R	B	28.50	28.50	28.50	28.50	28.50	28.50	28.50	28.50
	GÖTEBORG PVC base plate, suitable for outlet vent, solar, flue and aerial entry, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	802	3080	R	B	12.55	12.55	12.55	12.55	12.55	12.55	12.55	12.55
	Outlet vent, long DN 100 in plastic, roof pitch 20°–50°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3081	R	B	22.40	22.40	22.40	22.40	22.40	22.40	22.40	22.40
	Outlet vent, flat DN 100 in plastic, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3083	R	B	19.65	19.65	19.65	19.65	19.65	19.65	19.65	19.65
	Outlet vent, long DN 125 in plastic, roof pitch 15°–45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3082	R	B	27.30	27.30	27.30	27.30	27.30	27.30	27.30	27.30
	Plastic aerial entry, roof pitch 20°–50°, 1-piece, 22–75 mm dia., available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3084	R	B	15.95	15.95	15.95	15.95	15.95	15.95	15.95	15.95
	Solar penetration in plastic, with EPDM sleeve, suitable for passage of lines and cables between 10–70 mm dia., available in classic red (U16), dark brown (U14) and dark grey (U13)	UNI	3085	R	10 Stk./VE	31.95	31.95	31.95	31.95	31.95	31.95	31.95	31.95
	Flue pipe adapter system 70/110, roof pitch 20°–50°, max. 60°C long-term temperature exposure, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14) and dark grey (U13)	UNI	3086	R	B	19.60	19.60	19.60	19.60	19.60	19.60	19.60	19.60
	Flue pipe adapter system 80/125, roof pitch 15°–45°, max. 60° long-term temperature exposure, not suitable for double walled stainless steel pipes in system 80/125. Available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14) and dark grey (U13),	UNI	3087	R	B	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70
	EPDM connection sleeve DN 100/125, universal colour order code: 900	UNI	3310	R	20 Stk./VE	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75
	Universal flexible hose DN 100, universal colour order code: 900	UNI	3043	R	1 Stk./VE	7.25	7.25	7.25	7.25	7.25	7.25	7.25	7.25
	Universal flexible hose DN 125, universal colour order code: 900	UNI	3044	R	1 Stk./VE	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00



GÖTEBORG
THE SPIRITED ONE

Production works Neubeckum

Minimum requirement/m² 9.7 pcs/m²

pcs/package 40 Unit

Weight/package 192 kg

Order code



		universal					planar		
Availability	Availability	R	R	R	R	R	R	R	R
	Packaging unit	classic red	dark red	dark brown	dark grey	black perlä	classic red	dark grey	black perlä
									
		830	832	833	834	839	840	844	849

Concrete field tile

Model

Product range for snow protection, roof access and solar installation in metal

Price in EUR/pc

	Base fitting with tread, additional support batten required	802	4810	R	8 Stk./VE	47.40	47.40	47.40	47.40	48.50	47.50	47.50	48.60
	Base fitting with grid bracket for short and long grid, additional support batten required	802	4800	R	8 Stk./VE	24.80	24.80	24.80	24.80	25.90	24.80	24.90	26.00
	Short grid, galvanized steel 42 x 25 cm, colour coated, including stainless steel fastening screws, available in classic red (colour code U16), brick red (colour code U17), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4021	R	B	24.70	24.70	24.70	24.70	24.70	24.70	24.70	24.70
	Long grid, galvanized steel 88 x 25 cm, colour coated, including stainless steel mounting screws, available in classic red (colour code U16), dark red (colour code U18), brick red (colour code U17), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4022	R	B	35.55	35.55	35.55	35.55	35.55	35.55	35.55	35.55
	Connection set for short and long grid, consisting of 2 straps, 24 cm long, including steel strip spring for secure connection of 2 adjacent walkway gratings, universal colour order code: 900	UNI	4023	R	B	16.25	16.25	16.25	16.25	16.25	16.25	16.25	16.25
	Base fitting with snow guard support for snow guard grid, 20 cm high, additional support batten required	802	4830	R	6 Stk./VE	30.90	30.90	30.90	30.90	32.00	31.00	31.00	32.10
	Massive snow guard grid 3 m in length with plug-in connection, height 20 cm, available in classic red (colour code U16), brick red (colour code U17), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4070	R	4 Stk./VE	44.80	44.80	44.80	44.80	44.80	44.80	44.80	44.80
	Base fitting with snow guard support for log, 140 mm dia., additional support batten required	802	4820	R	6 Stk./VE								
	Snow clip, available in classic red (colour code U16), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4142	R	100 Stk./VE	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00

Product range for roof details and uplift protection

Price in EUR/pc

	Hip and valley clip stainless steel 10-13 mm	UNI	3771	R	50 Stk./Kart.	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
	Hook storm clip in stainless steel for 40/60 mm battens, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900	UNI	3604	R	250 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
	Hook storm clip in stainless steel for 30/50 mm battens, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900	UNI	3605	R	250 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40
	Drive-in storm clip in zinc-aluminium, all batten sizes, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900	UNI	3606	R	100 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



VERONA

THE MEDITERRANEAN

Production works Autenried, Lenti, Roggden

Minimum requirement/m² 9.7 pcs/m²


pcs/package 40 Unit


Weight/package 188 kg

Order code

Availability	Packaging unit	universal					planar		
		R	R	R	R	R	R	R	R
		classic red	dark red	dark grey	dark red perla	dark grey perla	dark red	dark grey	dark grey perla
									
		830	832	834	837	838	842	844	848
		850.00	850.00	850.00	850.00	850.00	900.00	900.00	900.00
		8.25	8.25	8.25	8.25	8.25	8.73	8.73	8.73

Concrete field tile			Model		Ava	Pac	830	832	834	837	838	842	844	848
	Price per 1,000 pcs, freight prepaid to building site or warehouse in EUR	800	1001	R	40 Stk./VE	850.00	850.00	850.00	850.00	850.00	900.00	900.00	900.00	
	Price per m² in EUR					8.25	8.25	8.25	8.25	8.25	8.73	8.73	8.73	

Accessory range					Price in EUR/pc										
 1821	 1822	 1401	Verge tile (3 pcs/m), notch 90 mm	800	right 1821, left 1831	R	15 Stk./VE	5.00	5.00	5.00	5.00	5.00	5.60	5.60	5.60
			Verge tile (3 pcs/m), notch 120 mm	800	right 1822, left 1832	R	15 Stk./VE	5.00	5.00	5.00	5.00	5.00	5.60	5.60	5.60
			Ventilating tile, vent area 33 cm²	800	1401	R	18 Stk./VE	11.00	11.00	11.00	11.00	11.00	11.80	11.80	11.80
 2701	 2721	 2801	Shed ridge tile	800	2701	R	12 Stk./VE	14.95	14.95	14.95	15.45	15.45	15.05	15.05	15.05
			Shed verge tile	800	right 2721, left 2731	R	6 Stk./VE	19.95	19.95	19.95	20.70	20.70	20.05	20.05	20.80
			Mansard/pitch transition tile	800	2801	A	B	26.80	26.80	26.80	27.80	27.80	27.00	27.00	28.00
			Mansard/pitch transition verge tile, notch 90 mm	800	right 2821, left 2831	A	B	31.95	31.95	31.95	33.50	33.50	32.15	32.15	33.70
			Mansard/pitch transition verge tile, notch 120 mm	800	right 2822, left 2832	A	B	31.95	31.95	31.95	33.50	33.50	32.15	32.15	33.70

Concrete ridge and hip tile range													Price in EUR/pc											
  	Ridge tile (2.5 pcs/m), matches VERONA, HEIDELBERG and GÖTEBORG models											UNI	8100	R	40 Stk./Pal.	3.50	3.50	3.50	3.50	3.50	3.80	3.80	3.80	
	Function starter and termination plate, matches VERONA, HEIDELBERG and GÖTEBORG models											UNI	8112	R	2 Stk./VE	7.00	7.00	7.00	7.00	7.00	7.00	7.00	7.00	
	Ridge starter and termination plate aluminium, available in red (colour code U03), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)											UNI	8110	R	50 Stk./VE	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	
	Round hip starter, matches VERONA, HEIDELBERG and GÖTEBORG models											UNI	8115	R	1 Stk./VE	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	
  	Hip cap, 3-axis, matches VERONA, HEIDELBERG and GÖTEBORG models											UNI	8120	R	1 Stk./VE	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	
	Hip cap, 4-axis, matches VERONA, HEIDELBERG and GÖTEBORG models											UNI	8121	R	1 Stk./VE	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00	30.00
	Ridge clip aluminium long, only supplied in complete packaging units, available in red (colour code U03), dark grey (colour code U13), dark brown (colour code U14) and zinc grey (colour code U15)											UNI	8123	R	50 Stk./Kart.	0.55	0.55	0.55	0.55	0.55	0.55	0.55	0.55	

Product range for roof ventilation and penetrations													Price in EUR/pc						
			Set with PVC base plate and long outlet vent DN 100, roof pitch 15°–45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	800	3092	R	B	46.95	46.95	46.95	46.95	46.95	46.95	44.20	46.95				
			Set with PVC base plate and flat outlet vent DN 100, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	800	3091	R	B	44.20	44.20	44.20	44.20	44.20	44.20	44.20	44.20				
			Set with PVC base plate and long outlet vent DN 125, roof pitch 15°–45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	800	3093	R	B	52.60	52.60	52.60	52.60	52.60	52.60	52.60	52.60				
			Set with PVC base plate and aerial entry, 22–75 mm dia., roof pitch 20°–50°, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	800	3094	R	B	28.50	28.50	28.50	28.50	28.50	28.50	28.50	28.50				
			VERONA PVC base plate for outlet vent, solar, flew and aerial entry, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	800	3080	R	B	12.55	12.55	12.55	12.55	12.55	12.55	12.55	12.55				
			Outlet vent, long DN 100 in plastic, roof pitch 20°–50°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3081	R	B	22.40	22.40	22.40	22.40	22.40	22.40	22.40	22.40				
			Outlet vent, flat DN 100 in plastic, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3083	R	B	19.65	19.65	19.65	19.65	19.65	19.65	19.65	19.65				
			Outlet vent, long DN 125 in plastic, roof pitch 15°–45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3082	R	B	27.30	27.30	27.30	27.30	27.30	27.30	27.30	27.30				
			Plastic aerial entry, roof pitch 20°–50°, 1-piece, 22–75 mm dia., available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3084	R	B	15.95	15.95	15.95	15.95	15.95	15.95	15.95	15.95				
			Solar penetration in plastic, with EPDM sleeve, suitable for passage of lines and cables between 10–70 mm dia., available in classic red (U16), dark brown (U14) and dark grey (U13)	UNI	3085	R	10 Stk./VE	31.95	31.95	31.95	31.95	31.95	31.95	31.95	31.95				
			Flue pipe adapter system 70/110, roof pitch 20°–50°, max. 60°C long-term temperature exposure, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14) and dark grey (U13)	UNI	3086	R	B	19.60	19.60	19.60	19.60	19.60	19.60	19.60	19.60				
			Flue pipe adapter system 80/125, roof pitch 15°–45°, max. 60° long-term temperature exposure, not suitable for double walled stainless steel pipes in system 80/125. Available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14) and dark grey (U13),	UNI	3087	R	B	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70				
			EPDM connection sleeve DN 100/125, universal colour order code: 900	UNI	3310	R	20 Stk./VE	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75				
			Universal flexible hose DN 100, universal colour order code: 900	UNI	3043	R	1 Stk./VE	7.25	7.25	7.25	7.25	7.25	7.25	7.25	7.25				
			Universal flexible hose DN 125, universal colour order code: 900	UNI	3044	R	1 Stk./VE	8.00	8.00	8.00	8.00	8.00	8.00	8.00	8.00				



VERONA

THE MEDITERRANEAN

Production works Autenried, Lenti, Roggden

Minimum requirement/m² 9.7 pcs/m²

pcs/package 40 Unit








Weight/package 188 kg


Order code

		universal					planar		
Availability		R	R	R	R	R	R	R	R
Availability	Packaging unit								
									
									
									
		830	832	834	837	838	842	844	848

Concrete field tile

Model

Product range for snow protection, roof access and solar installation in metal										Price in EUR/pc									
 4810	 4800	 4021	Base fitting with tread, additional support batten required			800	4810	R	8 Stk./VE	47.40	47.40	47.40	48.50	48.50	47.50	47.50	48.60		
			Base fitting with grid bracket for short and long grid, additional support batten required			800	4800	R	8 Stk./VE	24.80	24.80	24.80	25.90	25.90	24.90	24.90	26.00		
 4022	 4023	 4830	Short grid, galvanized steel 42 x 25 cm, colour coated, including stainless steel fastening screws, available in classic red (colour code U16), brick red (colour code U17), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)			UNI	4021	R	B	24.70	24.70	24.70	24.70	24.70	24.70	24.70			
			Long grid, galvanized steel 88 x 25 cm, colour coated, including stainless steel mounting screws, available in classic red (colour code U16), dark red (colour code U18), brick red (colour code U17), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)			UNI	4022	R	B	35.55	35.55	35.55	35.55	35.55	35.55	35.55	35.55		
 4070	 4820	 4142	Connection set for short and long grid, consisting of 2 straps, 24 cm long, including steel strip spring for secure connection of 2 adjacent walkway gratings, universal colour order code: 900			UNI	4023	R	B	16.25	16.25	16.25	16.25	16.25	16.25	16.25			
			Base fitting with snow guard support for snow guard grid, 20 cm high, additional support batten required			800	4830	R	6 Stk./VE	30.90	30.90	30.90	32.00	32.00	31.00	31.00	32.10		
			Massive snow guard grid 3 m in length with plug-in connection, height 20 cm, available in classic red (colour code U16), brick red (colour code U17), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)			UNI	4070	R	4 Stk./VE	44.80	44.80	44.80	44.80	44.80	44.80	44.80	44.80		
			Base fitting with snow guard support for log, 140 mm dia., additional support batten required			800	4820	R	6 Stk./VE	30.90	30.90	30.90	32.00	32.00	31.00	31.00	32.10		
			Snow clip, available in classic red (colour code U16), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)			UNI	4142	R	100 Stk./VE	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		

Product range for roof details and uplift protection							Price in EUR/pc									
 3606  3604	Hip and valley clip stainless steel 10–13 mm			UNI	3771	R	50 Stk./Kart.	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
	Hook storm clip in stainless steel for 40/60 mm battens, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900			UNI	3604	R	250 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	
	Hook storm clip in stainless steel for 30/50 mm battens, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900			UNI	3605	R	250 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	
	Drive-in storm clip in zinc-aluminium, all batten sizes, for VERONA, HEIDELBERG, GÖTEBORG, only supplied in complete packaging units, universal colour order code: 900			UNI	3606	R	100 Stk./VE	0.40	0.40	0.40	0.40	0.40	0.40	0.40	0.40	



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.

B As required

R Standard delivery time

A Delivery date by arrangement



KAPSTADT

THE LINEAR ONE

Production works Neuburg

Minimum requirement/m² 9.8 pcs/m²

pcs/package 35 Unit

Weight/package 164.5 kg

Order code

duratop pro

Concrete field tile	Model		Availability				R	R	R	R
	803	1001	R	35 Stk./Riegel	1080.00	1080.00	1080.00	1120.00		
					10.48	10.48	10.48	10.86		

Accessory range										Price in EUR/pc	
	Half-width tile	803	1211	R	35 Stk./Pal.	2.30	2.30	2.40	2.40		
	Verge tile (1.5 pcs/m with bonded cover), notch 90 mm	803	right 1821, left 1831	R	20 Stk./VE	9.50	9.50	9.50	9.90		
	Verge tile (1.5 pcs/m with bonded cover), notch 120 mm	803	right 1822, left 1832	R	20 Stk./VE	9.50	9.50	9.50	9.90		
	Verge tile, half width (1.5 pcs/m with bonded cover), notch 90 mm	803	right 1221, left 1231	R	20 Stk./VE	9.50	9.50	9.50	9.90		
	Verge tile, half width (1.5 pcs/m with bonded cover), notch 120 mm	803	right 1222, left 1232	R	20 Stk./VE	9.50	9.50	9.50	9.90		
	Ventilating tile, vent area 30 cm²	803	1401	R	12 Stk./VE	13.10	13.10	13.10	13.60		
	Shed ridge tile	803	2701	R	12 Stk./VE	15.85	15.85	15.85	16.50		
	Shed half width tile	803	2711	R	12 Stk./VE	15.85	15.85	15.85	16.50		
	Shed verge tile	803	right 2721, left 2731	R	6 Stk./VE	24.00	24.00	24.00	25.10		

Concrete ridge and hip tile range	Price in EUR/pc									
	Ridge tile (2.3 pcs/m), matches KAPSTADT model	UNI	8200	R	25 Stk./Pal.	7.00	7.00	7.00	7.40	
	Ridge end tile, angular, fits KAPSTADT model	UNI	8219	R	B	26.00	26.00	26.00	26.50	
	Ridge clip for KAPSTADT, aluminium, consisting of clip, sealing strips and screw, only supplied in complete packaging units, universal colour order code: 900	UNI	8223	R	25 Stk./Kart.	2.35	2.35	2.35	2.35	

Product range for roof ventilation and penetrations	Price in EUR/pc									
	Set with PVC base plate and long outlet vent DN 100, roof pitch 20°--50°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	803	3092	R	B	50.80	50.80	50.80	50.80	
	Set with PVC base plate and flat outlet vent DN 100, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	803	3091	R	B	48.05	48.05	48.05	48.05	
	Set with PVC base plate and long outlet vent DN 125, roof pitch 15°--45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	803	3093	R	B	56.45	56.45	56.45	56.45	
	Set with PVC base plate and aerial entry, 22-75 mm dia., roof pitch 20°--50°, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	803	3094	R	B	32.35	32.35	32.35	32.35	
	KAPSTADT PVC base plate for outlet vent, solar, flew and aerial entry, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13) and zinc grey (U15)	803	3080	R	B	16.40	16.40	16.40	16.40	
	Outlet vent, long DN 100 in plastic, roof pitch 20°-50°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3081	R	B	22.40	22.40	22.40	22.40	
	Outlet vent, flat DN 100 in plastic, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3083	R	B	19.65	19.65	19.65	19.65	
	Outlet vent, long DN 125 in plastic, roof pitch 15°-45°, including rain cap, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3082	R	B	27.30	27.30	27.30	27.30	
	Plastic aerial entry, roof pitch 20°--50°, 1-piece, 22-75 mm dia., available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14), dark grey (U13), zinc grey (U15) and black (U06)	UNI	3084	R	B	15.95	15.95	15.95	15.95	
	Solar penetration in plastic, with EPDM sleeve, suitable for passage of lines and cables between 10-70 mm dia., available in classic red (U16), dark brown (U14) and dark grey (U13)	UNI	3085	R	10 Stk./VE	31.95	31.95	31.95	31.95	
	Flue pipe adapter system 70/110, roof pitch 20°-50°, max. 60°C long-term temperature exposure, available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14) and dark grey (U13)	UNI	3086	R	B	19.60	19.60	19.60	19.60	
	Flue pipe adapter system 80/125, roof pitch 15°-45°, max. 60° long-term temperature exposure, not suitable for double walled stainless steel pipes in system 80/125. Available in classic red (U16), dark red (U18), brick red (U17), dark brown (U14) and dark grey (U13),	UNI	3087	R	B	19.70	19.70	19.70	19.70	
	EPDM connection sleeve DN 100/125, universal colour order code: 900	UNI	3310	R	20 Stk./VE	4.75	4.75	4.75	4.75	
	Universal flexible hose DN 100, universal colour order code: 900	UNI	3043	R	1 Stk./VE	7.25	7.25	7.25	7.25	
	Universal flexible hose DN 125, universal colour order code: 900	UNI	3044	R	1 Stk./VE	8.00	8.00	8.00	8.00	

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.

B

As required

R

Standard delivery time

A

Delivery date by arrangement



KAPSTADT

THE LINEAR ONE

Production works Neuburg

Minimum requirement/m² 9.8 pcs/m²

pcs/package 35 Unit

Weight/package 164.5 kg

Order code

duratop pro









Availability	Availability	duratop pro			
		R	R	R	R
Availability	Packaging unit	classic red	dark grey	pale grey	black perl
		850	854	855	859

Concrete field tile

Model

Product range for snow protection, roof access and solar installation in metal

Price in EUR/pc

 4810	 4800	 4021	Base fitting with tread, additional support batten required	803	4810	R	8 Stk./VE	54.60	54.60	54.60	55.65
			Base fitting with grid bracket for short and long grid, additional support batten required	803	4800	R	8 Stk./VE	32.00	32.00	32.00	33.05
 4022	 4023	 4830	Short grid, galvanized steel 42 x 25 cm, colour coated, including stainless steel fastening screws, available in classic red (colour code U16), brick red (colour code U17), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4021	R	B	24.70	24.70	24.70	24.70
			Long grid, galvanized steel 88 x 25 cm, colour coated, including stainless steel mounting screws, available in classic red (colour code U16), dark red (colour code U18), brick red (colour code U17), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4022	R	B	35.55	35.55	35.55	35.55
 4070	 4840	 4070	Connection set for short and long grid, consisting of 2 straps, 24 cm long, including steel strip spring for secure connection of 2 adjacent walkway gratings, universal colour order code: 900	UNI	4023	R	B	16.25	16.25	16.25	16.25
			Base fitting with snow guard support for snow guard grid, 20 cm high, additional support batten required	803	4830	R	6 Stk./VE	32.00	32.00	32.00	33.05
 4070	 4840	 4070	Massive snow guard grid 3 m in length with plug-in connection, height 20 cm, available in classic red (colour code U16), brick red (colour code U17), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4070	R	4 Stk./VE	44.80	44.80	44.80	44.80
			Base fitting with mountain snow guard support for 2 metal pipes, 32 mm dia., additional support batten required	803	4840	R	6 Stk./VE	32.00	32.00	32.00	33.05
 4070	 4840	 4070	Round pipe, 32 mm dia., length 3 m, available in classic red (colour code U16), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4091	R	B	52.00	52.00	52.00	52.00
			Connection sleeve for 32 mm dia pipe, available in grey, universal colour order code: 900	UNI	4093	R	1 Stk./VE	2.25	2.25	2.25	2.25
 4070	 4840	 4070	End cap for pipe, available in dark grey, universal colour order code: 900	UNI	4092	R	1 Stk./VE	3.70	3.70	3.70	3.70
			Base fitting with solar bracket for photovoltaic and thermal energy systems, additional support batten required	803	4850	R	6 Stk./VE	35.30	35.30	35.30	36.65
 4070	 4840	 4070	Snow clip, available in classic red (colour code U16), dark red (colour code U18), dark brown (colour code U14), dark grey (colour code U13) and zinc grey (colour code U15)	UNI	4142	R	100 Stk./VE	1.00	1.00	1.00	1.00

Product range for roof details and uplift protection

Price in EUR/pc

 3607	Drive-in storm clip in zinc-aluminium, all batten sizes, suitable for KAPSTADT, only supplied in complete packaging units, universal colour order code: 900	UNI	3607	R	250 Stk./VE	0.40	0.40	0.40	0.40
---	---	-----	------	---	-------------	------	------	------	------



✓ OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.

B As required

R Standard delivery time

A Delivery date by arrangement

ROOF AND FACADE SLATES DACORA




PRODUCT OVERVIEW



- 1 LINUM PATTERN 40×20 cm
- 2 HORIZONTAL PATTERN 60×30 cm
- 3 DOUBLE PATTERN 32×60 cm
- 4 POINTED PATTERN 40×40 cm
- 5 RHOMBUS PATTERN 40×44 cm

VERSATILE DESIGN POSSIBILITIES FOR ROOFS AND FACADE




ROOF PLANNER

Request the current roof planner from us.
It is also ready for you to download. www.creton.de/service




GERMAN PATTERN








GERMAN PATTERN																																																							
GERMAN PATTERN SMOOTH	Field slate 30x40, 5-12, curved cut at left, pierced	Roof and wall	12	11	10	10	9	9	9	5	9	9	9	9	9	9	9	17.1	16.5	15.9	15.9	15.4	15.4	15.4	13.7	34.2	33	31.8	31.8	30.8	30.8	27.4	—	—	—	—	—	—	—	—	13.7	18.3	17.7	17.1	17.1	16.5	16.5	16.5	14.7						
GERMAN PATTERN SMOOTH	Field slate 30x40, 5-12, curved cut at right, pierced	Roof and wall	12	11	10	10	9	9	9	5	9	9	9	9	9	9	9	17.1	16.5	15.9	15.9	15.4	15.4	15.4	13.7	34.2	33	31.8	31.8	30.8	30.8	27.4	—	—	—	—	—	—	—	—	—	13.7	18.3	17.7	17.1	17.1	16.5	16.5	16.5	14.7					
GERMAN PATTERN SMOOTH	Field slate 30x30, 5-11, curved cut at left, pierced	Roof and wall	11	10	9	9	8	8	7	5	9	9	9	9	9	9	9	25.1	23.9	22.7	22.7	21.7	21.7	20.8	19.1	50.2	47.8	45.4	45.4	43.4	43.4	41.6	38.2	—	—	—	—	—	—	—	—	19.1	—	—	—	19.4	18.5	17.5	17.5	16.8	16.8	16.1	14.8		
GERMAN PATTERN SMOOTH	Field slate 30x30, 5-11, curved cut at right, pierced	Roof and wall	11	10	9	9	8	8	7	5	9	9	9	9	9	9	9	25.1	23.9	22.7	22.7	21.7	21.7	20.8	19.1	50.2	47.8	45.4	45.4	43.4	43.4	41.6	38.2	—	—	—	—	—	—	—	—	19.1	—	—	—	19.4	18.5	17.5	17.5	16.8	16.8	16.1	14.8		
GERMAN PATTERN SMOOTH	Field slate 25x25, 5-10, curved cut at left, pierced	Roof and wall	10	10	9	9	8	8	7	4	9	9	9	9	9	9	9	41.7	41.7	39.1	39.1	36.8	36.8	34.8	29.8	83.4	83.4	78.2	78.2	73.6	73.6	69.9	59.6	—	—	—	—	—	—	—	—	29.8	—	—	—	23.4	23.4	21.9	21.9	20.7	20.7	19.5	16.7		
GERMAN PATTERN SMOOTH	Field slate 25x25, 5-10, curved cut at right, pierced	Roof and wall	10	10	9	9	8	8	7	4	9	9	9	9	9	9	9	41.7	41.7	39.1	39.1	36.8	36.8	34.8	29.8	83.4	83.4	78.2	78.2	73.6	73.6	69.9	59.6	—	—	—	—	—	—	—	—	29.8	—	—	—	23.4	23.4	21.9	21.9	20.7	20.7	19.5	16.7		
GERMAN PATTERN SMOOTH	Field slate 20x20, 4, curved cut at left, pierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	39.1	—	—	—	—	—	—	—	78.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13.7							
GERMAN PATTERN SMOOTH	Field slate 20x20, 4, curved cut at right, pierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	39.1	—	—	—	—	—	—	—	78.2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13.7							
GERMAN PATTERN STRUCTUR	Field slate 30x40, 5-12, curved cut at left, pierced	Roof and wall	12	11	10	10	9	9	9	5	9	9	9	9	9	9	9	17.1	16.5	15.9	15.9	15.4	15.4	15.4	13.7	34.2	33	31.8	31.8	30.8	30.8	27.4	—	—	—	—	—	—	—	—	—	—	—	—	—	13.7	18.3	17.7	17.1	17.1	16.5	16.5	16.5	14.7	
GERMAN PATTERN STRUCTUR	Field slate 30x40, 5-12, curved cut at right, pierced	Roof and wall	12	11	10	10	9	9	9	5	9	9	9	9	9	9	9	17.1	16.5	15.9	15.9	15.4	15.4	15.4	13.7	34.2	33	31.8	31.8	30.8	30.8	27.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13.7	18.3	17.7	17.1	17.1	16.5	16.5	16.5	

HORIZONTAL PATTERN (single coverage)																																																					
HORIZONTAL PATTERN SMOOTH	Field slate 60x30, 4–12, full edge, pierced	Roof and wall	10	10	10	9	9	8	8	4	12	12	12	11	11	9	9	5	10.5	10.5	10.5	9.8	9.8	9	9	7	21	21	21	19.6	19.6	18	18	14	—	10.5	10.5	10.5	9.8	9.8	9	7	—	—	—	17.1	17.1	17.1	15.9	15.9	14.6	14.6	11.4
HORIZONTAL PATTERN SMOOTH	Field slate 40x20, 4/4, full edge, pierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	17.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12.6	
HORIZONTAL PATTERN SMOOTH	Field slate 30x20, 4/5, full edge, pierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13.5	
HORIZONTAL PATTERN STRUCTUR	Field slate 60x30, 4–12, full edge, pierced	Roof and wall	10	10	10	9	9	8	8	4	12	12	12	11	11	9	9	5	10.5	10.5	10.5	9.8	9.8	9	9	7	21	21	21	19.6	19.6	18	18	14	—	10.5	10.5	10.5	9.8	9.8	9	7	—	—	—	—	—	—	—	—	—	11.4	
HORIZONTAL PATTERN STRUCTUR	Field slate 40x20, 4/4, full edge, pierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	17.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12.6	
HORIZONTAL PATTERN STRUCTUR	Field slate 30x20, 4/5, full edge, pierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13.5		
HORIZONTAL PATTERN NATURA	Field slate 40x20, 4/4, full edge, unpierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	17.4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12.6	
LINUM PATTERN (DOUBLE COVERAGE)																																																					
HORIZONTAL PATTERN SMOOTH	Field slate 40x20, 4/4, full edge, pierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	30.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22.3	
HORIZONTAL PATTERN STRUCTUR	Field slate 40x20, 4/4, full edge, pierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	30.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22.3	
HORIZONTAL PATTERN NATURA	Field slate 40x20, 4/4, full edge, unpierced	Wall	—	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	30.9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22.3
MOSAIC PATTERN (single coverage) roof appearance																																																					
HORIZONTAL PATTERN SMOOTH	Field slate 40x20, 4/4, full edge, pierced	Wall	—	—	—	—	—	—	5 + 10	—	—	—	—	—	—	—	—	10 + 5	—	—	—	—	—	—	—	22.3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16.1
HORIZONTAL PATTERN STRUCTUR	Field slate 40x20, 4/4, full edge, pierced	Wall	—	—</																																																	




- 1) Without fasteners and without substructure
- 2) Slate 60x30 wall: up to 20 m building height slate hooks, over 20 m building height pointed nails required (piercing required on site)
- 3) Slate 30x20 wall: only required with building heights over 20 m
- 4) Slate 25x25 wall: on-site piercing required for installation on battens
- 5) Slate 30x40 and 25x30 wall: only required with building heights over 20 m
- 6) Slate 40x40 wall: slate hooks up to 20 m building height, pointed nails required with building height over 20 m (piercing required on site)
- 7) Slate 30x40, 30x30 and 25x25 wall: only required with building heights over 20 m

	GERMAN PATTERN ROOF & FACADE										154	
											155	

Smooth field slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros									
			Field slate 30x40, 5-12, with curved cut at left	pierced	960 Stk./Pal.	15	979	1	R	811	9112	139.00	159.85	—	—	—	—	—	—
			Field slate 30x40, 5-12, with curved cut at right	pierced	960 Stk./Pal.	15	979	1	R	811	9117	139.00	159.85	—	—	—	—	—	—
			Field slate 30x30, 5-11, with curved cut at left**	pierced	1920 Stk./Pal.	20/10	1440	0.8	R	811	9111	129.00	148.35	166.00	190.90	166.00	190.90	166.00	190.90
			Field slate 30x30, 5-11, with curved cut at right**	pierced	1920 Stk./Pal.	20/10	1440	0.8	R	811	9116	129.00	148.35	166.00	190.90	166.00	190.90	166.00	190.90
			Field slate 25x25, 5-10, with curved cut at left	pierced	1200 Stk./Pal.	20	612	0.5	R	811	9110	116.00	133.40	152.00	174.80	152.00	174.80	152.00	174.80
			Field slate 25x25, 5-10, with curved cut at right	pierced	1200 Stk./Pal.	20	612	0.5	R	811	9115	116.00	133.40	152.00	174.80	152.00	174.80	152.00	174.80
			Field slate 20x20, 4, with curved cut at left*	pierced	1440 Stk./Pal.	20	475	0.3	R	811	9109	67.00	77.05	97.00	111.55	97.00	111.55	—	—
			Field slate 20x20, 4, with curved cut at right*	pierced	1440 Stk./Pal.	20	475	0.3	R	811	9114	67.00	77.05	97.00	111.55	97.00	111.55	—	—

Smooth accessory slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros									
			Verge, starter and valley slate 60x40, full edge	unpierced	400 Stk./Pal.	10	820	—	R	822	9157	440.00	506.00	—	—	—	—	—	—
			Verge, starter and valley slate 60x30, full edge	unpierced	960 Stk./Pal.	10	1478	—	R	822	9156	359.00	412.85	377.00	433.55	377.00	433.55	377.00	433.55
			Verge, starter and valley slate 50x25, full edge	unpierced	540 Stk./Pal.	10	578	—	R	822	9155	259.00	297.85	—	—	—	—	—	—
			Verge, starter and valley slate 40x20, full edge	unpierced	1920 Stk./Pal.	20	1306	—	R	822	9152	144.00	165.60	—	—	—	—	—	—
			Verge, starter and valley slate 40x40, full edge	unpierced	960 Stk./Pal.	10	1315	—	R	822	9154	308.00	354.20	348.00	400.20	348.00	400.20	348.00	400.20
			Verge, starter and valley slate 40x13, full edge	unpierced	1800 Stk./Pal.	20	810	—	R	822	9153	113.00	129.95	—	—	—	—	—	—

structur field slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros									
			Field slate 30x40, 5-12, with curved cut at left	pierced	960 Stk./Pal.	15	1028	1.1	R	818	9112	142.00	163.30	—	—	—	—	—	—
			Field slate 30x40, 5-12, with curved cut at right	pierced	960 Stk./Pal.	15	1028	1.1	R	818	9117	142.00	163.30	—	—	—	—	—	—
			Field slate 30x30, 5-11, with curved cut at left**	pierced	960 Stk./Pal.	20/10	739	0.8	R	818	9111	132.00	151.80	169.00	194.35	169.00	194.35	—	—
			Field slate 30x30, 5-11, with curved cut at right**	pierced	960 Stk./Pal.	20/10	739	0.8	R	818	9116	132.00	151.80	169.00	194.35	169.00	194.35	—	—
			Field slate 25x25, 5-10, with curved cut at left	pierced	1200 Stk./Pal.	20	672	0.6	R	818	9110	118.00	135.70	—	—	—	—	—	—
			Field slate 25x25, 5-10, with curved cut at right	pierced	1200 Stk./Pal.	20	672	0.6	R	818	9115	118.00	135.70	—	—	—	—	—	—
			Field slate 20x20, 4, with curved cut at left*	pierced	1440 Stk./Pal.	20	504	0.4	R	818	9109	68.00	78.20	98.00	112.70	98.00	112.70	—	—
			Field slate 20x20, 4, with curved cut at right*	pierced	1440 Stk./Pal.	20	504	0.4	R	818	9114	68.00	78.20	98.00	112.70	98.00	112.70	—	—

structur accessory slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros									
			Verge, starter and valley slate 60x40, full edge	unpierced	400 Stk./Pal.	10	820	—	R	823	9157	449.00	516.35	—	—	—	—	—	—
			Verge, starter and valley slate 60x30, full edge	unpierced	960 Stk./Pal.	10	1478	—	R	823	9156	366.00	420.90	385.00	442.75	385.00	442.75	—	—
			Verge, starter and valley slate 50x25, full edge	unpierced	540 Stk./Pal.	10	578	—	R	823	9155	263.00	302.45	—	—	—	—	—	—
			Verge, starter and valley slate 40x40, full edge	unpierced	960 Stk./Pal.	10	1315	—	R	823	9154	313.00	359.95	—	—	—	—	—	—
			Verge, starter and valley slate 40x13, full edge	unpierced	1800 Stk./Pal.	20	810	—	R	823	9153	115.00	132.25	—	—	—	—	—	—

Fasteners										Price in euros/pc/partial pallet price in euros									
		Slate nails 2.8/35 mm – Bright stainless steel for visible and concealed fastening, only supplied in complete packaging units, available in bright stainless steel colour (colour code U32)		—	1000 Stk./VE	—	—	2.5	R	UNI	9189	61.00	—	61.00	—	61.00	—	61.00	—
		Slate nails 2.8/35 mm – Galvanised for concealed fastening, only supplied in complete packaging units, available in galvanised colour (colour code U30)		—	1000 Stk./VE	—	—	2.5	R	UNI	9190	17.88	—	17.88	—	17.88	—	17.88	—

Universal accessories										Price in euros/pc/partial pallet price in euros									
			Field ventilator 40x40, vent area 40 cm2, available in blue-black (colour code U34)	—	B	—	—	0.7	R	UNI	9194	33.30	—	33.30	—	33.30	—	33.30	—
			Ridge/hip/linear ventilator, 2 m element, available in blue-black (colour code U34)	—	B	—	—	3	R	UNI	9161	135.80	—	135.80	—	135.80	—	135.80	—
			Ridge/hip/linear ventilator, upper connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9159	6.30	—	6.30	—	6.30	—	6.30	—
			Ridge/hip/linear ventilator, lower connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9160	6.30	—	6.30	—	6.30	—	6.30	—
			Ridge/hip/linear ventilator, ridge closure, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9158	10.70	—	10.70	—	10.70	—	10.70	—
			Solar flashing, 240 x 580 mm, available in blue-black (colour code U34)	—	B	—	—	0.4	R	UNI	9169	25.45	—	25.45	—	25.45	—	25.45	—
			Solar flashing, 280 x 380 mm, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9170	25.45	—	25.45	—	25.45	—	25.45	—
			Roof repair paint 1.0 l	—	—	—	—	—	R	UNI	9168	—	—	26.45	—	26.45	—	26.45	—

OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
The colours shown may differ from the original colours. Original samples can be requested for all colours.
* Only suitable for use on walls
** Crystal white = 10 pcs/bundle; other colours = 20 pcs/bundle

B

As required

R

Standard delivery time

A

Delivery date by arrangement



HORIZONTAL PATTERN ROOF & FACADE

Format in cm	Feature	Packaging unit	Pcs per bundle	Weight per pallet (approx.)	Unit weight (approx.)	Availability		R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R
						Availability	Order code model	Order code function																	
									914	915	916	918	917	920	923	925	924								

Smooth field slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros																			
 9130	 9129	 9128	Field slate, 60x30, 4–12	pierced	960 Stk./Pal.	10	1478	1.5	R	816	9130	359.00	412.85	377.00	433.55	377.00	433.55	377.00	433.55	377.00	433.55	377.00	433.55	—	—	—	—	—	—
			Field slate, 40x20, 4/4*	pierced	1920 Stk./Pal.	20	1306	0.7	R	816	9129	144.00	165.60	162.00	186.30	162.00	186.30	162.00	186.30	—	—	—	—	—	—	—	—	—	—
			Field slate, 30x20, 4/5*	pierced	1800 Stk./Pal.	20	918	0.5	R	816	9128	116.00	133.40	133.00	152.95	133.00	152.95	133.00	152.95	133.00	152.95	133.00	152.95	133.00	152.95	—	—	—	—

Smooth accessory slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros															
 9151	 9150	Ridge and hip slate 40x20, clipped	pierced	1920 Stk./Pal.	20	1306	—	R	822	9151	144.00	165.60	162.00	186.30	—	—	—	—	—	—	—	—	—	—	—
		Ridge and hip slate 30x15, clipped	pierced	1920 Stk./Pal.	20	749	—	R	822	9150	93.00	106.95	109.00	125.35	—	—	—	—	—	—	—	—	—	—	—

structur field slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros															
 9130	 9129	 9128	Field slate, 60x30, 4-12	pierced	480 Stk./Pal.	10	778	1.6	R	821	9130	366.00	420.90	—	—	—	—	—	—	—	—	—	—	—	—
			Field slate, 40x20, 4/4*	pierced	960 Stk./Pal.	20	691	0.7	R	821	9129	147.00	169.05	—	—	—	—	—	—	—	—	—	—	—	—
			Field slate, 30x20, 4/5*	pierced	1800 Stk./Pal.	20	972	0.5	R	821	9128	118.00	135.70	—	—	—	—	—	—	—	—	—	—	—	—

structur accessory slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros															
 9151	 9150	Ridge and hip slate 40x20, clipped	pierced	960 Stk./Pal.	20	691	—	R	823	9151	147.00	169.05	—	—	—	—	—	—	—	—	—	—	—	—	—
		Ridge and hip slate 30x15, clipped	pierced	1920 Stk./Pal.	20	787	—	R	823	9150	97.00	111.55	109.00	125.35	—	—	—	—	—	—	—	—	—	—	—

natura field tiles										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros																		
9133		Field slate, 40x20, 4/4, full edge	unpierced	—	—	—	—	R	824	9133	—	—	—	—	—	—	—	—	—	—	—	—	407.00	468.05	314.00	361.10	314.00	361.10

Universal accessories										Price in euros/pc/partial pallet price in euros																									
 9194	 9161	 9169	Field ventilator 40x40, vent area 40 cm2, available in blue-black (colour code U34)	—	B	—	—	0.7	R	UNI	9194	33.30	—	33.30	—	33.30	—	33.30	—	33.30	—	33.30	—	33.30	—	33.30	—	33.30	—						
			Ridge/hip/linear ventilator, 2 m element, available in blue-black (colour code U34)	—	B	—	—	3	R	UNI	9161	135.80	—	135.80	—	135.80	—	135.80	—	135.80	—	135.80	—	135.80	—	135.80	—	135.80	—	135.80	—				
			Ridge/hip/linear ventilator, upper connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9159	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—				
 9170	 9168		Ridge/hip/linear ventilator, lower connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9160	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—						
			Ridge/hip/linear ventilator, ridge closure, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9158	10.70	—	10.70	—	10.70	—	10.70	—	10.70	—	10.70	—	10.70	—	10.70	—	10.70	—						
			Solar flashing, 240 x 580 mm, available in blue-black (colour code U34)	—	B	—	—	0.4	R	UNI	9169	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—						
			Solar flashing, 280 x 380 mm, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9170	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—						
			Roof repair paint 1.0 l	—	—	—	—	—	R	UNI	9168	—	—	26.45	—	26.45	—	26.45	—	26.45	—	26.45	—	—	—	—	—	—	—	—					

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
The colours shown may differ from the original colours. Original samples can be requested for all colours.
* Only suitable for use on walls
** Crystal white = 10 pcs/bundle; other colours = 20 pcs/bundle

B

As required

R

Standard delivery time

A

Delivery date by arrangement



158
159


WAD

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
The colours shown may differ from the original colours. Original samples can be requested for all colours.
* Only suitable for use on walls
** Crystal white = 10 pcs/bundle; other colours = 20 pcs/bundle


B	As required	R	Standard delivery time	A	Delivery date by arrangement
----------	-------------	----------	------------------------	----------	------------------------------

	DOUBLE PATTERN ROOF & FACADE																			
	Format in cm	Feature	Packaging unit	Pcs per bundle	Weight per pallet (approx.)	Unit weight (approx.)	Availability		R	R	R	R	R	R						
							Order code model	Order code function												
									blue-black	dark brown	zinc grey	natura anthracite	natura natural grey	natura beige						
									914	915	913	923	925	924						

Smooth field slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros											
	Field slate, 40 x 40, 5–12, full edge	pierced	960 Stk./Pal.	10	1306	1.4	R	810	9107	308.00	354.20	362.00	416.30	—	—	—	—	—	—	—	—
	Field slate, 30 x 30, 5+8, full edge	pierced	1920 Stk./Pal.	20	1478	0.8	R	810	9105	129.00	148.35	166.00	190.90	—	—	—	—	—	—	—	—
	Field slate 30 x 60, 5–12, with clipped corners	pierced	960 Stk./Pal.	10	1478	1.5	R	810	9103	359.00	412.85	—	—	—	—	—	—	—	—	—	—
	Field slate 20 x 40, 5+10, with clipped corners	pierced	1920 Stk./Pal.	20	1306	0.7	R	810	9102	144.00	165.60	162.00	186.30	—	—	—	—	—	—	—	—
	Field slate, 32 x 60, 6–12, full edge	unpierced	480 Stk./Pal.	10	778	1.6	R	810	9108	222.00	255.30	—	—	222.00	255.30	—	—	—	—	—	—
	Field slate, 30 x 60, 5+12, full edge	pierced	960 Stk./Pal.	10	1478	1.5	R	810	9106	359.00	412.85	377.00	433.55	—	—	—	—	—	—	—	—
	Field slate, 20 x 40, 5+10, full edge	pierced	1920 Stk./Pal.	20	1306	0.7	R	810	9104	144.00	165.60	162.00	186.30	—	—	—	—	—	—	—	—

Smooth accessory slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros											
	Verge, starter and valley slate 60 x 40, full edge	unpierced	400 Stk./Pal.	10	820	—	R	822	9157	440.00	506.00	—	—	—	—	—	—	—	—	—	—
	Verge, starter and valley slate 60 x 30, full edge	unpierced	960 Stk./Pal.	10	1478	—	R	822	9156	359.00	412.85	377.00	433.55	—	—	—	—	—	—	—	—
	Verge, starter and valley slate 40 x 40, full edge	unpierced	960 Stk./Pal.	10	1315	—	R	822	9154	308.00	354.20	348.00	400.20	—	—	—	—	—	—	—	—
	Verge, starter and valley slate 40 x 13, full edge	unpierced	1800 Stk./Pal.	20	810	—	R	822	9153	113.00	129.95	—	—	—	—	—	—	—	—	—	—
	Ridge and hip slate 40 x 20, clipped	pierced	1920 Stk./Pal.	20	1306	—	R	822	9151	144.00	165.60	162.00	186.30	—	—	—	—	—	—	—	—
	Ridge and hip slate 30 x 15, clipped	pierced	1920 Stk./Pal.	20	749	—	R	822	9150	93.00	106.95	109.00	125.35	—	—	—	—	—	—	—	—

natura field tiles										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros												
9108		Field slate, 32x60, 6–12, full edge*	unpierced	—	—	—	—	R	829	9108	—	—	—	—	—	—	968.00	1113.20	716.00	823.40	716.00	823.40

Universal accessories										Price in euros/pc/partial pallet price in euros											
	Field ventilator 40 x 40, vent area 40 cm2, available in blue-black (colour code U34)	—	B	—	—	0.7	R	UNI	9194	33.30	—	33.30	—	33.30	—	33.30	—	33.30	—	33.30	—
	Ridge/hip/linear ventilator, 2 m element, available in blue-black (colour code U34)	—	B	—	—	3	R	UNI	9161	135.80	—	135.80	—	135.80	—	135.80	—	135.80	—	135.80	—
	Ridge/hip/linear ventilator, upper connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9159	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—
	Ridge/hip/linear ventilator, lower connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9160	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—	6.30	—
	Ridge/hip/linear ventilator, ridge closure, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9158	10.70	—	10.70	—	10.70	—	10.70	—	10.70	—	10.70	—
	Joint tape EPDM, 50 m/90 mm, available in black (colour code U06)	—	B	—	—	8.5	R	UNI	9164	99.70	—	99.70	—	99.70	—	99.70	—	99.70	—	99.70	—
	Joint tape EPDM, 100 m/45 mm, available in black (colour code U06)	—	B	—	—	8.5	R	UNI	9163	99.70	—	99.70	—	99.70	—	99.70	—	99.70	—	99.70	—
	Solar flashing, 240 x 580 mm, available in blue-black (colour code U34)	—	B	—	—	0.4	R	UNI	9169	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—
	Solar flashing, 280 x 380 mm, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9170	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—	25.45	—
	Verge angle 40 cm, 11 x 19, available in dark brown (colour code U14), classic red (colour code U16), brick red (colour code U17) and dark grey (colour code U13)	—	350 Stk./Pal.	—	1.1	—	R	UNI	9195	6.05	—	6.05	—	—	—	—	—	—	—	—	—
	Verge angle 40 cm, 17 x 22, available in dark brown (colour code U14), classic red (colour code U16), brick red (colour code U17) and dark grey (colour code U13)	—	280 Stk./Pal.	—	1.44	—	R	UNI	9196	6.05	—	6.80	—	—	—	—	—	—	—	—	—
	Roof repair paint 1.0 l	—	—	—	—	—	R	UNI	9168	—	—	26.45	—	26.45		—	—	—	—	—	—



DOUBLE PATTERN
ROOF & FACADE

Format in cm

	Feature	Packaging unit	Pcs per bundle	Weight per pallet (approx.)	Unit weight (approx.)	Availability			R	R	R	R	R	R
						Availability	Order code model	Order code function						
									blue-black	dark brown	zinc grey	natura anthracite	natura natural grey	natura beige
									914	915	913	923	925	924

Fasteners			Price in euros/pc/partial pallet price in euros																		
9181 9180 9189	Slate hooks type K drive-in hooks, top overlap 40 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stain-less steel (colour code U33)	—	500 Stk./VE	—	—	2	R	UNI	9181	115.00	—	115.00	—	115.00	—	115.00	—	115.00	—	115.00	—
	Slate hooks type K drive-in hooks, top overlap 50 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stain-less steel (colour code U33)	—	500 Stk./VE	—	—	2.3	R	UNI	9182	122.70	—	122.70	—	122.70	—	122.70	—	122.70	—	122.70	—
	Slate hooks type K drive-in hooks, top overlap 60 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stain-less steel (colour code U33)	—	500 Stk./VE	—	—	2.5	R	UNI	9183	130.60	—	130.60	—	130.60	—	130.60	—	130.60	—	130.60	—
	Slate hooks type K drive-in hooks, top overlap 80 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stain-less steel (colour code U33)	—	500 Stk./VE	—	—	3	R	UNI	9184	140.70	—	140.70	—	140.70	—	140.70	—	140.70	—	140.70	—
	Slate hooks type K drive-in hooks, top overlap 100 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stain-less steel (colour code U33)	—	500 Stk./VE	—	—	3.5	R	UNI	9185	150.90	—	150.90	—	150.90	—	150.90	—	150.90	—	150.90	—
	Slate hooks type K drive-in hooks, top overlap 120 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stain-less steel (colour code U33)	—	500 Stk./VE	—	—	4	R	UNI	9186	161.20	—	161.20	—	161.20	—	161.20	—	161.20	—	161.20	—
	Slate hooks type H hanger hooks, batten thickness 30 mm, top overlap 40 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	2	R	UNI	9171	138.80	—	138.80	—	138.80	—	138.80	—	138.80	—	138.80	—
	Slate hooks type H hanger hooks, batten thickness 30 mm, top overlap 50 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	2.3	R	UNI	9172	143.20	—	143.20	—	143.20	—	143.20	—	143.20	—	143.20	—
	Slate hooks type H hanger hooks, batten thickness 30 mm, top overlap 60 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	2.5	R	UNI	9173	147.60	—	147.60	—	147.60	—	147.60	—	147.60	—	147.60	—
	Slate hooks type H hanger hooks, batten thickness 30 mm, top overlap 80 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	3	R	UNI	9174	157.70	—	157.70	—	157.70	—	157.70	—	157.70	—	157.70	—
	Slate hooks type H hanger hooks, batten thickness 30 mm, top overlap 100 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	3.5	R	UNI	9175	168.10	—	168.10	—	168.10	—	168.10	—	168.10	—	168.10	—
	Slate hooks type H hanger hooks, batten thickness 30 mm, top overlap 120 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	4	R	UNI	9176	178.20	—	178.20	—	178.20	—	178.20	—	178.20	—	178.20	—
	Slate hooks type H hanger hooks, batten thickness 40 mm, top overlap 60 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	2.3	R	UNI	9177	152.50	—	152.50	—	152.50	—	152.50	—	152.50	—	152.50	—
	Slate hooks type H hanger hooks, batten thickness 40 mm, top overlap 80 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	2.8	R	UNI	9178	162.90	—	162.90	—	162.90	—	162.90	—	162.90	—	162.90	—
	Slate hooks type H hanger hooks, batten thickness 40 mm, top overlap 100 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	3.3	R	UNI	9179	173.20	—	173.20	—	173.20	—	173.20	—	173.20	—	173.20	—
Slate hooks type H hanger hooks, batten thickness 40 mm, top overlap 120 mm, only supplied in complete packaging units, available in bright stainless steel (colour code U32) and black stainless steel (colour code U33)	—	500 Stk./VE	—	—	3.8	R	UNI	9180	183.30	—	183.30	—	183.30	—	183.30	—	183.30	—	183.30	—	
Slate nails 2.8/35 mm – Bright stainless steel for visible and concealed fastening, only supplied in complete packaging units, available in bright stainless steel colour (colour code U32)	—	1000 Stk./VE	—	—	2.5	R	UNI	9189	61.00	—	61.00	—	61.00	—	61.00	—	61.00	—	61.00	—	
Slate nails 2.8/35 mm – Galvanised for concealed fastening, only supplied in complete packaging units, available in galvanised colour (colour code U30)	—	1000 Stk./VE	—	—	2.5	R	UNI	9190	17.88	—	17.88	—	17.88	—	17.88	—	17.88	—	17.88	—	


OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
The colours shown may differ from the original colours. Original samples can be requested for all colours.
* Only suitable for use on walls
** Crystal white = 10 pcs/bundle; other colours = 20 pcs/bundle

B As required

R Standard delivery time



A Delivery date by arrangement

	RHOMBUS PATTERN ROOF & FACADE		Feature	Packaging unit	Pcs per bundle	Weight per pallet (approx.)	Unit weight (approx.)	Availability		R
				Order code model	Order code function	blue-black				
			Format in cm			914				

Smooth field slates											Price per 100 pcs in euros/partial pallet price per 100 pcs in euros			
	Field slate, 40x44, 9+10				pierced	400 Stk./Pal.	10	736	1.8	R	814	9125	276.00	317.40

Fasteners												Price in euros/pc/partial pallet price in euros		
 9189	 9190	Slate nails 2.8/35 mm – Bright stainless steel for visible and concealed fastening, only supplied in complete packaging units, available in bright stainless steel colour (colour code U32)	—	1000 Stk./VE	—	—	2.5	R	UNI	9189	61.00	—		
		Slate nails 2.8/35 mm – Galvanised for concealed fastening, only supplied in complete packaging units, available in galvanised colour (colour code U30)	—	1000 Stk./VE	—	—	2.5	R	UNI	9190	17.88	—		

Universal accessories										Price in euros/pc/partial pallet price in euros				
 9194  9161  9169	Field ventilator 40x40, vent area 40 cm2, available in blue-black (colour code U34)	—	B	—	—	0.7	R	UNI	9194	33.30	—			
	Ridge/hip/linear ventilator, 2 m element, available in blue-black (colour code U34)	—	B	—	—	3	R	UNI	9161	135.80	—			
	Ridge/hip/linear ventilator, upper connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9159	6.30	—			
	Ridge/hip/linear ventilator, lower connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9160	6.30	—			
	Ridge/hip/linear ventilator, ridge closure, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9158	10.70	—			
	Solar flashing, 240 x 580 mm, available in blue-black (colour code U34)	—	B	—	—	0.4	R	UNI	9169	25.45	—			
	Solar flashing, 280 x 380 mm, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9170	25.45	—			

	POINTED PATTERN ROOF & FACADE		Feature	Packaging unit	Pcs per bundle	Weight per pallet (approx.)	Unit weight (approx.)	Availability		R
								Order code model	Order code function	
								Format in cm		914

Smooth field slates										Price per 100 pcs in euros/partial pallet price per 100 pcs in euros			
9127		Field slate, 40x40, 10+11	pierced	960 Stk./Pal.	10	1306	1.4	R	815	9127	194.00	223.10	
		Field slate, 40x40, 8°	pierced	960 Stk./Pal.	10	1306	1.4	R	815	9126	194.00	223.10	

Fasteners											Price in euros/pc/partial pallet price in euros				
 9189	 9187	 9188	Slate nails 2.8/35 mm – Bright stainless steel for visible and concealed fastening, only supplied in complete packaging units, available in bright stainless steel colour (colour code U32)	—	1000 Stk./VE	—	—	2.5	R	UNI	9189	61.00	—		
			Slate nails 2.8/35 mm – Galvanised for concealed fastening, only supplied in complete packaging units, available in galvanised colour (colour code U30)	—	1000 Stk./VE	—	—	2.5	R	UNI	9190	17.88	—		
			Slate clip 23 mm, aluminium, available in aluminium (colour code U31)	—	1000 Stk./VE	—	—	1	R	UNI	9187	95.20	—		
			Slate clip, 23 mm, copper, available in copper (colour code U04)	—	1000 Stk./VE	—	1.00	—	R	UNI	9188	150.45	—		

Universal accessories											Price in euros/pc/partial pallet price in euros				
 9194  9161	 9169	 9170	Field ventilator 40 x 40, vent area 40 cm2, available in blue-black (colour code U34)	—	B	—	—	0.7	R	UNI	9194	33.30	—		
			Ridge/hip/linear ventilator, 2 m element, available in blue-black (colour code U34)	—	B	—	—	3	R	UNI	9161	135.80	—		
			Ridge/hip/linear ventilator, upper connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9159	6.30	—		
			Ridge/hip/linear ventilator, lower connection element, available in blue-black (colour code U34)	—	B	—	—	0.2	R	UNI	9160	6.30	—		
			Ridge/hip/linear ventilator, ridge closure, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9158	10.70	—		
			Solar flashing, 240 x 580 mm, available in blue-black (colour code U34)	—	B	—	—	0.4	R	UNI	9169	25.45	—		
			Solar flashing, 280 x 380 mm, available in blue-black (colour code U34)	—	B	—	—	0.3	R	UNI	9170	25.45	—		



OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
The colours shown may differ from the original colours. Original samples can be requested for all colours.
* Only suitable for use on walls
** Crystal white = 10 pcs/bundle; other colours = 20 pcs/bundle

B

As required

R

Standard delivery time


A

Delivery date by arrangement



Format in cm

Smooth field slates




Field slate 30 x 30, 4-11, with rounded corner*	pierced	1920 Stk./Pal.	20	1440	0.8	R	812	9123	129.00	148.35	166.00	190.90	166.00	190.90	166.00	190.90	—	—	166.00	190.90
Field slate 25 x 25, 4-10, with rounded corner*	pierced	1200 Stk./Pal.	20	612	0.5	R	812	9122	116.00	133.40	—	—	—	—	—	—	—	—	—	—
Field slate 20x20, 4, with rounded corner*	pierced	1440 Stk./Pal.	20	490	0.3	R	812	9121	67.00	77.05	97.00	111.55	97.00	111.55	97.00	111.55	97.00	111.55	97.00	111.55
Field slate 30x30, 4/4, with clipped corner*	pierced	1920 Stk./Pal.	20/10	1478	0.8	R	812	9120	129.00	148.35	166.00	190.90	166.00	190.90	166.00	190.90	166.00	190.90	166.00	190.90
Field slate 20x20, 3/3, with clipped corner*	pierced	1440 Stk./Pal.	20	490	0.3	R	812	9119	67.00	77.05	97.00	111.55	97.00	111.55	97.00	111.55	97.00	111.55	97.00	111.55

Smooth accessory slates



Verge, starter and valley slate 40x20, full edge	unpierced	1920 Stk./Pal.	20	1306	—	R	822	9152	144.00	165.60	—	—	—	—	—	—	—	—	—
Verge, starter and valley slate 60x30, full edge	unpierced	960 Stk./Pal.	10	1478	—	R	822	9156	359.00	412.85	377.00	433.55	377.00	433.55	377.00	433.55	377.00	433.55	377.00
Verge, starter and valley slate 40x40, full edge	unpierced	960 Stk./Pal.	10	1315	—	R	822	9154	308.00	354.20	348.00	400.20	348.00	400.20	348.00	400.20	348.00	400.20	348.00
Ridge and hip slate 40x20, clipped	pierced	1920 Stk./Pal.	20	1306	—	R	822	9151	144.00	165.60	162.00	186.30	162.00	186.30	—	—	—	—	—
Ridge and hip slate 30x15, clipped	pierced	1920 Stk./Pal.	20	749	—	R	822	9150	93.00	106.95	109.00	125.35	109.00	125.35	—	—	—	—	—

structur field slates



Field slate 30 x 30, 4–11, with rounded corner*	pierced	1440 Stk./Pal.	20	490	0.3	R 819 9123	132.00	151.80	169.00	194.35	—	—	—	—	—	—	—	—
Field slate 25 x 25, 4–10, with rounded corner*	pierced	1200 Stk./Pal.	20	672	0.6	R 819 9122	118.00	135.70	—	—	—	—	—	—	—	—	—	—
Field slate 20x20, 4, with rounded corner*	pierced	1440 Stk./Pal.	20	519	0.4	R 819 9121	68.00	78.20	98.00	112.70	98.00	112.70	—	—	—	—	—	—
Field slate 30x30, 4/4, with clipped corner*	pierced	960 Stk./Pal.	20/10	778	0.8	R 819 9120	132.00	151.80	169.00	194.35	169.00	194.35	—	—	—	—	—	—
Field slate 20x20, 3/3, with clipped corner*	pierced	1440 Stk./Pal.	20/10	518	0.4	R 819 9119	68.00	78.20	98.00	112.70	98.00	112.70	—	—	—	—	—	—

structur accessory slates



Verge, starter and valley slate 40x20, full edge	pierced	1920 Stk./Pal.	20	1306	—	R 823	9148	—	—	—	—	—	—	—	—	—	—	—
Verge, starter and valley slate 60x30, full edge	unpierced	960 Stk./Pal.	10	1478	—	R 823	9156	366.00	420.90	385.00	442.75	385.00	442.75	—	—	—	—	—
Verge, starter and valley slate 40x40, full edge	unpierced	960 Stk./Pal.	10	1315	—	R 823	9154	313.00	359.95	—	—	—	—	—	—	—	—	—
Ridge and hip slate 40x20, clipped	pierced	960 Stk./Pal.	20	691	—	R 823	9151	147.00	169.05	—	—	—	—	—	—	—	—	—
Ridge and hip slate 30x15, clipped	pierced	1920 Stk./Pal.	20	787	—	R 823	9150	97.00	111.55	109.00	125.35	—	—	—	—	—	—	—

Fasteners



Slate nails 2.8/35 mm – Bright stainless steel for visible and concealed fastening, only supplied in complete packaging units, available in bright stainless steel colour (colour code U32)	—	1000 Stk./VE	—	—	2.5	R	UNI	9189	61.00	—	61.00	—	61.00	—	61.00	—	61.00	—	61.00	—
Slate nails 2.8/35 mm – Galvanised for concealed fastening, only supplied in complete packaging units, available in galvanised colour (colour code U30)	—	1000 Stk./VE	—	—	2.5	R	UNI	9190	17.88	—	17.88	—	17.88	—	17.88	—	17.88	—	17.88	—

Universal accessories



</

 OTHER ACCESSORIES
SEE PAGE 04

Prices include freight costs in accordance with the general conditions of delivery beginning on page 170.
The colours shown may differ from the original colours. Original samples can be requested for all colours.
* Only suitable for use on walls
** Crystal white = 10 pcs/bundle; other colours = 20 pcs/bundle

B As required

R Standard delivery time

A Delivery date by arrangement

General sales, delivery and payment conditions

Validity
All previous prices will cease to be valid upon publication of this list and will be replaced by the new prices on 1 January 2018. All prices (stated in euros) exclude tax. No discounts will be granted on these prices or on shipping and handling costs, unloading costs or on pallet packaging and freight costs.
Prices including delivery to destination station
Since prices include delivery to the destination station, we will refund the corresponding freight charges if goods are collected. Zones will be determined based on the construction material trader's registered office that is the closest to our factories. We will charge a supplement of EUR 150.00 for fixed-time lorry deliveries.
Small quantities
We will charge a small quantity surcharge in the form of a fixed fee for transport costs of EUR 150.00 per production site for all orders with a net value of EUR 2500.00 excluding tax or less. This surcharge will not apply if the customer unloads the lorry. We will charge a fixed fee for transport costs of EUR 30.00 per package for sending packages weighing 31.5 kilograms. Express shipment pricing and special prices for deliveries before 12:00 on a specific deadline upon receipt of order will apply.
Small pallets
The prices stated for field tiles apply to full pallets only. We will package field tiles in the specific quantities required upon request for a supplement of EUR 20.00 per pallet to cover the cost of packaging.
Euro-pallet prices
We charge EUR 9.00 per reusable Euro-pallet. If goods are returned by the customer, we will refund EUR 9.00/unit for any reusable Euro-pallets (UIC 435/2 standard) and EUR 7.50/unit for any returned pallets collected by us (minimum 350 units) from the supplier's warehouse.
Date changes
Any unnecessary transport costs incurred will be billed for any change of date made within two working days preceding the agreed delivery date.
Product returns
Products may be returned within 6 months following delivery, by agreement with the relevant advisor and upon written request accompanied by our returns form. In the case of store collection, products may only be returned following discussion with the internal sales department to arrange an appointment. Only returns of materials which are new, are capable of being resold and are listed in the current catalogue will be accepted. These must also be units in their original packaging and secured for transport. Specially manufactured products or products removed from stock may not be returned. We will deduct 25% of the gross list price along with any transport costs incurred due to the location of the item in question by way of compensation. The minimum value for product returns is set at EUR 200.00 (gross list price).
General terms and conditions of sale
The general terms and conditions of sale, also available on our website.

CreaNORM – Free basic services

In principle, in Germany, CREATON will supply you free of charge ex works or free to site with any transport costs already included in the sale price.

Receipt of order

With regard to our standard delivery periods, the order must be received by CREATON AG's sales department before 12:00 for shipping within the periods specified in the product and order confirmations.

Order confirmation

For delivery within 5 working days, confirmation of the order will be sent within 24 hours.

For delivery over 5 working days, confirmation of the order will be sent within 48 hours.

Order confirmation

For delivery within 5 working days, confirmation of the order will be sent within 24 hours.

For delivery over 5 working days, confirmation of the order will be sent within 48 hours.

Samples will be sent within 7 working days.

Material returns will be processed within 15 days following the request.

CreaPLUS – Value-added services

Parcel shipping

Shipments weighing a maximum of 31.5 kg will be shipped using a parcel delivery service. You will be charged EUR 30.00 per parcel. We will ship a maximum of 3 parcels per order.

Small quantity surcharge

The following flat fees will be applied for small quantities due to the inherently higher expenses and transport costs involved:
Order value excluding tax: EUR 2500.00, plus VAT, Fixed-rate transport cost: EUR 150.00 per factory.

Delivery on disposable pallets

Upon request, we will supply you with HEIDELBERG, GÖTEBORG and VERONA field tiles on special disposable roof tile pallets. You will be charged EUR 50.00 for this additional expense. KAPSTADT will always be delivered on disposal roof tile pallets at no additional cost.

Preparing field tile orders

- Upon request, we prepare field tile orders with specific quantities at the cost of EUR 20.00 per pallet.
- No commission will be charged when purchasing concrete roofing tiles. Note: Only whole strips will be shipped.

Postponing delivery dates

Given the large distances to be covered during deliveries, transport orders are allocated very early on. That is why we have to charge you for any costs incurred for transportation that is cancelled following the postponement of a delivery date or order changes made less than 2 working days prior to the agreed delivery date. Where necessary, we will still endeavour to arrange an alternative load for the cancelled transportation and, if we manage to find one, you will not be charged for the costs incurred.

Material returns

Materials may be returned subject to the following conditions:
A return must be declared within 6 months from the delivery date referencing the original delivery.
Only materials in new condition that can be resold and are available on the current price list may be returned.
Returns of special batches or products will regrettably not be accepted.
The products must be suitably packaged to ensure safe transportation.

No deduction will be applied to returns on grounds attributable to CREATON. Goods will only be collected by prior arrangement.

Pallet handling

We supply you with reusable Euro-pallets (UIC 435-2 standard) and will charge you EUR 9.00 per pallet. All pallets are mechanically inspected before delivery in accordance with the EPAL guidelines.

You may return the pallets based on the quantity purchased. If you return the pallets to the factory directly, we will credit you with EUR 9.00 per reusable Euro-pallet. If CREATON is tasked with collecting the pallets from the client's warehouse, we will refund you EUR 7.50 per reusable Euro-pallet. The pallets will be collected as soon as possible.

If the mechanical inspection performed pursuant to the UIC 435-2 standard after Euro-pallets are returned shows that the pallets are not reusable, we will credit you with EUR 3.00 per pallet or, rather than receiving the credit, you may take the opportunity to collect pallets of a similar quality from one of CREATON's sites.

If the direct exchange of pallets has not been agreed upon, return costs of EUR 50.00 will also be charged for each shipment of 125 pallets.

ORIGINAL CREATON ACCESSORIES

	Order code		Availa- bility	Pack- aging unit	Price in EUR/pc
	Model	Function			
Ridge and hip range					
Ridge-/hip roll, 150 cm² ventilation cross-section, 5 m/roll, 300 mm wide (red/ black)	UNI	3720	R	72 Stk./ Pal.	45.90
Ridge-/hip roll, 150 cm² ventilation cross-section, 5 m/roll, 220 mm wide (red/ black)	UNI	3710	R	32 Stk./ Pal.	45.90

Product range for roof details and uplift protection

Roof access hatch, 45 x 55 cm, metal with single pane safety glass, opening dimensions comply with DIN 18160-5 requirements for roof access, available in the following colours: red (colour code U03) and dark grey (colour code U13)	UNI	3953	R	B	1.15
Thermally insulated roof access hatch 55 x 78 cm (ENEV standard), grey-brown (colour code: U12), with integrated connection apron and flashing	UNI	3951	R	B	390.00
Universal aluminium-coated flashing tape, 300 mm wide, 5 m/roll, 3 kg/roll, 120 pcs/pallet, available in the following colours: red (colour code U03), brown (colour code U11), grey (colour code U07) and black (colour code U06)	UNI	3731	R	4 Stk./ Kart.	65.00
Universal aluminium-coated flashing tape, 450 mm wide, 5 m/roll, 4.5 kg/roll, 80 pcs/pallet, available in the following colours: red (colour code U03), brown (colour code U11), grey (colour code U07) and black (colour code U06)	UNI	3732	R	4 Stk./ Kart.	97.50
Satellite and aerial mast in hot-dip galvanised steel,, mast length 850 mm, mast diameter 48 mm, for rafter spacing from 50 to 95 cm, incl. wood screws and sealing gasket, available uncoated or in black (RAL7021), red (RAL8004) and chestnut brown (RAL8015) colours	UNI	3855	R	B	174.00
Eaves ventilation comb, available in U06 colour	UNI	1402	R	30 Stk./ VE	0.75